



welcome to the elka life

At elka we have a floor for every type of home. From busy family houses to the most pristine designer spaces, whatever look you want or budget you have to work with, elka has the answer.

As one of the only brands on the market to offer a full range of flooring, including laminate, engineered and solid wood, this 2011 catalogue shows off each of our latest styles, along with our complete range of elka extras.











practical spaces for family life

Ordinary family life always involves lots of people, lots of shoes and usually plenty of mess. That's why so many busy households are choosing to install wooden or laminate flooring. With their smooth, durable surfaces, it's easier and quicker to clean up mess, spills or muddy footprints.

renovation versus relocation

Changing the floor of your home is a simple way to completely refresh your interior design and with our integrated Uniclic system, home improvement doesn't have to be a headache.

This unique mechanism allows you to install a floor quickly and easily without the need for glue. Our floor decors have been chosen to reflect the latest trends while providing unrivalled quality, taste and value for money.

contents

making the right

choice for you

real wood

solid wood

flooring

engineered flooring

08 laminate flooring

24

UNICLIC -



create the perfect finish

- everything you need to prepare your sub floor
- 36 everything you need to fix your elka floor
- everything you need to finish your elka floor
- everything you 44 need to maintain your elka floor



Real wood product images are of a natural product. Part of its character and charm is its naturally occurring and individual variations in shade and tone. Therefore the colours shown here may not be an exact representation of the product.

Although every effort has been made to reproduce the colour of the real wood and laminate products shown in this brochure, there will be slight variations in actual colours due to printing limitations.



We don't just care about the inside of houses, we care about what's outside too. That's why we're committed to ensuring the timber we use in our products has been sourced with the least possible damage to the natural environment.

When possible, we insist upon maintaining a certified chain of custody for the Programme for the Endorsement of Forest Certification® (PEFC) for the majority of the timber we buy. For any that isn't certified, we always ensure that the timber is from well-managed and sustainable sources.

For our PEFC products, please look for the following logo.



eLKa

What type of floor is the right one for me?

Engineered? Laminate? Solid wood? What's the difference? What is best for your home? What can you afford?

The beauty of elka flooring is that you can have all the beauty and style within a wide range of budgets. To help with your decision, here is a short summary of the main characteristics of each floor:

Solid wood flooring: With plenty of character and style there are many homes that just wouldn't be complete without a solid wood floor. As a completely natural product, the grains and colours of elka solids create an ambience with real character and a sense of long life and permanence. Elka solids will add beauty and elegance to any interior.

Real wood engineered flooring:

Elka engineered flooring is a truly practical product, chosen for its strength, flexibility of installation and overall stability. It perfectly mimics a solid wood floor, but is actually made of 3 or more layers of real wood with an upper layer of genuine hardwood. Its core strength comes from each layer being stacked in opposite directions, so it can be used in most areas of the home including conservatories and in conjunction with underfloor heating.

Laminate flooring: This simple, effective flooring can be used in all kinds of spaces, either with or without underfloor heating. It's simple and quick to install, looks great, is hardwearing and brilliant for tight budgets!







a sound floor that's also sound proof



From apartment living to teenage bedrooms, it's easier to keep noise within your four walls with our noise reducing underlays. The advanced composition of Elka QT Lay provides a reduction of up to 22db. It is quick and easy to install and has an overall thickness of just 5mm. Elka QT Lay was created to offer excellent acoustic insulation under laminate and engineered floors. It is designed to meet the demanding requirements of all current building regulations and is ideal for use with underfloor heating.

elka extras

Want to know more about our elka extras range?

See pages 32-45 of this brochure for our complete range.


Visit our website for more time saving advice and tips! www.elkaflooring.com

TRICKS OF THE TRADE

making DIY a doddle!



When you're having work done on your home, you want it done quickly and efficiently. We make a wide range of easy to use products to make doing it yourself that bit easier. Using the latest technology, our elka trade pack containing MS adhesive is low odour, fast curing, very strong and easily applied using the reusable application gun. See our simple instructions for a quick 'How To'.







warmth across the board

It's easy to bring a little warmth to your living space with an elka floor. Not only do the gentle warming colours of natural wood add character to a room, every elka laminate and real wood engineered floor is suitable for use with all kinds of embedded underfloor heating.











laminate flooring range

7mm classic 7mm distinctive 8mm v-groove



FEATURES AND ADVANTAGES

Fully integrated Uniclic installation system for ease of fitting

High definition surface structures that enhance the authentic appearance of the floor

Choice of modern finishes and individualistic designs

Flexible fitting options - you can start anywhere within the room

Hygienic allergy reducing floor

Can be used in conjunction with noise reducing underlay

Suitable for use with underfloor heating

CLASSIC

7mm laminate flooring





1 Natural Oak 1200x190x7mm 1.824m² per pack Planked

2 Rustic Oak

1200x190x7mm 1.824m² per pack Planked

3 Walnut

1200x190x7mm 1.824m² per pack 2 strip

4 Acacia

1200x190x7mm 1.824m² per pack 2 strip







FOR USE WITH UNDERFLOOR HEATING











DISTINCTIVE

1 Ash

3 strip

Planked

3 White Teak

Planked

Planked

4 Wenge

1200x190x7mm

2 Dark Grey Oak

1200x190x7mm

1.824m² per pack

1200x190x7mm 1.824m² per pack

1200x190x7mm 1.824m² per pack

1.824m² per pack

7mm laminate flooring





UNICLIC -











SUITABLE FOR USE WITH UNDERFLOOR HEATING







11



V-GROOVE

8mm laminate flooring









1 Natural Oak

1380x156x8mm 1.7222m² per pack Planked

2 Urban Oak

1380x156x8mm 1.7222m² per pack Planked

3 Rustic Oak

1380x156x8mm 1.7222m² per pack Planked

4 White Oak

1380x156x8mm 1.7222m² per pack Planked

5 Golden Oak

1380x156x8mm 1.7222m² per pack Planked

6 Vintage Oak

1380x156x8mm 1.7222m² per pack

Planked 7 Dark Walnut

1380x156x8mm 1.7222m² per pack Planked PEFC 16-37-670

SUITABLE FOR USE WITH UNDERFLOOR HEATING

UNICLIC _

8 Colonial Oak

1380x156x8mm 1.7222m² per pack Planked













Elka's laminate range is one of the most superior quality laminate flooring ranges currently available on the market. Designed to look great and last the distance, we apply strict standards to each board, ensuring maximum strength and a flawless, warp-free finish that makes it look every bit as beautiful as a natural wood floor. The v-groove technology is an advanced bevel edging which helps to create a look that reflects the natural qualities of wood flooring.

The range features the unparalleled and technically superior Uniclic system. Its glue-free installation process makes it fast and easy to lay or re-lay anywhere, meaning you can take it with you if you move house. Each board locks together securely, making for a seamless join that won't allow dust or dirt to gather. Unlike a natural wood floor, there are no height differences between the boards so there will be no wear on the edges and the lifetime warranty means you can enjoy a quality finish for years to come.



STRUCTURAL COMPOSITION OF A LAMINATE BOARD



























real wood engineered flooring range

12.5mm 14mm 18mm

21-22mm



FEATURES AND ADVANTAGES

Can be laid over underfloor heating
Can be sanded and refinished
Made from 100% natural wood
Dimensional stability
Floor can be laid in
all residential areas
(except those of high humidity)

12.5MM

real wood engineered flooring

Key Features

Brush Matt Lacquered finish Solid Oak - 2.2mm wear layer HDF moisture resistant core Superior Uniclic locking system Suitable for DIY installation









 3 Golden Oak
 4 Antique Oak

 1820x145x12.5mm
 1820x145x12.5mm

 1.5834m² per pack
 1.5834m² per pack

 2-sided bevel (long side)
 2-sided bevel (long side)

UNICLIC C



UNICLIC =



14MM

real wood engineered flooring

Key Features

Available in Brushed & Oiled, UV Brushed & Oiled or Lacquered finish Solid oak 3mm wear layer Real wood core Uniclic or Tongue & Groove locking system



SUITABLE FOR USE WITH UNDERFLOOR HEATING



1860x189x14mm

2.81m² per pack

Lacquered Oak

2.81m² per pack

Lacquered finish

1860x189x14mm

3 Rustic

Brushed & Oiled finish


1 Brushed 2 Champagne & Oiled Oak 1820x190x14r

1820x190x14mm 2.0748m² per pack UV Brushed & Oiled finish

4 Russet

1820x190x14mm 2.0748m² per pack UV Brushed & Oiled finish













18MM

real wood engineered flooring

Key Features

Available in Brushed Matt Lacquered, Oiled or Lacquered finish Solid 4mm wear layer, rustic grade Random lengths - 400-1800mm Ensures excellent thermal and acoustic properties





1 Enhanced Oak 150x18x4mm

1.98m² per pack Brushed Matt Lacquered finish

3 Washed & Smoked Oak


150x18x4mm 1.98m² per pack Wire brushed & whitewashed grain Oiled finish



2 Polar Oak 150x18x4mm 1.98m² per pack Brushed Matt Lacquered finish

4 Walnut 150x18x4mm 1.98m² per pack Lacquered finish

TONGLE & GROOVE









21-22MM STRUCTURAL

real wood engineered flooring

Key Features

Available in Brushed & Oiled, Lacquered or unfinished 6mm wear layer Structural and load bearing, suitable to fix straight to joists Ensures excellent thermal and acoustic properties





1 Brushed & Oiled Oak 22mm 1860x189x22mm 2.11m² per pack

3 Unfinished Oak 22mm 1860x189x22mm 2.11m² per pack

TONGUE 3 & GROOVE




2 Rustic Lacquered Oak 22mm 1860x189x22mm 2.11m² per pack

4 American Black Walnut 21mm

1830x189x21mm 1.38m² per pack Lacquered or Oiled finish









When laid, an elka real wood engineered floor is virtually indistinguishable from a solid wood floor. This is thanks to the product's unique structure, which includes a generous surface layer of between 2.2mm and 6mm of real wood, making it possible for some engineered floors to be sanded and refinished.

The strength of each board comes from three or more layers of wood laid in opposite directions. This helps to avoid any issues with contraction or expansion, making it perfect for use in areas where traditional hardwood flooring cannot be used, such as in conservatories or in conjunction with underfloor heating. The simplicity of its construction makes it perfect for use in DIY projects and thanks to its strength, it can easily be installed as a floating floor.

For 2011, we have introduced some UV oiled wood floors into our engineered range. Advances in UV cure technology have resulted in a finish that is more versatile, hardwearing and easy to maintain whilst retaining that natural aesthetic of wood. Oiled wood floors require an intermittent maintenance programme. Cleaning the floor with elka clean and applying a coat of elka protect oil at least once a year won't just remove scuffs and scratches, but will improve its durability and it will also restore your floor to that vibrant piece of nature you fell in love with first time round.



STRUCTURAL COMPOSITION OF AN ENGINEERED BOARD

Carefully selected real wood wear layer

Latest technology machining for ultimate stability

Engineered ply construction for a stable inner core

Superior glue throughout ensures a long carefree life

Selected veneer backing for added stability






















solid wood flooring range

18mm solid wood



FEATURES AND ADVANTAGES

Traditional 18mm solid floors

Only selected and graded timbers used


Contemporary and stylish finishes
to suit every home

Random length boards

20 year structural warranty

solid wood

flooring



1 Rustic White Oak

18x130mm - 2.184m² per pack Random lengths 400mm + average lengths 680mm Rustic Grade, Lacquered finish

2 Brushed & Oiled Oak

18x130mm - 2.184m² per pack Random lengths 400mm + average lengths 680mm Rustic Grade, Brushed & Oiled finish

3 Natural Oak

18x130mm - 1.248m² per pack Random lengths 300mm + average lengths 630mm Natural Grade, Lacquered finish

4 Spiced Acacia

18x120mm - 2.016m² per pack Random lengths 400mm + average lengths 670mm Rustic Grade, Lacquered finish

5 Unfinished Oak

18x135mm - 1.45m² per pack Random lengths 600mm + average lengths 980mm Rustic Grade, No Finish

6 Classic Oak

18x135mm - 1.45m² per pack
Random lengths 600mm +
average lengths 980mm
Rustic Grade, Brushed Matt Lacquered Finish

7 Golden Oak

18x130mm - 2.184m² per pack Random lengths 400mm + average lengths 680mm Rustic Grade, Lacquered finish

8 Antique Oak

18x130mm - 2.184m² per pack Random lengths 400mm + average lengths 680mm Rustic Grade, Lacquered finish



















27





The grains and colours of elka solids create an ambience with real character and a sense of long life and permanence, adding beauty and elegance to your interior.

Each elka solid wood board is made from 18mm of 100% solid oak or acacia sourced from sustainable forests. Created from high-grade timber, we only select the most aesthetically pleasing grains for use in this exclusive range and offer a wide range of stained, oiled and lacquered finished planks.

Solid wood floors can be fitted using numerous techniques. These include: adhering it direct to a sub floor, nailing or screwing it to timber, or floating it using elka 3in1 underlay. For more information visit www.elkaflooring.com.

Our strict production process means that every board is checked by hand at least three times before being packaged, guaranteeing a high level of quality in every detail of your new floor. We also offer unfinished oak boards to allow you to customise your floor.



STRUCTURAL COMPOSITION OF A SOLID BOARD

Carefully selected timber, sourced from sustainable forests

Tongue and groove construction allowing multiple fixing options

Top surface is finished with lacquer or oil to enhance hardness and durability - alternatively, we provide unfinished oak to allow you to customise your finish











everything you need to prepare your sub floor

For 2011 we have introduced Elka PU Primer and Elka DPM for concrete sub floors. Both products will help to provide the correct sub floor conditions to lay your elka floor.

elka prepare range

elka pu primer elka one coat dpm membrane






High performance PU Primer for concrete sub floors.



One coat damp proof surface membrane for concrete sub floors.



5 Litre



One part polyurethane primer Water and solvent free - moisture cure polyurethane liquid resin

Designed for treating concrete floors prior to laying wooden flooring

It ensures trouble free adhesion to dusty screeds

Assists in sub floor repair and patching.



5 Ka

Features and Advantages

2 part pack ready to mix

Solvent Free

Provides a moisture barrier against concrete floors

Supresses moisture in concrete floors up to 95% RH

Eliminates risk of moisture transmitting from newly poured concrete into your flooring Fast curing.

Suitable prior to fitting laminate, real wood engineered and solid flooring

Suitable prior to fitting laminate, real wood engineered and solid flooring

33

everything you need to prepare your elka floor

Our comprehensive range of underlay to protect and secure your elka floor.

Elka lay is perfect for any location, but you may prefer to choose the added advantages of DPM and sound proofing. Elka 3 in 1 lay has a practical integrated adhesive system for ease of installation of solid and engineered flooring. All our underlays are suitable for use with laminate and real wood engineered flooring. underlay

3MM UNDERLAY



Features and Advantages

Handy lightweight 15m² roll Robust 3mm underlay for use with real wood engineered and laminate flooring



Suitable for laminate and real wood engineered flooring

3MM UNDERLAY WITH

DPM - DAMP PROOF MEMBRANE

SOUND PROOFING



Features and Advantages

L15m, W1m, thickness 3mm

Handy lightweight 15m² roll Robust 3mm underlay for use with real wood engineered and laminate flooring Includes laminated Damp Proof Membrane (DPM) back for use on concrete ground floor installations Suitable for underfloor heating

Suitable for laminate and real wood engineered flooring

5MM UNDERLAY WITH

DPM - DAMP PROOF MEMBRANE



L15m, W1m, thickness 5mm

Features and Advantages

Handy lightweight 15m² roll Luxury 5mm underlay for use with real wood engineered and laminate flooring

Floor levelling characteristics Impressive 22db sound reduction Integrated DPM system Suitable for underfloor heating

Suitable for laminate and real wood engineered flooring

3MM UNDERLAY WITH

DPM - DAMP PROOF MEMBRANE

SOUND PROOFING

SELF ADHESIVE BONDS FLOOR DIRECT TO UNDERLAY



L10m, W1m, thickness 3mm

Features and Advantages

Specialist installation over hard surface substrates Handy lightweight 10m² roll

Luxury 3mm underlay for use with elka solid and real wood engineered flooring

Noise reducing, shock absorbent Impressive 22db sound reduction Foil backing with 50mm tape overlap

giving an integrated sealed DPM system Self adhesive - bonds floor directly to underlay Suitable for solid floors up to 150mm Suitable for engineered floors up to 190mm


35

Suitable for real wood engineered and solid flooring

everything you need to fix your elka floor

Our elka bond flex range is for use with solid and real wood engineered flooring.

The elka bond range is a versatile product that can be used for a rigid fix for both solid wood and real wood engineered flooring or a flexible fix for solid wood floors.



elka bond trade flex elka bond trowel flex

#RIGID

Heavy duty synthetic polymer for a rigid bond.



10 litre

For bonding solid and engineered flooring to concrete, cementitious screeds, flooring grade plywood, chipboard, hardboard and smoothing compounds where applicable.

Coverage: 16m² when used as directed - instructions on packaging

型 DIY 端 FLex

New improved flooring adhesive in a handy cartridge pack.



300ml

Elkabond Flex adhesive range is based on the latest developments in hybrid technology and has the following key benefits:

100% active, solvent and water-free.

Permanently flexible - compensates for wood and sub floor movement.

Will bond wood directly to all common sub floors.

Low odour.

Excellent gap filling properties for uneven surfaces.

Plyable product gives excellent sound reduction properties.

when used as directed - instructions on packaging

Coverage: 18m² when used as directed - instructions on packaging

TROWEL SEPTEMBER

Tub containing 2 handy 7kg foil packs of flexible adhesive for a trowel application. Tub includes a disposable trowel applicator and elka wipes.



9 x 600ml foils Trade pack refill cartridges available

型TRADE 端FLEX

New improved flooring adhesive in

a handy trade pack. Pack includes a

glue gun, nine 600ml foils and elka wipes.



14kg - 2 x 7kg foil packs


Coverage: 14m² when used as directed - instructions on packaging

everything you need to fix your elka floor

Our specialist range of high performance fixing products that are safe, simple and cost effective solutions for installing elka flooring.

elka fixing range

elka grip elka tongue tite elka fitting kit



ELKA GRIP

Quality adhesive for use with elka Tongue & Groove engineered floors.



500m

A specialist D3 rated high quality resin based wood adhesive for use when fixing engineered flooring panels with a tongue & grooved system.

Features and Advantages

High strength impact resistant bond that is stronger than wood itself Dries clear Coverage 6 -10m² of T&G (dependent)

Coverage 6 -10m² of T&G (dependent on the depth of the flooring groove) Easy clean-up using a damp cloth Handy 500ml bottle.



Superb product for screw fixing solid or real wood engineered (18mm+) flooring to any wood substrate.



200no. per box and 1no. adaptor bit

Designed to fix Tongue & Groove flooring, these 3.5x45mm screws feature the smallest heads ever, enabling them to be countersunk tidily into the rebate above the tongue so as to offer no obstruction to the matching groove on the next board.

Features and Advantages

No need for glue or to hire a nail gun
Easy to install in difficult locations
If necessary, you can remove boards without damage in order to gain access to underfloor plumbing etc.
No need to drill pilot holes, even in hardwoods.
One size fits all boards (3.5 x 45mm)
Boxed in 200's (covers up to 10m²)



For fitting laminate and most Uniclic flooring quickly and easily.



1 tapping block, 1 crow bar and 40 spacers

Designed to make fitting your Uniclic floor as easy as possible......

Features and Advantages

The spacers maintain an expansion gap around perimeter

Pull bar allows you to pull planks together at the end of rows

Tapping block protects edges of the boards when tapping them together.

everything you need to finish your elka floor

Real wood profiles and adaptors suitable for solid and real wood engineered flooring.

elka profile range

elka 3 in 1 - real wood veneer elka architrave elka skirting elka scotia



Elka 3 in 1 Real Wood Profile is a flexible finishing profile designed to complete your real wood flooring utilising the latest design technology with a practical multifunctional profile moulding. This easy-to-use profile allows you to simply trim off the area of the product not required to create one of three finishing solutions.



Expansion Profile

to cover expansion gaps between two adjacent flooring products of the same height.





Edge Profile

to finish the flooring where a dressed edge is required eg. against a wall or window.

Features and Advantages

Real wood veneer finish

Flexible - 3 profiles in 1

Simply trim to the required profile type using the handy trimmer included in each pack.

Available in two lengths:


930mm in lacquered white oak, unfinished

white oak and walnut.

2150mm in lacquered white oak or unfinished white oak. (Unfinished white oak allows the flexibility to either oil, stain or lacquer the profile on-site to match your floor.)

Suitable for use on floors between 14-22mm with the supporting adjustable track provided.

Extra height adjustment can be gained when applied using elka bond.



An added function of the characteristics of the 3 in 1 profile is the flexibility in height adjustment, when choosing elka real wood flooring with depths between 14mm - 22mm you can ensure you have the right finishing option.





Simply trim off the area of the product not required using the supplied trimmer.

© architrave de Profile

The elka real wood veneered architrave profile allows you to complement your elka floor installation.

SKIRTING PROFILE

Elka classic real wood veneered skirting in Lacquered or Unfinished Oak will give you the perfect finish to your new elka flooring.

© OAK SCOTIA PROFILE

The Elka Lacquered Oak real wood veneered scotia provides the perfect finish to a floor where an expansion gap has been used.



The elka door architrave sets in lacquered or unfinished oak are available in two classic styles 'Ogee & Torus'.

Ogee architrave

Lacquered Oak / Unfinished Oak 69 x 19 x 2150mm 5 per pack

Torus architrave

Lacquered Oak / Unfinished Oak 69 x 19 x 2150mm 5 per pack



With a choice of 'Ogee' or 'Torus' skirting, you can be guaranteed a practical, yet stylish solution to your elka floor.

Ogee skirting

Lacquered Oak / Unfinished Oak 144 x 18 x 2400mm 5 per pack

Torus skirting

Lacquered Oak / Unfinished Oak 144 x 18 x 2400mm 119 x 18 x 2400mm 5 per pack



L 2.4m

Oak scotia profile can be glued or nailed for quick and easy placing. The perfect finish for your solid or real wood engineered floor. (The picture above shows elka skirting and scotia in a combined format).

everything you need to finish your elka floor

Laminate and metal profiles and adaptors suitable for classic, distinctive and v-groove laminate flooring. elka laminate

elka 5 in 1 - laminate elka 3 in 1 - metal elka scotia - laminate



Elka 5 in 1 Laminate Profile is a flexible finishing profile designed to complete your laminate flooring utilising the latest design technology with a practical multifunctional profile moulding. This easy-to-use profile allows you to simply trim off the area of the product not required to create one of five finishing solutions.



Expansion Profile

to cover expansion gaps between two adjacent flooring products of the same height.



Adaptor Profile for use when finishing between two adjoining floor coverings where the adjacent floor covering is of a lower height e.g. carpets or vinyl.



Edge Profile

to finish the flooring where a dressed edge is required eg. against a wall or window.



Transition Profile

the perfect link between elka laminate flooring and carpet.



Stair Profile to

seamlessly finish stairs, choose from one of several options available. Simple and fast to use, this profile must be installed in combination with the appropriate sub-profile.



Features and Advantages

The perfect match for your laminate floor Flexible - 5 profiles in 1 Simply trim to the required profile type using the handy trimmer included in each pack. Dimensions: 2150 x 48 x 13mm Suitable for linking a wide variety of flooring Economical - as this is a multipurpose product, you can utilise any spare pieces of profile



With elka 5 in 1, you always have the right solution to hand. Simply trim off the area of the product not required using the supplied trimmer.



Elka 3 in 1 Metal Profile is a truly flexible finishing profile designed to complete your elka flooring utilising the latest technology with a practical multifunctional profile moulding. This easy-to-use profile allows you to simply trim off the area of the product not required to create one of three finishing solutions. Available in three metal finishes, silver, gold and bronze.





The Elka Scotia Profile camouflages the expansion joint between an existing skirting and a newly installed elka laminate floor.



Expansion Profile to cover expansion gaps between two adjacent flooring products of the same height.



Adaptor Profile for use when finishing between two adjoining floor coverings where the adjacent floor covering is of a lower height e.g. carpets or vinyl.



Edge Profile

to finish the flooring where a dressed edge is required eg. against a wall or window.



Features and Advantages

Flexible - 3 profiles in 1 Simply trim to the required profile type using the handy trimmer included in each pack. Length 930mm, available in three metal finishes silver, gold and bronze Suitable for use on floors between 7-18mm

with the supporting adjustable track provided. Extra height adjustment of 3-5mm can be gained when applied using elka bond.



L 2.4m

These scotia profiles can be fixed with either Elkabond or by nailing. Available in all 7mm classic, 7mm distinctive and 8mm v-groove laminate decors.

everything you need to maintain your elka floor

An easy way to keep your floor in tip top condition.

Our elka range is designed to be quick and easy to use, no specialist polishing required. Perfect for today's modern lifestyle, leaving you time to enjoy your home! elka clean and protect range

elka clean elka protect elka protect+



elka clear

3 in 1 cleaner for frequent cleaning

PROTECT

protects your oiled wood flooring

PROTECT**⊕**

protects your lacquered wood floor



A quick drying instant cleaner that is ideal for everyday maintenance of both laminate and real wood floors (lacquered or oiled finish). Elka 3 in 1 daily cleaner is a special formulation made using the latest technology to ensure effective frequent cleaning is combined with added protection that will help preserve the original finish of the floor. Can be used in conjunction with elka protect and elka protect • as part of a programme to prolong the life of your real wood floor.



An easy-to-use spray application that has been specially developed to protect and maintain your oiled flooring for years to come. Elka protect is an ideal partner to elka 3 in 1 daily cleaner in the maintenance of your oiled wood flooring as it works simply by re-impregnating the surface of the floor with refined oilseeds. Use whenever the floor surface becomes dry, dull or in areas of high traffic to revitalise and protect the structure. The more you use it, the easier maintenance becomes.



Specially formulated to maintain high-traffic, lacquered or varnished wooden floors, elka protect • is designed to provide long-lasting surface enhancement that will keep your flooring looking like new. The non-slip, non-yellowing protector fills wood pores, thus preventing dirt build-up ensuring a beautiful even coating. An ideal partner to elka 3 in 1 daily cleaner or for when your flooring requires that revitalising touch.

0.5 Litre 0.5 Litre 1 Litre



www.elkaflooring.com



UNILIN DISTRIBUTION LTD

Unit 5, Rampart Business Centre Greenbank Industrial Estate Newry, County Down BT34 2QU T: +44 (0) 28 3025 0477 from ROI: 048 3025 0477 F: +44 (0) 28 3025 0223 Unit 4, The Furrows Barton Dock Road Trafford Park Manchester M32 0SZ T: 0844 8118 288 F: 0844 8118 289

