



ELKA

designer
floors
for living

ELKA

for ever
better
flooring



8mm v-groove Urban Oak

22

REAL WOOD ENGINEERED

BENEFITS OF
REAL WOOD
ENGINEERED
FLOORING

- 12.5mm
- 14mm
- 18mm
- 21-22mm structural

16

LAMINATE

BENEFITS OF
LAMINATE
FLOORING

- 7mm classic
- 8mm v-groove



14mm Dutch Oak



Golden Oak


30

SOLID WOOD

BENEFITS OF
SOLID WOOD
FLOORING

- 18mm

better
from start
to finish



ELKA EXTRAS


36

PREPARE

- pu primer
- one coat membrane
- elka lay
- elka duo lay
- elka comfort
- elka qt lay
- elka 3in1 lay



elka qt lay



elka grip

40

FIX

- elka bond rigid
- elka bond diy flex
- elka bond trade flex
- elka bond trowel flex
- elka grip
- elka tongue tite
- elka fitting kit

42

FINISH

- 5in1 laminate profile
- 3in1 real wood profile
- scotia profile
- oak scotia profile



46

MAINTAIN

- clean + protect range
- all purpose cleaner
- all purpose cleaner concentrate
- protector
- scuff mark remover

Real wood product images are of a natural product. Part of its character and charm is its naturally occurring and individual variations in shade and tone. Therefore, the colours shown here may not be an exact representation of the product.

Although every effort has been made to reproduce the colour of the real wood and laminate products shown in this brochure, there will be slight variations in actual colours due to printing limitations.

E&OE. All information contained in this literature is correct at the time of going to print. Unilin Distribution reserves the right to amend specifications or discontinue products, if necessary, without prior notice. We recommend that you visit our website for the most up to date information.



8mm v-groove Colonial Oak - laminate



14mm Brushed & Oiled Oak - real wood engineered



Rustic Brushed & Oiled Oak - solid



18mm Dark Walnut - real wood engineered



step
inside

22mm Brushed & Oiled Oak - real wood engineered

ELKA

LIVE IT AND LOVE IT

A high quality wooden floor from elka can make an immediate and significant difference to your home, whether you choose laminate, real wood engineered or solid wood flooring. From busy family homes to the most pristine designer spaces, whatever look you want or budget you have to work with, elka has the answer.

Elka brings you the best range, the best quality and the most durable finish, every time.



14mm Smoked Hand Knotted Oak



12.5mm Double White Oak



21mm American Black Walnut

TAKE IT EASY
Every elka floor is quick and easy to maintain. See page 46 for our clean and protect range to help keep your floor in tip top condition.



14mm Dutch Oak



18mm Washed & Smoked Oak

practical spaces



8mm v-groove Urban Oak



21mm American Black Walnut

IT TAKES ALL KINDS
The beauty of an elka floor is that it has enough strength of character to enhance any style of interior.

THE PRACTICAL CHOICE

Not only will you love having an elka floor in your home, everyone else will love it too. In fact, a clever choice of this quality, practical and easy to look after floor will actually add value to your property.



14mm Smoked Hand Sawn Oak



12.5mm Double White Oak

WHY THE ENVIRONMENT MATTERS IN YOUR HOME

The choice of a good quality floor from elka is a smart one both for you and the environment. Our flooring is both designed to last and to be admired, so you are unlikely to want to change it for a very long time. This is especially true for our engineered and solid wood boards which actually become more beautiful with age.




14mm Super Rustic Oak

SUSTAINABLE FORESTRY

Every year, more and more timber is available from sustainably managed forests, so every year, we improve and increase our environmentally friendly products.



sustainable choice



MINIMUM WASTE - MAXIMUM EFFICIENCY
Our sophisticated production facility ensures that there is no waste product and that every precious resource is utilised.

ELKA & THE ENVIRONMENT

We might specialise in creating great home environments, but we also take great care to do everything we can to look after the environment around us. That's why as manufacturers and importers, we understand the importance of sourcing the most responsibly managed raw materials possible to make our flooring. This includes developments like the creation of laminate and engineered floors that can be installed without the use of an adhesive due to the revolutionary Uniclic® system.

Where possible, we insist upon maintaining a certified chain of custody for the majority of the timber we buy. That's why we're so proud that more than half of our product range is FSC® (Forest Stewardship Council®) or PEFC (Programme for the Endorsement of Forest Certification) certified.

These awards are given to responsibly managed forests that respect the legal system, land usage rights and the rights of

indigenous peoples and their workers, in addition to guaranteeing that felled trees are replaced with saplings.

These unique international non-profit, non-governmental certification systems represent some of the largest environmental movements in the world and we are excited and proud to be a part of them. This means that when you purchase an elka floor, you can be proud that you are choosing to furnish your home with one of the world's environmentally friendly products: natural wood from a responsibly managed forest. For any timber that isn't certified, we always ensure that it is from well-managed sources.

For our FSC and PEFC certified products, please look for the following logos.



FIVE REASONS TO CHOOSE AN ELKA FLOOR

IT'S A GREAT INVESTMENT **01**

An elka floor is always a quality floor, so replacing it will be something you won't have to worry about for years or even decades. By selecting one of our floors, you are choosing a style that has remained a desirable and attractive part of interiors for hundreds if not thousands of years. Unlike a carpet or piece of upholstery, engineered or solid wood are floors that simply become more beautiful as time goes on.



A FLOOR THAT'S ALWAYS IN FASHION **02**

A well made, quality wood or laminate floor from elka will never go out of style. Its subtle, warm tones will always perfectly complement the surrounding interiors no matter what interior design changes may occur over time. This adaptability is a key reason why an elka floor remains the favourite choice for many homeowners.



IT'S A BREATH OF FRESH AIR **03**

There's nowhere for dust, dirt and mites to hide in an elka floor, so this is the perfect choice for any family home. The EPA (Environment Protection Agency) estimates that carpet houses between 5,000 and 10,000 mites per square foot, so installing an elka floor would significantly reduce the risk of airborne allergens causing problems in your home.



ADAPTABLE AND FLEXIBLE **04**

Living with an elka floor is like inviting nature into your living space. The character of the natural grains of wood are entirely unique and by also selecting a floor that can be used with underfloor heating, you can enhance the warmth and comfort of your interior.



THE FLOOR THAT WORKS WITH YOU **05**

An elka floor is designed for family life. This means that it can easily cope with wear and tear, and any required maintenance is simple for a homeowner to complete themselves. It's also worth remembering that an elka floor is easy to maintain and will be equally as appealing to anyone who may want to buy your house in the future, so a clever choice could actually add value to your property.



THE
PROFESSIONAL
CHOICE



VICKY WHARTON
INTERIOR DESIGNER

"I've been working to create the perfect interiors for my clients for over 20 years and although the solution for each one is entirely different, I always appreciate the flexibility that a well chosen wooden floor brings them. Whatever the colour scheme or the style, it always provides a character-rich, but subtle foundation for a room design."

vicki.duluxdesignservice.co.uk



LEE THOMPSON
PROCUREMENT MANAGER

"As a wood floor manufacturer and distributor, we are dependent on natural resources and are committed to our responsibility towards the environment. We continually strive to ensure that sustainability is at the forefront of our purchasing. This means that when you purchase an elka floor, you can be proud that you are choosing to furnish your home with an environmentally friendly product: natural wood from a sustainably managed forest."

www.elkaflooring.com



NEIL MATHEWS
ARCHITECT

"When we are creating living spaces, we are always designing with the end user in mind and we have found that there are very few spaces, either contemporary or more traditional, in which a well-made wooden floor wouldn't work. The recent advances in engineered board technology which allow a wooden floor to cope with the rigours of underfloor heating has also made our choices a lot easier."

www.neilmathewsarchitects.com



TIM NICHOLAS
PROFESSIONAL INSTALLER

"As a wooden floor retailer and fitter, our reputation is very important to us. In order to maintain our high standards, we always use the best quality wood flooring products available. We take pride in our skills, our high standard of craftsmanship and our Installer accreditation. That is why we choose elka products as we feel that they reflect our business standards and help to maintain our reputation in the marketplace."

tcflooring46@yahoo.com

ELKA

Whatever type of floor you choose, elka can bring you beauty and style within a wide range of budgets.

laminate
flooring



Elka laminate flooring is such an effective choice that can be used in all kinds of spaces, either with or without underfloor heating. It's simple and quick to install with the unique Uniclic® system making it ideal for DIY projects. It looks great and is hardwearing so it will remain as pristine and beautiful as the day it was installed.

real wood engineered
flooring



Elka engineered flooring is a truly practical product, chosen for its strength, flexibility of installation and overall stability. It perfectly mimics a solid wood floor, but is actually made of three or more layers of real wood with an upper layer of genuine hardwood. Its core strength comes from each layer being stacked in opposite directions, so it can be used in most areas of the home including conservatories and in conjunction with underfloor heating.

solid wood
flooring



With plenty of character and style there are many homes that just wouldn't be complete without a solid wood floor. As a completely natural product, the grains and colours of elka solids create an ambience with real character and a sense of long life and permanence. Elka solids will add beauty and elegance to any interior.

BRINGING THE BEAUTY OF NATURE INTO YOUR HOME

The timeless elegance of a wood floor brings warmth and beauty to every home. The variety of styles, colours and species give you a wonderful range to choose from and allows you to put your unique stamp on your living space.

Our laminate range reflects the beauty of nature, while still maintaining a consistent quality throughout every board. Our real wood engineered and solid ranges use high grade hardwood that has been primarily selected for its hardwearing quality to ensure dimensional stability and long lasting durability.

The real wood products capture all the rustic qualities of wood and bring the very essence of nature into your home. Each floor board is unique, enriched with naturally occurring characteristics such as knots of various sizes, flared grain patterns, burls, sapwood and mineral streaks. These are characteristics of each species' individual growth process, and are all influenced by region, sunlight, climate and the soil. There are two types of knots; live knots which showcase the beautiful density of the spiral grain and dead knots which are repaired with a rich coloured filler. Any splits or cracks are filled and add a lively character to the unmistakable quality of a natural product. The colour variation within each plank reflects naturally occurring mineral and sapwood streaks and are even further enhanced when stained or treated.



14mm Smoked Hand Knotted Oak



14mm Super Rustic Oak



14mm Smoked Hand Sawn Oak




14mm Dutch Oak

THE NATURAL BEAUTY AND CHARACTERISTICS OF WOOD FLOORING

Due to the increasing interior trend for flooring to have even more character, we have increased our real wood engineered range. Our new Super Rustic Oak showcases many of these features. We have also introduced two new smoked products where the smoking produces more colour variation than staining. The result is much warmer and the natural characteristics are even more enhanced.

Our new Dutch Oak real wood engineered floor is a wonderful example of the rich variety of sapwood and heartwood. A classic design, it equally complements antique furniture or works well in a modern contemporary environment. Due to the distinctive pattern, care must be taken when laying the boards, but the Uniclic® system means that this classic style is now achievable in any home.



lamininate flooring

There's no easier way to add some contemporary charm to your home than with our durable, design led, cost effective range of laminate flooring. Choose from sixteen timber effect designs and two types of board to transform your home quickly and easily.

Elka's laminate range is one of the most superior quality laminate flooring ranges currently available on the market. Designed to look great and last the distance, we apply strict standards to each board, ensuring maximum strength and a flawless, warp-free finish that makes it look every bit as beautiful as a natural

wood floor. The v-groove technology is an advanced bevel edging which helps to create a look that reflects the natural qualities of wood flooring.

The range features the unparalleled and technically superior Uniclic® system. Its glue-free installation process makes it fast and easy to lay or re-lay anywhere, meaning you can take it with you if you move house. Each board locks together securely, ensuring a seamless joint that won't allow dust or dirt to gather. With the lifetime warranty on the Uniclic® system, it means you can enjoy a quality finish for years to come.


STRUCTURAL COMPOSITION OF A LAMINATE BOARD

Transparent overlay prevents against wear and tear

Design layer

HDF board
Moisture resistant
High Density
Fibre board

Barrier layer
Balancing board



FEATURES & ADVANTAGES

Fully integrated Uniclic® installation system for ease of fitting

High definition surface structures that enhance the authentic appearance of the floor

Choice of modern finishes and individualistic designs

Flexible fitting options - you can start anywhere within the room

Hygienic allergy reducing floor

Can be used in conjunction with noise reducing underlay

Suitable for use with embedded underfloor heating systems



8mm v-groove Colonial Oak



8mm v-groove Country Oak



8mm v-groove Weathered Oak



8mm v-groove Salvaged Oak



8mm v-groove Reclaimed Oak



8mm v-groove Urban Oak



8mm v-groove Dark Walnut



7mm classic Walnut

**laminat
flooring**



8mm v-groove Rustic Oak



8mm v-groove Colonial Oak

LAMINATE FLOORING

Choose from our wide selection, there's something to suit every home. Fast and easy to install due to the unique Uniclic® system.



7mm classic Natural Oak

CLASSIC
7mm laminate flooring
 7x190x1200mm
 1.824m² per pack
 Planked / 2 strip / 3 strip

V-GROOVE
8mm laminate flooring
 8x156x1380mm
 1.7222m² per pack
 Planked

CLASSIC
7mm laminate flooring



V-GROOVE
8mm laminate flooring



NEW RUSTIC DÉCORS



real wood engineered flooring

With all the aesthetics of a real wood floor, but without any of the restrictions, real wood engineered flooring is a practical design choice for any home. Choose from five depths of product available in a variety of real wood finishes.

When laid, an elka real wood engineered floor is virtually indistinguishable from a solid wood floor. This is thanks to the product's unique structure, which includes a generous surface layer of between 2.2mm and 6mm of real wood, making it possible for all engineered floors to be sanded and refinished. The strength of each board comes from three or more layers of wood laid in opposite directions. This helps to avoid any issues with contraction or expansion, making it perfect for use in areas where traditional hardwood flooring cannot be used, such

as in conservatories or in conjunction with embedded underfloor heating. The simplicity of its construction makes it perfect for use in DIY projects and thanks to its strength, it can easily be installed as a floating floor.

We have introduced more UV oiled wood floors into our engineered range. Advances in UV cure technology have resulted in a finish that is more versatile, hardwearing and easy to maintain whilst retaining that natural aesthetic of wood. Oiled wood floors require an intermittent maintenance programme. Cleaning the floor with elka clean and applying a coat of elka protect oil at least once a year won't just remove scuffs and scratches, but will improve its durability and it will also restore your floor to that vibrant piece of nature you fell in love with first time round.

STRUCTURAL COMPOSITION OF AN ENGINEERED BOARD

Carefully selected real wood wear layer

Latest technology machining for ultimate stability

Engineered ply construction for a stable inner core

Superior glue throughout ensures a long carefree life

Selected veneer backing for added stability



FEATURES & ADVANTAGES

Can be laid over embedded underfloor heating

Can be sanded and refinished

Made from 100% natural wood

Dimensional stability

Floor can be laid in all residential areas (except those of high humidity)



14mm Smoked Hand Knotted Oak



14mm Super Rustic Oak



14mm Rustic Brushed & Oiled Oak



12.5mm Antique Oak



14mm Dutch Oak



14mm Smoked Hand Knotted Oak



12.5mm Double White Oak



14mm Smoked Hand Sawn Oak

**real wood
engineered**



18mm Washed & Smoked Oak

REAL WOOD
ENGINEERED FLOORING

Choose any floor from our 12.5mm range with its 2.2mm real wood wear layer and you have the added confidence that your floor is fully PEFC™ certified. It can be used in conjunction with underfloor heating.



12.5MM
real wood engineered flooring

12.5x145x1820mm
1.5834m² per pack
2-sided bevel (long side)



Key Features

- Solid Oak - 2.2mm wear layer
- HDF moisture resistant core
- Uniclic locking system - suitable for DIY installation
- Up to 30% of starter boards included with Double White Oak
- Brush Matt Lacquered finish
- PEFC™ - Caring for the environment



12.5MM
real wood engineered
flooring



With an extensive range of finishes, our 14mm real wood engineered floor has a surface layer of 3mm and can be used in conjunction with underfloor heating.

14MM
real wood engineered flooring

Rustic Brushed & Oiled Oak
Rustic Lacquered Oak
Smoked Hand Sawn Oak
14x189mm
2.81m² per pack
4-sided bevel
Pack consists of: 6 layers fixed length boards at 1860mm and two layers of random lengths 600mm+
TONGUE & GROOVE

Champagne Oak
Russet Oak
14x190mm
2.074m² per pack
2-sided bevel (long edge)
Pack consists of: 6 layers fixed length boards at 1860mm and two layers of random lengths 600mm+
UNICLIC



Dutch Oak
14x190x1820mm
2.074m² per pack
no bevel
fixed length boards
UNICLIC

Super Rustic Oak
Smoked Hand Knotted Oak
14x190mm
2.074m² per pack
4-sided bevel
Pack consists of: fixed length boards
4 x 1820mm, 2 x 910mm,
1 x 1210mm, 1 x 600mm
UNICLIC


Key Features
Solid oak 3mm wear layer
Real wood core (Dutch Oak has HDF core)
Uniclic or Tongue & Groove locking system



14MM
real wood engineered
flooring



NEW



REAL WOOD
ENGINEERED FLOORING

With exceptional strength and a 4mm real wood wear layer, this real wood engineered floor is designed to last. This range provides choice and variety for both modern and traditional environments. It can be used in conjunction with embedded underfloor heating and with excellent thermal and acoustic properties, it will enhance any room in your home.



18mm Washed & Smoked Oak

18MM
real wood engineered flooring

150x18x4mm
1.98m² per pack
4-sided bevel

TONGUE & GROOVE

Key Features

Solid 4mm wear layer, rustic grade
Available in: Brushed Matt Lacquered, Oiled or Lacquered finish
Random lengths - 400-1800mm
Ensures excellent thermal and acoustic properties



CE

TONGUE & GROOVE

25
year
warranty

18MM
real wood engineered
flooring



Enhanced
Oak

Brushed matt
lacquered finish

TONGUE & GROOVE



Polar
Oak

Brushed matt
lacquered finish

TONGUE & GROOVE



Washed &
Smoked Oak

Oiled finish -
wire brushed &
whitewashed grain

TONGUE & GROOVE



Walnut

Lacquered
finish

TONGUE & GROOVE

This structural engineered flooring is load bearing and suitable for fixing directly to joists. With excellent thermal and acoustic properties, it can be laid over embedded underfloor heating making this a great choice for any room. The 6mm wear layer can be resanded but with normal care and attention, this floor will enhance your home for many years to come.



21mm American Black Walnut

21-22MM STRUCTURAL
real wood engineered flooring

Oak
1860x189x22mm
2.11m² per pack
4-sided bevel

TONGUE & GROOVE

Walnut
1860x189x21mm
1.38m² per pack
4-sided bevel

TONGUE & GROOVE

Key Features

Solid 6mm wear layer
Available in Brushed & Oiled, Lacquered or unfinished.
Walnut: Select from Oiled or Lacquered finish.
Structural and load bearing, suitable to fix straight to joists
Ensures excellent thermal and acoustic properties
Up to 30% of starter boards included on all 21-22mm products




CE

TONGUE & GROOVE

25
year
warranty

21-22MM STRUCTURAL
real wood engineered
flooring




Brushed &
Oiled Oak

TONGUE & GROOVE



Rustic
Lacquered Oak

TONGUE & GROOVE



Unfinished
Oak

TONGUE & GROOVE



American
Black Walnut

Oiled OR
Lacquered finish

TONGUE & GROOVE

solid wood flooring

Made from high quality premium, solid timber, the random length boards and natural colours of this range of solid flooring will add natural character and instant warmth, making this flooring a solid investment for any home.

The grains and colours of elka solids create an ambience with real character and a sense of long life and permanence, adding beauty and elegance to your interior.

Each elka solid wood board is made from 18mm of 100% solid oak sourced from responsibly managed forests and are all FSC® certified. Created from high-grade timber, we only select

the most aesthetically pleasing grains for use in this exclusive range and offer a range of stained, oiled and lacquered finished planks.

Solid wood floors can be fitted using numerous techniques. These include: adhering it direct to a sub floor, nailing or screwing it to timber, or floating it using elka 3in1 underlay. For more information visit www.elkaflooring.com.

Our strict production process means that every board is checked by hand at least three times before being packaged, guaranteeing a high level of quality in every detail of your new floor.

STRUCTURAL COMPOSITION OF A SOLID BOARD

Carefully selected timber, sourced from responsibly managed forests

Tongue and groove construction allowing multiple fixing options

Top surface is finished with lacquer or oil to enhance hardness and durability

FEATURES & ADVANTAGES

- Traditional 18mm solid floors
- Only selected and graded timbers used
- Contemporary and stylish finishes to suit every home
- Random length boards
- 20 year structural warranty



FSC® C002269

The mark of responsible forestry



TONGUE & GROOVE



Rustic Lacquered Oak



solid wood flooring

SOLID WOOD FLOORING

Our entire range of solid wood products are FSC® certified, giving the peace of mind that your choice of flooring is from a responsibly managed forest.



Rustic Lacquered Oak

solid wood flooring


18x130mm
2.184m² per pack

TONGUE & GROOVE


Key Features

- Rustic Grade
- Traditional 18mm solid floors
- Only selected and graded timbers used
- Contemporary and stylish finishes to suit every home
- Random length boards
- 20 year structural warranty

solid wood flooring



Rustic Lacquered Oak




Rustic Brushed & Oiled Oak



Golden Oak

Lacquered, Aged and Hand Finished



Antique Oak

Lacquered, Aged and Hand Finished



FSC
www.fsc.org

FSC® C002269

The mark of responsible forestry



TONGUE & GROOVE

INSTALLING AND MAINTAINING YOUR ELKA FLOOR

PREPARATION IS EVERYTHING **01**

To achieve the perfect finish and ensure good performance, preparation from the ground up is key. Elka's range of primers, DPM's and underlays complements its flooring range to overcome the most common problems.




FOR A SECURE FIX **02**

The elka range of high performance fixing products provide the right solution for every type of flooring. Whether it's a high performance adhesive for solid wood and engineered flooring or Tongue Tite screws for a DIY fix. Elka even have a specialist fitting kit for the world renowned Uniclic® locking system on our laminate and 12.5mm /14mm engineered flooring.



FOR THE PERFECT FINISH **03**

With elka accessories, the right solution is always at hand. From real wood veneer profiles and scotia to complement real wood flooring, to the multifunctional 5in1 profile, a flexible finishing profile utilising the latest design technology to match your laminate floor perfectly. This easy-to-use profile allows you to simply trim off the area of the product not required to create one of five finishing solutions which even includes stairs.



MAINTAIN THE ELKA STANDARDS **04**

Keep your wood floor looking as good as the day it was laid. Flooring is a long term investment and elka has a range of products to maintain or revive the finish of real wood and laminate floors. The specialist elka maintenance products have all been tested to ensure ease of application, performance, durability and compatibility with our full range of flooring.

EVERYTHING YOU NEED TO PREPARE YOUR ELKA FLOOR

Elka PU Primer and Elka DPM for concrete sub floors help to provide the correct sub floor conditions to lay your elka floor. They are suitable for use prior to fitting all types of flooring - laminate, real wood engineered and solid wood flooring.

Our comprehensive range of underlay is designed to protect and secure your elka floor. Elka lay is perfect for any location, but you may prefer to choose the added advantages of DPM, additional cushioning underfoot and sound proofing. Elka 3in1 lay has a practical integrated adhesive system for ease of installation of solid and engineered flooring. All our other underlays are suitable for use with laminate and real wood engineered flooring.



ELKA PU PRIMER

Coverage: 25m² when used as directed - instructions on packaging

- One part polyurethane primer
- Water free - moisture cure polyurethane liquid resin
- Designed for treating concrete floors prior to laying wooden flooring
- Ensures trouble free adhesion to dusty screeds
- Assists in sub floor repair and patching
- Suitable prior to fitting **laminate, real wood engineered** and **solid** flooring



5 Litre

ELKA 1 COAT DPM MEMBRANE

Coverage: 12m² when used as directed - instructions on packaging

- 2 part pack ready to mix
- Provides a moisture barrier against concrete floors
- Suppresses moisture in concrete floors up to 95% RH (Relative humidity)
- Eliminates risk of moisture transmitting from newly poured concrete into your flooring
- Fast curing
- Suitable prior to fitting **laminate, real wood engineered** and **solid** flooring



5 Kg

ELKA LAY



3MM UNDERLAY

Handy lightweight 15m² roll
Robust 3mm underlay for use with **laminate** and **real wood engineered** flooring

L15m, W1m, thickness 3mm

ELKA DUO LAY



3MM UNDERLAY WITH DPM - DAMP PROOF MEMBRANE

Handy lightweight 15m² roll
Robust 3mm underlay for use with **laminate** and **real wood engineered** flooring
Includes laminated Damp Proof Membrane (DPM) back for use on concrete ground floor installations
Suitable for underfloor heating

L15m, W1m, thickness 3mm

ELKA COMFORT



5MM UNDERLAY WITH CUSHIONED SUPPORT / SOUND PROOFING

Handy lightweight 15m² roll
Luxury 5mm underlay for use with **laminate** and **real wood engineered** flooring
20db sound reduction
Low thermal resistance
Cushioned support increases underfoot comfort
Shock absorbent / vapour barrier
Exceptional acoustic insulation performance
Suitable for embedded underfloor heating

L15m, W1m, thickness 5mm

ELKA QT LAY



5MM UNDERLAY WITH DPM / SOUND PROOFING

Handy lightweight 15m² roll
Luxury 5mm underlay for use with **laminate** and **real wood engineered** flooring
Floor levelling characteristics
Exceptional acoustic insulation performance
22db sound reduction
Shock absorbent / vapour barrier
Integrated DPM system
Suitable for embedded underfloor heating
Low thermal resistance: 0.70 tog
Cushioned support increases underfoot comfort

L15m, W1m, thickness 5mm

ELKA 3in1 LAY



3MM UNDERLAY WITH DPM / SOUND PROOFING / SELF ADHESIVE

Handy lightweight 10m² roll
Luxury 3mm underlay for use with **solid** floors up to 150mm and **engineered** floors up to 190mm
Specialist installation over hard surface substrates
Noise reducing, shock absorbent - impressive 22db sound reduction
Foil backing with 50mm tape overlap giving an integrated sealed DPM system
Self adhesive - bonds floor directly to underlay

L10m, W1m, thickness 3mm

EVERYTHING YOU NEED TO FIX YOUR ELKA FLOOR

Our specialist range of high performance fixing products that are safe, simple and cost effective solutions for installing elka flooring.

ELKA GRIP

Quality adhesive for use with elka tongue & groove engineered floors.



500ml

A specialist D3 rated high quality resin based wood adhesive for use when fixing engineered flooring panels with a tongue & grooved system.

Features and Advantages

High strength impact resistant bond that is stronger than wood itself

Dries clear

Coverage 6 -10m² of T&G (dependent on the depth of the flooring groove)

Easy clean-up using a damp cloth

Handy 500ml bottle.

Suitable for use with **solid** and **real wood engineered** flooring.

www.elkaflooring.com

ELKA TONGUE TITE

Superb product for screw fixing solid or real wood engineered (18mm+) flooring to any wood substrate.



200no. per box and 1no. adaptor bit

Designed to fix tongue & groove flooring, these 3.5x45mm screws feature the smallest heads ever, enabling them to be countersunk tidily into the rebate above the tongue so as to offer no obstruction to the matching groove on the next board.

Features and Advantages

No need for glue or to hire a nail gun
Easy to install in difficult locations

If necessary, you can remove boards without damage in order to gain access to underfloor plumbing etc.

No need to drill pilot holes, even in hardwoods.

One size fits all boards (3.5 x 45mm)

Boxed in 200's (covers up to 10m²)

Suitable for use with **solid** and **real wood engineered** flooring.

ELKA FITTING KIT

For fitting laminate and most Uniclic® flooring quickly and easily.



1 tapping block, 1 pull bar and 40 spacers

Designed to make fitting your Uniclic® floor as easy as possible without risk of damaging it.

Features and Advantages

The spacers maintain an expansion gap around perimeter

Pull bar allows you to pull planks together at the end of rows

Tapping block protects edges of the boards when tapping them together.

Suitable for use with **laminate** and **real wood engineered** flooring.

ELKA BOND RIGID

Heavy duty synthetic polymer for a rigid bond.



10 litre

Coverage: 16m² when used as directed - instructions on packaging

Features and Advantages

For bonding solid and engineered flooring to concrete, cementitious screeds, flooring grade plywood, chipboard, hardboard and smoothing compounds where applicable.

Suitable for use with **solid** and **real wood engineered** flooring.

For technical information and specification sheets on all our elka extras, visit our website.

ELKA BOND FLEX

Elkabond Flex adhesive range is based on the latest developments in hybrid technology and has the following key benefits:

Features and Advantages

100% active, solvent and water-free.

Permanently flexible - compensates for wood and sub floor movement.

Will bond wood directly to all common sub floors.

Low odour.

Excellent gap filling properties for uneven surfaces.

Plyable product gives excellent sound reduction properties.

ELKA BOND DIY FLEX

300ml

Coverage: 1m² when used as directed - instructions on packaging



ELKA BOND TRADE FLEX

9 x 600ml foils

Pack includes, reusable gun, wipes and nozzles.

Trade pack refill cartridges also available (packs of 12)

Coverage: 18m² when used as directed - instructions on packaging

Range is suitable for use with **solid** and **real wood engineered** flooring.



ELKA BOND TROWEL FLEX

14kg - 2 x 7kg foil packs

Pack includes trowel and wipes

Coverage: 14m² when used as directed - instructions on packaging


www.elkaflooring.com

EVERYTHING YOU NEED TO FINISH YOUR ELKA FLOOR

Real wood profiles and adaptors suitable for **solid and real wood engineered** flooring.



Elka 3in1 Real Wood Profile is a flexible finishing profile designed to complete your real wood flooring utilising the latest design technology with a practical multifunctional profile moulding. This easy-to-use profile allows you to simply trim off the area of the product not required to create one of three finishing solutions.




Expansion Profile
to cover expansion gaps between two adjacent flooring products of the same height.

Adaptor Profile for use when finishing between two adjoining floor coverings where the adjacent floor covering is of a lower height e.g. carpets or vinyl.

Edge Profile
to finish the flooring where a dressed edge is required eg. against a wall or window.

Features and Advantages

- Real wood veneer finish
- Flexible - 3 profiles in 1
- Simply trim to the required profile type using the handy trimmer included in each pack.
- Available in two lengths:
 - 930mm in lacquered white oak, unfinished white oak and walnut.
 - 2150mm in lacquered white oak or unfinished white oak. (Unfinished white oak allows the flexibility to either oil, stain or lacquer the profile on-site to match your floor.)
- Suitable for use on floors between 14-22mm with the supporting adjustable track provided.
- Extra height adjustment can be gained when applied using elka bond.



An added function of the characteristics of the 3in1 profile is the flexibility in height adjustment, when choosing elka real wood flooring with depths between 14mm - 22mm you can ensure you have the right finishing option.



Simply trim off the area of the product not required using the supplied trimmer.

Laminate and metal profiles and adaptors suitable for **classic and v-groove laminate** flooring.



Elka 5in1 Laminate Profile is a flexible finishing profile designed to complete your laminate flooring utilising the latest design technology with a practical multifunctional profile moulding. This easy-to-use profile allows you to simply trim off the area of the product not required to create one of five finishing solutions.



Expansion Profile
to cover expansion gaps between two adjacent flooring products of the same height.

Adaptor Profile for use when finishing between two adjoining floor coverings where the adjacent floor covering is of a lower height e.g. carpets or vinyl.

Edge Profile
to finish the flooring where a dressed edge is required eg. against a wall or window.

Transition Profile
the perfect link between elka laminate flooring and carpet.

Stair Profile to seamlessly finish stairs, choose from one of several options available. Simple and fast to use, this profile must be installed in combination with the appropriate sub-profile.

Sub profile sold separately.



Features and Advantages

- The perfect match for your laminate floor
- Flexible - 5 profiles in 1
- Simply trim to the required profile type using the handy trimmer included in each pack.
- Dimensions: 2150 x 48 x 13mm
- Suitable for linking a wide variety of flooring
- Economical - as this is a multipurpose product, you can utilise any spare pieces of profile


With elka 5in1, you always have the right solution to hand. Simply trim off the area of the product not required using the supplied trimmer.

EVERYTHING YOU NEED TO FINISH YOUR ELKA FLOOR

Real wood profiles and adaptors suitable for **laminated**, **real wood engineered** and **solid wood** flooring.

ELKA SCOTIA PROFILE

The elka Scotia Profile camouflages the expansion joint between an existing skirting and a newly installed elka laminate floor.



L 2.4m

These scotia profiles can be fixed with either Elkabond or by nailing. Available in all 7mm classic and 8mm v-groove laminate decors.

ELKA OAK SCOTIA PROFILE

The elka Oak Scotia Profile is made from lacquered real wood veneer and provides the perfect finish to a newly installed elka real wood engineered or solid wood floor.



L 2.4m

Oak scotia profile can be glued or nailed for quick and easy placing. The perfect finish for your solid or real wood engineered floor.

CARING FOR YOUR ELKA FLOOR

It's so easy to care for your elka floor. Laminated flooring is not only easy to clean, it's hygienic too. In fact, the sealed surface prevents bacteria accumulating on the floor which is great for the prevention of allergies. In general, we recommend dry cleaning the floor with a microfibre duster. Occasionally, damp cleaning can be done using an almost dry mop. Never use a steam cleaner or wet mop your elka floor as this will cause damage not covered by the warranty.

Real wood engineered and solid wood floors are natural products that improve as

the floor ages, but to keep them looking in top condition you can top up the oil or lacquer finish. Daily cleaning requires little more than a good sweep or dry mopping. By quickly wiping up any spills immediately, you can prevent stains occurring. You can spray on a spot cleaner to deal with the mess quickly and easily. More stubborn scuff marks can be tackled with a specialist remover, minimising the risk of damaging your floor.

Follow these simple steps to ensure that your floor remains looking good for many years to come.



DAILY MAINTENANCE

- Sweep or vacuum your floor regularly to prevent grit and dust accumulating and scratching the surface.
- Use protective pads under all furniture to prevent scratches.
- Use door mats at your external doors to prevent grit and small stones being carried into the home.
- Wipe up any spills immediately. Never allow any liquid to remain on the floor.
- Stains should be removed immediately while they are still wet and after removal, wipe floor dry.
- Do not use general household cleaners as these may dull or damage the surface. They may even leave a film residue which could make the floor slippery and more difficult to clean.

PERIODIC MAINTENANCE

Oiled and lacquered finish real wood floors benefit from reapplication of elka protector approximately once every six months. The advantage of this very simple maintenance step is that, with regular treatment, you can keep your floor looking as good as new. It also 'tops up' the protective barrier against abrasions, scuffs and stains.

In areas of high traffic, for example, in a hallway, your floor may start to look a little worn. You can treat this particular area as and when you feel necessary, to keep it looking in tip top condition.

EVERYTHING YOU NEED TO
MAINTAIN YOUR ELKA FLOOR

An easy way to keep your floor in tip top condition. Our elka range is designed to be quick and easy to use, no specialist polishing required. Perfect for today's modern lifestyle, leaving you time to enjoy your home!

CLEAN+ PROTECT

FOR **OILED** OR **LACQUERED**
REAL WOOD FLOORING



Clean + Protect kit for **oiled** real wood flooring

This kit contains everything you need to clean and protect your **oiled** wood floor. Contents include an All Purpose Cleaner, an All Purpose Cleaner Concentrate and a Protector specially formulated for oiled real wood flooring.



Clean + Protect kit for **lacquered** real wood flooring

This kit contains everything you need to clean and protect your **lacquered** wood floor. Contents include an All Purpose Cleaner, an All Purpose Cleaner Concentrate and a Protector specially formulated for lacquered real wood flooring.

All items are available to purchase separately. The range also includes a Scuff Mark Remover which will remove stubborn scuff marks without damaging your floor.



Suitable for use on laminate, lacquered and oiled finished floors. Elka All Purpose Cleaner and Elka All Purpose Cleaner Concentrate are ideal to remove everyday dirt and grime but can also be used as spot stain removers. Suitable for frequent use.
0.5 Litre



Elka Protector is formulated to care for and maintain your oiled or lacquered finish real wood floor. These products will help protect against abrasion, scuffs and stains by sealing the oil or lacquer surface maintaining the finish of your floor for years to come. Use regularly to keep your floor in good condition.
0.5 Litre

Elka Scuff Mark Remover has been specially formulated to effectively remove stubborn scuff marks without damaging your floor. This is a gentle, non-abrasive, residue-free cleaner.
0.5 Litre

elka®

www.elkaflooring.com

 **UNILIN**

UNILIN DISTRIBUTION LTD

Unit 5, Rampart Business Centre
Greenbank Industrial Estate
Newry, County Down
BT34 2QU
T: +44 (0) 28 3025 0477
from ROI: 048 3025 0477
F: +44 (0) 28 3025 0223

Unit 4, The Furrows
Barton Dock Road
Trafford Park
Manchester
M32 0SZ
T: 0844 8118 288
F: 0844 8118 289

Member
 **National
Wood Flooring
Association**