



DISCOVER HOW AN ELKA FLOOR CAN TRANSFORM YOUR HOME

Cover: Herringbone Dark Smoked Oak real wood engineered flooring.

Real wood product images are of a natural product. Part of its character and charm is its naturally occurring and individual variations in shade and tone. Therefore, the colours shown here may not be an exact representation of the product.

Although every effort has been made to reproduce the colour of the real wood and laminate products shown in this brochure, there will be slight variations in actual colours due to printing limitations.

E&OE. All information contained in this literature is correct at the time of going to print. Unilin Distribution reserves the right to amend specifications or discontinue products, if necessary, without prior notice. We recommend that you visit our website for the most up to date information.



FLOORING COLLECTIONS

PAGES 08-45

LAMINATE REAL WOOD ENGINEERED SOLID WOOD

ELKA EXTRAS

PAGES 46-55
PREPARE
FIX / FINISH
MAINTAIN

PRODUCT OVERVIEW

PAGES 56-59
THE FULL
RANGE AT
A GLANCE

WHICH ELKA FLOOR SHOULD I CHOOSE FOR MY HOME?





12MM CINNAMON OAK

LAMINATE FLOORING

Elka's laminate range is one of the most superior quality laminate flooring ranges currently available on the market. Designed to look great and last the distance, we apply strict standards to each board, ensuring maximum strength and a flawless finish that makes it look every bit as beautiful as a natural wood floor. The v-groove technology is an advanced bevel edging which helps to create a look that reflects the natural qualities of wood flooring.

The range features the unparalleled and technically superior Uniclic® system. Its glue-free installation process makes it fast and easy to lay or re-lay anywhere, meaning you can take it with you if you move house. Each board locks together securely, ensuring a seamless joint that won't allow dust or dirt to gather. With the lifetime warranty on the Uniclic® system, it means you can enjoy a quality finish for years to come.





REAL WOOD ENGINEERED FLOORING


With all the aesthetics of a real wood floor, but without any of the restrictions, real wood engineered flooring is a practical design choice for any home. When laid, an Elka real wood engineered floor is virtually indistinguishable from a solid wood floor. This is thanks to the product's unique structure, which includes a generous surface layer of between 2.2mm and 6mm of real wood, making it possible for all Elka engineered floors to be sanded and refinished.

The strength of each board comes from three or more layers of wood laid in opposite directions. This helps to avoid any issues with contraction or expansion, making it perfect for use in areas where traditional hardwood flooring cannot be used, such as in conservatories or in conjunction with embedded underfloor heating. The simplicity of its construction makes it perfect for use in DIY projects and thanks to its strength, it can easily be installed as a floating floor.

SOLID WOOD FLOORING

Made from high quality premium, solid timber, the random length boards and natural colours of this range will add natural character and instant warmth, making this flooring a solid investment for any home. The grains and colours of Elka solids create an ambience with real character and a sense of long life and permanence, adding beauty and elegance to your interior.

Each Elka solid wood board is made from 18mm of 100% solid oak sourced from responsibly managed forests and are all FSC® certified. Created from high-grade timber, we only select the most aesthetically pleasing grains for use in this exclusive range and offer a range of stained, oiled and lacquered finished planks. Solid wood floors can be fitted using numerous techniques. These include: adhering it direct to a sub floor, nailing or screwing it to timber, or floating it using Elka 3in1 underlay. For more information visit www.elkaflooring.co.uk. Our strict production process means that every board is checked by hand at least three times before being packaged, guaranteeing a high level of guality in every detail of your new floor.



THE NATURAL BEAUTY AND ELEGANCE OF AN ELKA FLOOR





BRING THE BEAUTY OF NATURE INTO YOUR HOME

Due to the increasing interior trend for flooring to have even more character, we have increased our real wood engineered range. Our products showcase many of these features where the smoking produces more colour variation than staining. The result is much warmer and the natural characteristics are even more enhanced. Our Herringbone real wood engineered floor is a classic design, it equally complements antique furniture or works well in a modern contemporary environment. Due to the distinctive pattern, care must be taken when laying the boards, but the tongue and groove system means that this classic style is now achievable in any home.

The timeless elegance of a wood floor brings warmth and beauty to every home. The variety of styles, colours and species give you a wonderful range to choose from and allows you to put your unique stamp on your living space.

Our laminate range reflects the beauty of nature, while still maintaining a consistent quality throughout every board. Our real wood engineered and solid ranges use high grade hardwood that has been primarily selected for its hardwearing quality to ensure dimensional stability and long lasting durability.

SUSTAINABLE FORESTRY

Every year, more and more timber is available from sustainably managed forests, so every year, we improve and increase our environmentally friendly products.

The choice of a good quality floor from Elka is a smart one both for you and the environment. Our flooring is both designed to last and to be admired, so you are unlikely to want to change it for a very long time. This is especially true for our engineered and solid wood boards which actually become more beautiful with age. We might specialise in creating great home environments, but we also take great care to do everything we can to look after the environment around us. That's why as manufacturers and importers, we understand the importance of sourcing the most responsibly managed raw materials possible to make our flooring. This includes developments like the creation of laminate and engineered floors that can be installed without the use of an adhesive due to the revolutionary Uniclic® system.

Where possible, we insist upon maintaining a certified chain of custody for the majority of the timber we buy. That's why we're so proud that more than half of our product range is FSC® (Forest Stewardship Council®) or PEFC™ (Programme for the Endorsement of Forest Certification) certified. These awards are given to responsibly managed forests that

respect the legal system, land usage rights and the rights of indigenous peoples and their workers, in addition to guaranteeing that felled trees are replaced with saplings.

These unique international non-profit, non-governmental certification systems represent some of the largest environmental movements in the world and we are excited and proud to be a part of them. This means that when you purchase an Elka floor, you can be proud that you are choosing to furnish your home with one of the world's environmentally friendly products: natural wood from a responsibly managed forest. For any timber that isn't certified, we always ensure that it is from well-managed sources.

For our FSC® and PEFC™ certified products, look for the following logos.





THE NATURAL CHARACTERISTICS OF WOOD FLOORING

The real wood products capture all the rustic qualities of wood and bring the very essence of nature into your home. Each floor board is unique, enriched with naturally occuring characteristics such as knots of various sizes, flared grain patterns, burls, sapwood and mineral streaks. These are characteristics of each species' individual growth process, and are all influenced by region, sunlight, climate and the soil. There are two types of knots; live knots which showcase the beautiful density of the spiral grain and dead knots which are repaired with a rich coloured filler. Any splits or cracks are filled and add a lively character to the unmistakable quality of a natural product. The colour variation within each plank reflects naturally occurring mineral and sapwood streaks and are even further enhanced when stained or treated.







flooring

High definition surface structures that enhance the authentic appearance of the floor

Choice of modern finishes and individualistic designs

Flexible fitting options - you can start anywhere within the room Hygienic allergy reducing floor

Can be used in conjunction with noise reducing underlay

Suitable for use with embedded underfloor heating systems

prevents against wear and tear

Design layer

HDF board Moisture resistant High Density Fibre board

Barrier layer Balancing board



8mm laminate





ADD CONTEMPORARY CHARM TO YOUR HOME WITH OUR **NEW RANGE OF 8MM LAMINATE** FLOORING



8MM LAMINATE

2.162m² per pack 8 x 190.5 x 1261mm 9 planks

KEY FEATURES

Uniclic® locking system -suitable for DIY installation Hygienic allergy reducing floor PEFC™ - Caring for the environment


















Choose from eight timber effect designs in our **NEW** 8mm range. Designed to look great and last the distance, we apply strict standards to each board, ensuring maximum strength and a flawless finish that makes it look every bit as beautiful as a natural wood floor. The v-groove technology is an advanced bevel edging which helps to create a look that reflects the natural qualities of wood flooring. NEW Driftwood Oak













OUR **NEW RANGE OF 12MM LAMINATE** FLOORING IS
DESIGN LED YET DURABLE.







12MM LAMINATE

1.4413m² per pack 12 x 190.5 x 1261mm 6 planks

KEY FEATURES

Uniclic® locking system -suitable for DIY installation Hygienic allergy reducing floor PEFC[™] - Caring for the environment













Choose from six timber effect designs in our **NEW** 12mm range with its fully integrated Uniclic® installation system. The new 12mm range is quieter to walk on, will hide small imperfections in the subfloor and is easier to install due to the thickness of the board. With its AC5 rating, the new Elka 12mm laminate range is ideal for high traffic areas and designed to look great and last for many years to come.















(except those of high humidity)

Selected veneer backing for added stability







WITH ALL THE AESTHETICS OF A REAL WOOD FLOOR, OUR 12.5MM REAL WOOD **ENGINEERED** FLOORING IS A PRACTICAL DESIGN CHOICE FOR ANY HOME.

flooring

UNICLIC C

Choose any floor from our 12.5mm range with its 2.2mm real wood wear layer and you have the added confidence that your floor is fully PEFC™ certified. It can be used in conjunction with underfloor heating.



Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



12.5MM REAL WOOD ENGINEERED

12.5 x 145 x 1820mm 1.583m² per pack

2-sided bevel (long side)

KEY FEATURES

Solid Oak - 2.2mm wear layer HDF moisture resistant core Uniclic® locking system -suitable for DIY installation

PEFC™ - Caring for the environment
















OUR 14MM REAL WOOD ENGINEERED FLOORING OFFERS THE MOST EXTENSIVE CHOICE WITHIN OUR RANGE. WITH OPTIONS AVAILABLE USING OUR PATENTED UNICLIC® SYSTEM OR THE MORE TRADITIONAL TONGUE AND GROOVE SYSTEM.

The Uniclic® installation system is a glue-free process which is fast and easy to lay. Each board locks together securely, ensuring a seamless joint that won't allow dust or dirt to gather. With the lifetime warranty on the Uniclic® system, you can enjoy a quality finish for years to come.




TONGUE - & GROOVE

Each plank features a tongue and groove format. Depending on the format of the board each installation can be either secret nailed or glued to a suitable sub floor. Refer to installation nstructions for advice.

flooring

UNICLIC C

With an extensive range of finishes, our 14mm real wood engineered floor has a surface layer of 3mm and can be used in conjunction with underfloor heating. This range includes the revolutionary Uniclic® system which is renowned not only for its strength, but also for the ease and flexibility of installation.





14MM REAL WOOD ENGINEERED


14 x 190 x 1820mm 2.075m² per pack 4 or 2-sided bevel (long side)



KEY FEATURES

Solid oak - 3mm wear layer Real wood core Up to 30% starter boards Uniclic® locking system







flooring

TONGUE - & GROOVE

Our 14mm real wood engineered floor is not only a truly practical choice but it looks and feels just like a solid wood floor. These two floors exude warmth and character and use the traditional tongue and groove fixing mechanism.



14MM REAL WOOD ENGINEERED

14 x 189 x 1860mm 2.812m² per pack

4-sided bevel

KEY FEATURES


Solid oak - 3mm wear layer Real wood core Up to 30% starter boards

Tongue & Groove locking system











Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



flooring

TONGUE - & GROOVE

Our new Herringbone 14mm real wood engineered floor is a great new addition to our range. You can achieve the timeless quality of traditional parquet flooring, but with the added advantages of being able to combine this with modern luxuries such as underfloor heating.



14MM REAL WOOD ENGINEERED

14 x 120 x 600mm 0.864m² per pack

4-sided bevel


KEY FEATURES

Tongue & Groove UV Oiled & Smoked Solid oak - 3mm wear layer

Real wood core







Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.







WITH EXCEPTIONAL STRENGTH AND A 4MM REAL WOOD WEAR LAYER, THIS **18MM REAL WOOD ENGINEERED** FLOOR IS DESIGNED TO LAST.

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.

flooring

TONGUE - & GROOVE

This 18mm real wood engineered range provides choice and variety for both modern and traditional environments. It can be used in conjunction with embedded underfloor heating and with excellent thermal and acoustic properties, it will enhance any room in your home.



Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



18MM REAL WOOD ENGINEERED


18 x 150mm x random lengths 4mm wear layer / 4-sided bevel 1.98m² per pack



Solid 4mm wear layer, rustic grade Available in: Oiled or Lacquered finish Random lengths: 400-1800mm Ensures excellent thermal and acoustic properties














COMBINE TRADITIONAL ELEGANCE WITH MODERN CONVENIENCE AND ENHANCE YOUR HOME WITH OUR RANGE OF 20-22MM STRUCTURAL REAL WOOD ENGINEERED FLOORING.

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.

flooring

TONGUE - & GROOVE

This structural engineered flooring is load bearing and suitable for fixing directly to joists. With excellent thermal and acoustic properties, it can be laid over embedded underfloor heating making this a great choice for any room. The wear layer can be resanded but with normal care and attention, this floor will enhance your home for many years to come.



Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.




20-22MM REAL WOOD ENGINEERED	
WALNUT	0AK 20MM/22MM
21 x 189 x 1860mm	20/22 x 189 x 1860mi
1.38m² per pack	2.11m² per pack
4-sided hevel	4-sided bevel




KEY FEATURES

Solid 6mm wear layer on 22/21mm / 4mm wear layer on 20mm Structural & load bearing, suitable to fix straight to joists Ensures excellent thermal and acoustic properties Up to 30% of starter boards included







flooring



Only selected and graded timbers used

Contemporary and stylish finishes to suit every home

Random length boards

20 year structural warranty

To fit, adhere it direct to a sub floor, nail or screw it to timber, or float it using elka 3in1 underlay. FSC® certified

sourced from responsibly managed forests

groove construction allowing multiple fixing options

Top surface is finished with lacquer or oil to enhance hardness and durability









THE GRAINS AND COLOURS OF ELKA **SOLID WOOD**FLOORING CREATE AN AMBIENCE WITH REAL CHARACTER
AND A SENSE OF LONG LIFE AND PERMANENCE, ADDING
BEAUTY AND ELEGANCE TO YOUR INTERIOR.



TONGUE - & GROOVE

Each 18mm Elka solid wood board is made from 100% solid oak sourced from responsibly managed forests and are all FSC® certified. Created from high-grade timber, we only select the most aesthetically pleasing grains for use in this exclusive range and offer a range of stained, oiled and lacquered finished planks.





SOLID WOOD

 18×130 mm x random lengths 2.184m² per pack

KEY FEATURES


Traditional 18mm solid flooring Rustic Grade Only selected and graded timbers used

Random length boards

20 year structural warranty










elka

EVERYTHING YOU NEED TO PREPARE, FIX, FINISH AND MAINTAIN YOUR ELKA FLOOR



PREPARE PAGES 48-49

To achieve the perfect finish and ensure good performance, preparation from the ground up is key.

FIX / FINISH PAGES 50-53

The Elka range of high performance fixing products provide the right solution for every type of flooring.

MAINTAIN PAGES 54-55

Keep your wood floor looking as good as the day it was laid with Elka's range of products to maintain the finish of real wood and laminate floors.



Elka PU Primer and Elka DPM for concrete sub floors help to provide the correct sub floor conditions to lay your elka floor. They are suitable for use prior to fitting all types of flooring laminate, real wood engineered and solid wood flooring.





Coverage: 25m² when used as directed, instructions on packaging

One part polyurethane primer

Water free - moisture cure polyurethane liquid resin Designed for treating concrete floors prior to laying wooden flooring Ensures trouble-free adhesion to dusty screeds

Assists in sub floor repair and patching

Suitable prior to fitting laminate. real wood engineered and solid flooring



Coverage: 12m² when used as directed, instructions on packaging

Fast curing / 2 part pack ready to mix Provides a moisture barrier against concrete floors Suppresses moisture in concrete floors up to 95% RH (Relative humidity) Eliminates risk of moisture transmitting from newly poured concrete into your flooring

Suitable prior to fitting laminate, real wood engineered and solid flooring Our comprehensive range of underlay is designed to protect and secure your Elka floor. Elka lay is perfect for any location, but you may prefer to choose the added advantages of VPB, additional cushioning underfoot and sound proofing. Elka 3in1 lay has a practical integrated adhesive system for ease of installation of solid and engineered flooring. All our other underlays are suitable for use with laminate and real wood engineered flooring.



3MM UNDERLAY

Handy lightweight 15m² roll Robust 3mm underlay for use with laminate and real wood engineered flooring

L: 15m W: 1m Thick: 3mm

elka DUO Lay



3MM UNDERLAY WITH VPB VAPOUR PROOF BARRIER

Handy lightweight 15m² roll Robust 3mm underlay for use with laminate and real wood engineered flooring Includes laminated Vapour Proof Barrier (VPB) back for concrete ground floor installations Suitable for underfloor heating

L: 15m W: 1m Thick: 3mm





5MM UNDERLAY WITH CUSHIONED SUPPORT / VPB / SOUND PROOFING

Handy lightweight 15m² roll Luxury 5mm underlay for use with laminate and real wood engineered flooring 20db sound reduction Low thermal resistance Cushioned support increases underfoot comfort Shock absorbent / vapour barrier Exceptional acoustic insulation performance Suitable for embedded underfloor heating Integrated VPB system

L: **15m** W: **1m** Thick: **5mm**



5MM UNDERLAY WITH VPB / SOUND PROOFING

Handy lightweight 15m² roll Luxury 5mm underlay for use with laminate and real wood engineered flooring Floor levelling characteristics Exceptional acoustic insulation performance 22db sound reduction Shock absorbent / vapour barrier Integrated VPB system Suitable for embedded underfloor heating Low thermal resistance: 0.70 tog Cushioned support increases underfoot comfort

L: **15m** W: **1m** Thick: **5mm**



3MM UNDERLAY WITH SOUND PROOFING / SELF ADHESIVE

Handy lightweight 10m² roll Luxury 3mm underlay for use with **solid** floors up to 150mm and real wood engineered floors up to 190mm

Specialist installation over hard surface substrates Noise reducing, shock absorbent - impressive 22db sound reduction

Foil backing with 50mm tape overlap Self adhesive - bonds floor directly to underlay

L: 10m W: 1m Thick: 3mm

EVERYTHING YOU NEED TO FIX YOUR ELKA FLOOR



Our specialist range of high performance fixing products that are safe, simple and cost effective solutions for installing elka flooring.

QUALITY ADHESIVE FOR USE WITH ELKA TONGUE & GROOVE REAL



500ml


A specialist D3 rated high quality resin based wood adhesive for use when fixing engineered flooring panels with a tongue & grooved system.

Features and Advantages

High strength impact resistant bond that is stronger than wood itself Dries clear Coverage 6 -10m² of T&G

(dependent on the depth of the flooring groove) Easy clean-up using

a damp cloth Handy 500ml bottle



elka

SUPERB PRODUCT FOR SCREW FIXING SOLID OR REAL WOOD ENGINEERED (18MM+)
FLOORING TO ANY WOOD SUBSTRATE



200 no. per box and 1 no. adaptor bit

Designed to fix tongue & groove flooring, these 3.5x45mm screws feature the smallest heads ever, enabling them to be countersunk tidily into the rebate above the tongue so as to offer no obstruction to the matching groove on the next board.

Features and Advantages

No need for glue or to hire a nail gun, drill bit is included in every pack. Easy to install in difficult locations

If necessary, you can remove boards without damage in order to gain access to underfloor plumbing etc.

No need to drill pilot holes, even in hardwoods.

One size fits all boards (3.5 x 45mm) Boxed in 200's (covers up to 10m²)

Suitable for use with **solid** and real wood engineered flooring.

elka

FOR FITTING **LAMINATE**AND MOST UNICLIC® FLOORING
QUICKLY AND EASILY.



1 tapping block, 1 pull bar and 40 spacers

Designed to make fitting your Uniclic® floor as easy as possible without risk of damaging it.

Features and Advantages

The spacers maintain an expansion gap around perimeter

Pull bar allows you to pull planks together at the end of rows

Tapping block protects edges of the boards when tapping them together

Suitable for use with laminate and real wood engineered flooring.

The Elka bond range is a versatile product that can be used for a rigid fix for both solid wood and real wood engineered flooring or a flexible fix for solid wood floors.

端RIGID

HEAVY DUTY SYNTHETIC POLYMER FOR A RIGID BOND.

Features and Advantages

For bonding solid and engineered flooring to concrete, cementitious screeds, flooring grade plywood, chipboard, hardboard and smoothing compounds where applicable.

Coverage: 16m² when used as directed, instructions on packaging

Suitable for use with solid and real wood engineered flooring.





RANGE IS BASED ON THE LATEST **DEVELOPMENTS IN HYBRID** TECHNOLOGY AND HAS THE FOLLOWING KEY BENEFITS:

Features and Advantages

100% active, solvent and water-free Permanently flexible - compensates for wood and sub floor movement

Will bond wood directly to all common sub floors

Excellent gap filling properties for uneven surfaces

Plyable product gives excellent sound reduction properties

Range is suitable for use with solid and real wood engineered flooring.



Coverage: 1m² when used as directed, instructions on packaging



TRADE

Pack includes, reusable gun, wipes and nozzles. Trade pack refill cartridges also available (packs of 12)

Coverage: 18m² when used as directed, instructions on packaging



TROWEL ### FLEX

2 x 7kg foil packs Pack includes trowel and wipes

Coverage: 14m² when used as directed, instructions on packaging





LAMINATE

LAMINATE PROFILES AND ADAPTORS SUITABLE FOR LAMINATE FLOORING.







Delivered with cutter to adapt to the profile you need.

The best flooring profile is no profile at all. But that's technically not possible because laminate floors may move as the result of relative humidity and ambient temperature. That's why we have come up with a new 3in1 SmartProfile that is almost invisible (narrow and flat - only 2mm) and closely matches the laminate floors. It's a combination of an adapting profile, expansion profile and edge profile, all in a single profile.





1850 x 33.4 x 10.5 mm





Adaptor Profile 1850 x 43.7 x 12.5 mm

Edge Profile 1850 x 33.4 x 12.5 mm

FEATURES AND ADVANTAGES OF THE 3IN1 LAMINATE PROFILE

Laminate wood finish

Simply trim to the required profile type using the trimmer included in each pack Flexible - 3 profiles in 1

Extra height adjustment can be gained when applied using Elka bond

Length: 1850mm, ideal for two door widths Suitable for use on floors between 8-12mm with the supporting adjustable track provided

The Elka Scotia Profile camouflages the expansion joint between an existing skirting and a newly installed Elka laminate floor. These scotia profiles can be fixed with either Elka bond or by nailing. With finishes that closely match your elka laminate floor, it's the perfect solution.



REAL WOOD ENGINEERED /SOLID

REAL WOOD PROFILES AND ADAPTORS SUITABLE FOR **SOLID** AND **REAL WOOD ENGINEERED** FLOORING.

Elka 3in1 Real Wood Profile is a flexible finishing profile designed to complete your real wood flooring utilising the latest design technology with a practical multifunctional profile moulding. This easy-to-use profile allows you to simply trim off the area of the product not required to create one of three finishing solutions.











Expansion Profile to cover expansion gaps between two adjacent flooring products of the same height.



Adaptor Profile for use when finishing between two to finish the flooring adjoining floor coverings where the adjacent floor covering is of a lower height a wall or window. e.g. carpets or vinyl.



Edge Profile where a dressed edge is required eg. against

FEATURES AND ADVANTAGES OF THE 3IN1 REAL WOOD PROFILE

Real wood veneer finish

Simply trim to the required profile type using the trimmer included in each pack Flexible - 3 profiles in 1

Extra height adjustment can be gained when applied using elka bond

Available in two lengths:

930mm in lacguered white oak, unfinished* white oak and walnut

2150mm in lacquered white oak or unfinished* white oak.

Suitable for use on floors between 14-22mm with the supporting adjustable track provided

*Unfinished white oak allows the flexibility to either oil, stain or lacquer the profile on-site to match your floor.

© Oak Scotia PROFILE

The Elka Oak Scotia Profile is made from lacguered real wood veneer and provides the perfect finish to a newly installed Elka real wood engineered or solid wood floor. It can be glued or nailed for guick and easy placing. It is the perfect finish for your solid or real wood engineered floor.



EVERYTHING YOU NEED TO MAINTAIN YOUR ELKA FLOOR

Our Elka Clean and Protect range is designed to be quick and easy to use, no specialist polishing required. Perfect for today's modern lifestyle, leaving you time to enjoy your home! All items are available to purchase in kit form or individually. The range also includes a Scuff Mark Remover which will remove stubborn scuff marks without damaging your floor.





Clean + Protect kit for oiled real wood flooring

This kit contains everything you need to clean and protect your oiled wood floor. Contents include an All Purpose Cleaner, an All Purpose Cleaner Concentrate and a Protector specially formulated for oiled real wood flooring.



Clean + Protect kit for lacquered real wood flooring

This kit contains everything you need to clean and protect your lacquered wood floor. Contents include an All Purpose Cleaner, an All Purpose Cleaner Concentrate and a Protector specially formulated for lacquered real wood flooring.





PURPOSE

ALL Concentrate **PURPOSE**

Ideal for removing everyday dirt and grime or as spot stain removers. Suitable for frequent use on laminate, lacquered & oiled finished floors.



OILED

FINISH

PROTECTOR





0.5 Litre

LACQUERED FINISH

SCUFF MARK PROTECTOR

Protect your **real wood** floor against abrasion, scuffs and stains. Use regularly to keep your floor in good condition. Elka Scuff Mark Remover is a gentle, non-abrasive, residue-free cleaner formulated to remove stubborn scuff marks without damaging your floor.

CARING FOR YOUR ELKA FLOOR

It's so easy to care for your Elka floor. Laminate flooring is not only easy to clean, it's hygienic too. In fact, the sealed surface prevents bacteria accumulating on the floor which is great for the prevention of allergies. In general, we recommend dry cleaning the floor with a microfibre duster. Occasionally, damp cleaning can be done using an almost dry mop. Never use a steam cleaner or wet mop your Elka floor as this will cause damage not covered by the warranty.

Real wood engineered and solid wood floors are natural products that improve as the floor ages, but to keep them looking in top condition you can top up the oil or lacquer finish. Daily cleaning requires little more than a good sweep or dry mopping. By quickly wiping up any spills immediately, you can prevent stains occurring. You can spray on a spot cleaner to deal with the mess guickly and easily. More stubborn scuff marks can be tackled with our specialist remover, minimising the risk of damaging your floor. Follow these simple steps to ensure that your floor remains looking good for many years to come.

DAILY MAINTENANCE

Sweep or vacuum your floor regularly to prevent grit and dust accumulating and scratching the surface.

Use protective pads under all furniture to prevent scratches.

Use door mats at your external doors to prevent grit and small stones being carried into the home.

Wipe up any spills immediately. Never allow any liquid to remain on the floor.

Stains should be removed immediately while they are still wet and after removal, wipe floor dry.

Do not use general household cleaners as these may dull or damage the surface. They may even leave a film residue which could make the floor slippy and more difficult to clean.

PERIODIC MAINTENANCE

Oiled and lacguered finish real wood floors benefit from reapplication of Elka Protector approximately once every six months. The advantage of this very simple maintenance step is that, with regular treatment, you can keep your floor looking as good as new. It also 'tops up' the protective barrier against abrasions, scuffs and stains.

In areas of high traffic, for example, in a hallway, your floor may start to look a little worn. You can treat this particular area as and when you feel necessary, to keep it looking in tip top condition.

ELKA FLOORING PRODUCT OVERVIEW

laminate flooring

Elka laminate flooring can be used either with or without underfloor heating. Simple and quick to install with the unique Uniclic® system, it's ideal for DIY projects. It is hardwearing so it will remain as pristine and beautiful as the day it was installed.

real wood engineered flooring

Elka engineered flooring is a practical product, chosen for its strength. flexibility of installation and stability. It perfectly mimics a solid wood floor, but is made of three or more layers of real wood with an upper layer of genuine hardwood.

solid wood flooring

Solid wood flooring is a completely natural product, the grains and colours of Elka solid wood flooring create an ambience with real character and a sense of long life and permanence. Elka solid wood flooring will add beauty and elegance to any interior.

FROSTED OAK

UNICLIC

PRODUCT: ELV705

laminate flooring









PACK SIZE: 2.162m² PACKS/PALLET: 52





JNICLIC =

RODUCT: ELV017



PACK SIZE: 2.162m2 PACKS/PALLET: 52







PACK SIZE: 2.162m² PACKS/PALLET: 52

UNICLIC |

PRODUCT: ELV254

PACK SIZE: 1.4413m² PACKS/PALLET: 52 PACK SIZE: 1.4413m² PACKS/P





DUCT: ELT968



RODUCT: ELT973



PRODUCT: ELT969 PACK SIZE: 1.4413m² PACKS/PALLET: 52 PACK SIZE: 1.4413m² PACKS/PALLET: 52



RODUCT: ELTO19

real wood engineered flooring

12.5mm



PACK SIZE: 1.583m2 PACKS/PALLET: 66

UNICLIC 💳 PRODUCT: ELKABMLWOAK PACK SIZE: 1.583m2 PACKS/PALLET: 66











PRODUCT: ELKA14BOROAKUC PACK SIZE: 2.075m² PACKS/PALLET: 55



PACK SIZE: 2.075m² PACKS/PALLET: 55



PRODUCT: ELKA14TRUFFLE PACK SIZE: 2.075m² PACKS/PALLET: 55

















PRODUCT: ELKA14HBDSOAK PACK SIZE: 0.864m² PACKS/PALLET: 80


18mm



PACK SIZE: 1.98m² PACKS/PALLET: 56 PACK SIZE: 1.98m² PACKS/PALLET: 56



PACK SIZE: 1.98m² PACKS/PALLET: 56



PRODUCT: ELKA18LBWALNUT PACK SIZE: 1.98m² PACKS/PALLET: 56

20-22mm



PRODUCT: ELKA22RUOAK PACK SIZE: 2.11m2 PACKS/PALLET: 35



: ELKA210BWALNUT PACK SIZE: 1.38m² PACKS/PALLET: 55



PACK SIZE: 1.38m² PACKS/PALLET: 55







PACK SIZE: 2.11m2 PACKS/PALLET: 35

solid wood flooring

18mm

TONGUE & GROOVE 20MM



PRODUCT: ELKA1300AKRUSFSC15 PACK SIZE: 2.184m2 PACKS/PALLET: 48



PRODUCT: ELKA130B00AKFSC15 PACK SIZE: 2.184m2 PACKS/PALLET: 48







PACK SIZE: 2.184m2 PACKS/PALLET: 48

To achieve the perfect finish and ensure good performance, preparation from the ground up is key. Elka's range of primers, DPM's and underlays complements its flooring range to overcome the most common problems.



The Elka range of high performance products provide the right solution to fix every type of flooring. They are safe, simple and cost effective solutions for installing elka flooring.



With Elka accessories, the right solution is always at hand to finish the job. From real wood veneer profiles and scotia to complement real wood flooring, to the easy-to-use 3in1 profiles that allow you to simply trim off the area of the product not required.





ELKA PRIMER 610513



ELKA LAY 609920



ELKA DUO LAY 609919



ELKA 1 COAT DPM 609947



ELKA COMFORT LAY 613127



ELKA QT LAY 609964



ELKA 3 IN 1 LAY 610515





ELKA GRIP 609957



ELKA BOND RIGID





ELKA BOND DIY FLEX 609956



ELKA FITTING KIT

610436

ELKA BOND TRADE FLEX



ELKA BOND TROWEL FLEX

ELKA BOND TRADE FLEX REFILL 609971

LAMINATE PROFILES



ELT019 SFPT60019

ELT636 SFPT60636

ELKA 3 IN 1 PROFILE ELV705 SFPT60705 ELV957 SFP60957 ELV954 SFPT60328 ELV018 SFP60018 ELV017 SFP60049 ELV958 SFP60062 ELV959 SFP60959 ELV959 SFSC60959 ELV254N SFP01457 ELV254N SFSC01457 ELT913 SFPT60913 ELT913 SFSC60913 ELT969 SFPT60969 ELT969 SFSC60041 ELT973 SFPT60086 ELT968 SFPT60557 ELT973 SFSC60086 ELT968 SFSC60557



ELT019 SFSC60019

ELT636 SFSC60636



REAL WOOD PROFILES



ELKA OAK SCOTIA PROFILE

© OAK SCOTIA PROFILE

ELKA 3 IN 1 REAL WOOD PROFILE 2.15 WHITE OAK 2.15 UNFINISHED OAK 609954 609951 0.93 WHITE OAK 609955 0.93 UNFINISHED OAK 609952 0.93 WALNUT 609953



CLEAN & PROTECT FOR OILED WOOD FLOORING 613359



ALL PURPOSE CLEANER FOR WOOD FLOORING 611387



ALL PURPOSE CLEANER CONCENTRATE 611386



CLEAN & PROTECT FOR LACQUERED WOOD FLOORING 613360



OILED FINISH PROTECTOR 613217



LACQUERED FINISH 613218



SCUFF MARK 613216



www.elkaflooring.co.uk



HEAD OFFICE

Unit 5, Rampart Business Centre Greenbank Industrial Estate Newry, County Down BT34 2QU T: +44 (0) 28 3025 0477 from ROI: 048 3025 0477 F: +44 (0) 28 3025 0223

DISTRIBUTION CENTRE

Unit 4, The Furrows Barton Dock Road Trafford Park Manchester M32 0SZ T: 0844 8118 288 F: 0844 8118 289



