designer floors for living



LUXURY VINYL

#### **REAL WOOD ENGINEERED**

Cover: Herringbone Whitewashed Oak 14mm real wood engineered flooring.

Real wood product images are of a natural product. Part of its character and charm is its naturally occurring and individual variations in shade and tone. Therefore, the colours shown here may not be an exact representation of the product.

Although every effort has been made to reproduce the colour of the luxury vinyl, laminate and real wood products shown in this brochure, there will be slight variations in actual colours due to printing limitations.

**E&OE.** All information contained in this literature is correct at the time of going to print. Unilin Distribution reserves the right to amend specifications or discontinue products, if necessary, without prior notice. We recommend that you visit our website for the most up to date information.

SOLID WOOD

LAMINATE

ROUP

# DISCOVER HOW AN ELKA FLOOR CAN TRANSFORM YOUR HOME

FLOORING COLLECTIONS PAGE 08-43 LUXURY VINYL LAMINATE REAL WOOD ENGINEERED SOLID WOOD

-----

**ELKA EXTRAS** PAGES 44-51 PREPARE FIX FINISH MAINTAIN

# **ELK**



PRODUCT OVERVIEW PAGES 52-55 THE FULL RANGE OF FLOORING

AND EXTRAS AT A GLANCE

# WHICH ELKA FLOOR SHOULD I CHOOSE FOR MY HOME?

# elka



#### SOLID WOOD FLOORING

Made from high guality premium, solid timber, the random length boards and natural colours of this range will add natural character and instant warmth, making this flooring a solid investment for any home. The grains and colours of Elka solids create an ambience with real character and a sense of permanence, adding beauty and elegance to your interior.

Each board is made from 18mm of 100% solid oak sourced from responsibly managed forests and are all PEFC™ certified. They can be fitted using numerous techniques, including adhering it direct to a sub floor, nailing or screwing it to timber, or floating it using Elka underlay. For more information visit elkaflooring.co.uk. Our strict production process means that every board is checked by hand at least three times before being packaged, guaranteeing a high level of quality in every detail of your new floor.

#### REAL WOOD ENGINEERED FLOORING

With all the aesthetics of a real wood floor, but without any of the restrictions, real wood engineered flooring is a practical design choice for any home. When laid, an Elka real wood engineered floor is virtually indistinguishable from a solid wood floor. This is thanks to the product's unique structure, which includes a generous surface layer of between 2mm and 4mm of real wood, making it possible for all Elka engineered floors to be sanded and refinished.

The strength of each board comes from three or more layers of wood laid in opposite directions. This helps to avoid any issues with contraction or expansion, making it perfect for use in areas where traditional hardwood flooring cannot be used, such as in conservatories or in conjunction with embedded underfloor heating. The simplicity of its construction makes it perfect for use in DIY projects and thanks to its strength, it can easily be installed as a floating floor.





#### LUXURY VINYL 100% WATERPROOF FLOORING

Capturing the beautiful look and feel of real wood in stunning detail, Elka luxury vinyl flooring is a stylish, hardwearing and cost-effective solution for modern living. With six gorgeous authentic-looking wood designs, from timeless browns to on-trend greys, available in our brand-new collection, we're confident you'll find a floor that's perfect for your lifestyle.

Manufactured in multiple layers for fantastic durability, Elka luxury vinyl comes with a wealth of practical advantages. Not only is it 100% waterproof - making it ideal for moisture-prone areas such as bathrooms, kitchens and utility rooms - it's tough, compatible with underfloor heating, sound absorbent and feels warm and soft underfoot. Built to withstand the rigours of family life (pets included), it's also a breeze to clean and care for. Thanks to a sealed top layer that offers resistance against scratches and stains, vacuuming and occasional light mopping are all it takes to keep your Elka luxury vinyl floor looking its best. The Uniclic® system ensures fast installation, with no adhesive required. All you have to do is click the boards down into place on top of Elka LVT lay, making Elka luxury vinyl flooring a great choice for homeowners, renovators and property professionals alike.

### LAMINATE FLOORING

Elka's laminate range is one of the most superior quality laminate flooring ranges currently available on the market. Designed to look great and stand the test of time, we apply strict standards to each board, ensuring maximum strength and a flawless finish, the v-groove technology is an advanced bevel edging which helps to create a look that reflects the natural gualities of real wood flooring. The grandeur and elegance of our new long plank boards will transform any room in your home. Our new chevron design is very much on-trend, bringing a modern twist to the French-inspired pattern, creating elegance and beauty. The 12mm v-groove range is ideal for high traffic areas.

**AQUA PROTECT:** For enhanced water resistance, we offer the revolutionary **Aqua Protect** technology across the entire 12mm v-groove range and as an option on 8mm v-groove floors.

Most of the range features the unparalleled and technically superior Uniclic<sup>®</sup> system. Its glue-free installation process makes it fast and easy to lay or re-lay anywhere. Each board locks together securely, ensuring a seamless joint that won't allow dust or dirt to gather. With a lifetime warranty on the Uniclic<sup>®</sup> system, it means you can enjoy a quality finish for years to come.



# THE NATURAL BEAUTY AND ELEGANCE OF AN ELKA FLOOR

## **ELK**3



#### SUSTAINABLE FORESTRY

Every year, more and more timber is available from sustainably managed forests, so every year, we improve and increase our environmentally friendly products.

The choice of a good quality floor from Elka is a smart one both for you and the environment. Our flooring is both designed to last and to be admired, so you are unlikely to want to change it for a very long time. This is especially true for our engineered and solid wood boards which actually become more beautiful with age. We might specialise in creating great home environments, but we also take great care to do everything we can to look after the environment around us. That's why as manufacturers and importers, we understand the importance of sourcing the most responsibly managed raw materials possible to make our flooring. This includes developments like the creation of laminate and engineered floors that can be installed without the use of an adhesive due to the revolutionary Uniclic<sup>®</sup> system.

Where possible, we insist upon maintaining a certified chain of custody for the majority of the timber we buy. That's why we're so proud that more than half of our product range is PEFC<sup>™</sup> (Programme for the Endorsement of Forest Certification) certified. These awards are given to responsibly managed forests that respect the legal system, land usage rights and the rights of indigenous peoples and their workers, in addition to guaranteeing that felled trees are replaced with saplings.

These unique international non-profit, non-governmental certification systems represent some of the largest environmental movements in the world and we are excited and proud to be a part of them. This means that when you purchase an Elka floor, you can be proud that you are choosing to furnish your home with one of the world's environmentally friendly products: natural wood from a responsibly managed forest. For any timber that isn't certified, we always ensure that it is from well-managed sources.

For PEFC™ (Programme for the Endorsement of Forest Certification) certified products, look for the following logo.



#### THE NATURAL CHARACTERISTICS OF WOOD FLOORING

The real wood products capture all the rustic qualities of wood and bring the very essence of nature into your home. Each floor board is unique, enriched with naturally occuring characteristics such as knots of various sizes, flared grain patterns, burls, sapwood and mineral streaks. These are characteristics of each species' individual growth process, and are all influenced by region, sunlight, climate and the soil. There are two types of knots; live knots which showcase the beautiful density of the spiral grain and dead knots which are repaired with a rich coloured filler. Any splits or cracks are filled and add a lively character to the unmistakable quality of a natural product. The colour variation within each plank reflects naturally occurring mineral and sapwood streaks and are even further enhanced when stained or treated.

#### BRING THE BEAUTY OF NATURE INTO YOUR HOME

Due to the increasing interior trend for flooring to have even more character, we have increased our real wood engineered range. Our products showcase many of these features where the smoking produces more colour variation than staining. The result is much warmer and the natural characteristics are even more enhanced. Our Herringbone real wood engineered floor is a classic design, it equally complements antique furniture or works well in a modern contemporary environment. Due to the distinctive pattern, care must be taken when laying the boards, but the tongue and groove system means that this classic style is now achievable in any home.

The timeless elegance of a wood floor brings warmth and beauty to every home. The variety of styles, colours and species give you a wonderful range to choose from and allows you to put your unique stamp on your living space.

Our luxury vinyl and laminate ranges reflect the beauty of nature, while still maintaining a consistent quality throughout every board. Our real wood engineered and solid ranges use high grade hardwood that has been primarily selected for its hardwearing quality to ensure dimensional stability and long lasting durability.



# luxury vinyl



4.2MM SCHOOLHOUSE OAK

Elka luxury vinyl flooring is a cost-effective, hardwearing product that is warm and quiet underfoot. It's 100% waterproof, making it ideal for use anywhere in your home including kitchens, bathrooms and utility rooms. You can enjoy the look of a stylish real wood floor in your home with the added advantages of the scratch resistant, durable surface.


features & advantages
Fully integrated Uniclic® installa system for ease of fitting
100% waterproof
Fast & easy Installation
Easy maintenance
Warm & quiet underfoot
Suitable for underfloor heating



	structural composition of luxury vinyl flooring		
ation	Top performance coating		
	Clear vinyl wear layer		
	Fine printed vinyl décor layer		
	High impact resistant vinyl core		
	Extra stabilising layer containing glass fibre		
	Highly impact resistant vinyl backing		

## 4.2mm luxury vinyl flooring UNICLIC

Choose from six authentic wood designs in our new luxury vinyl range, from timeless and classic browns to on-trend greys, it's the perfect solution throughout your home. Ideal for moisture-prone areas such as bathrooms, kitchens and utility rooms\*, it has the added advantage of being warm and silent underfoot. Suitable for underfloor heating and easy to maintain, it really is a winner.












\*commercial warranty on application

## 4.2mm luxury vinyl flooring









warranty on application

# laminate



8MM HONEY OAK

Elka laminate flooring is a hardwearing floor that can be used either with or without underfloor heating. It's simple and quick to install with the unique Uniclic<sup>®</sup> system making it ideal for DIY projects. With the advantages of the NEW revolutionary Aqua Protect Technology on 8mm and 12mm décors, it will remain as pristine as the day it was installed.

#### features & advantages of la

Fully integrated Uniclic<sup>®</sup> installation syst High definition surface structures that e the authentic appearance of the floor Choice of modern finishes and individual Flexible fitting options - you can start a Hygienic allergy reducing floor Can be used in conjunction with noise r Suitable for use with embedded underfl



aminate flooring	structural composition		
stem for ease of fitting enhance	Transparent overlay prevents against wear and tear		
alistic designs	Design layer		
anywhere within the room	HDF board Moisture resistant High Density Fibre board		
reducing underlay floor heating systems	Barrier layer Balancing board		



We have increased our range of laminate flooring which features the revolutionary **Aqua Protect** technology. Available across the entire 12mm range and as an option on the 8mm v-groove range, you can have the luxury interior you desire, but with all the practicalities for everyday living.

8MM V-GROOVE 8MM V-GROOVE LONG PLANK 12MM V-GROOVE







**V-GROOVE** 



#### Choose your décor with or without Aqua Protect technology.

Select from eight timber effect designs in our 8mm range, designed to look great and last many years, we apply strict standards to each board, ensuring maximum strength and a flawless finish that makes it look every bit as beautiful as a natural wood floor. The v-groove technology is an advanced bevel edging which helps to create a look that reflects the natural qualities of wood flooring.













OUR NEW 8MM V-GROOVE LONG PLANK LAMINATE FLOORING RANGE CREATES INSPIRING INTERIORS. V-GROOVE LONG PLANK

8mm laminate flooring FitXpress®







#### **V-GROOVE**

## 12mm laminate flooring

Choose from six timber effect designs in our 12mm range with its fully integrated Uniclic® installation system and the revolutionary **Aqua Protect** technology. The 12mm range is quieter to walk on, will hide small imperfections in the subfloor and is easier to install due to the thickness of the board. With its AC5 rating, the Elka 12mm laminate range is ideal for high traffic areas and designed to look great and last for many years to come.















flooring

14MM HERRINGBONE DARK SMOKED OAK Elka engineered flooring is a truly practical product, chosen for its strength, flexibility of installation and overall stability. It perfectly mimics a solid wood floor, but is actually made of three or more layers of real wood with an upper layer of genuine hardwood. It can be used in conservatories and in conjunction with underfloor heating.

#### features & advantages



	structural composition of engineered flooring
	Carefully selected real wood wear layer
g d	Latest technology machining for ultimate stability
od	Engineered ply construction for a stable inner core
areas	Superior glue throughout ensures a long carefree life
ty)	Selected veneer backing for added stability



With all the aesthetics of a real wood floor, our real wood engineered flooring is a practical design choice for any home. Elka offers the most extensive choice of thickness, with options available using our patented Uniclic<sup>®</sup> Multifit system or the more traditional Tongue and Groove system. With exceptional strength and timeless beauty, all of our floors in this range are designed to last the test of time.



A glue-free process, the Uniclic<sup>®</sup> Multifit installation system is fast and easy to lay. Working both vertically and horizontally, the drop-down technology (slide and click) allows for an even simpler installation. Each board locks together securely, ensuring a seamless joint that won't allow dust or dirt to gather. With the lifetime warranty on this system, you can enjoy a quality finish for years to come.



#### TONGUE - & GROOVE

Each plank features a tongue and groove format. Depending on the format of the board, each installation can be either secret nailed or glued to a suitable sub floor. Refer to installation instructions for advice.



NOTE: Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.










Choose any floor from our 12.5mm range with its 2mm real wood wear layer and you have the added confidence that your floor is fully PEFC<sup>™</sup> certified. It can be used in conjunction with underfloor heating.



Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.





Suitable for underfloor heating

**PEFC**<sup>\*\*</sup> 07-32-37

CE

NEW

NEW

#### 12.5MM REAL WOOD ENGINEERED

12.5 x 190 x 1820mm 2.075m<sup>2</sup> per pack 2-sided bevel (long side)

#### **KEY FEATURES**

Solid Oak - 2mm wear layer HDF moisture resistant core Uniclic<sup>®</sup> Multifit locking system suitable for DIY installation PEFC™ - Caring for the environment

#### Fawn Oak

UV oiled finish



#### Woodland Oak

UV oiled finish







Our 13.5mm range provides both modern and traditional options with a 2.5mm real wood wear layer and the revolutionary Uniclic<sup>®</sup> Multifit locking system, renowned for strength and ease of installation. All floors are compatible for underfloor heating and are PEFC<sup>™</sup> certified.



Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.





#### 13.5MM REAL WOOD ENGINEERED

13.5 x 190 x 1820mm 2.075m<sup>2</sup> per pack 2-sided bevel (long side)

#### **KEY FEATURES**

Solid Oak - 2.5mm wear layer Real wood spruce core Uniclic® Multifit locking system -suitable for DIY installation PEFC<sup>™</sup> - Caring for the environment

#### Summer Oak

#### Brushed & oiled finish



#### Spiced Oak

Brushed matt lacquered finish



07-32-37












With an extensive range of finishes, our 14mm real wood engineered floor has a surface layer of 3mm and can be used in conjunction with underfloor heating. This range includes the revolutionary Uniclic<sup>®</sup> Multifit system which is renowned not only for its strength, but also for the ease and flexibility of installation.



Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



#### 14MM REAL WOOD ENGINEERED

14 x 190 x 1820mm 2.075m<sup>2</sup> per pack 4 or 2-sided bevel (long side)

#### **KEY FEATURES**

Solid oak - 3mm wear layer Real wood core Up to 30% starter boards Uniclic® Multifit locking system suitable for DIY installation





## flooring

TONGUE \_ & GROOVE


Our 14mm real wood engineered floors exude warmth and character just like a solid wood floor. These floors use the traditional tongue and groove fixing mechanism and the Herringbone design means that you achieve the timeless quality of traditional parquet flooring, but with the added advantages of being able to combine this with modern luxuries such as underfloor heating.




Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.

#### OPTIONS FOR INSTALLATION OF A HERRINGBONE FLOOR









#### 14MM REAL WOOD ENGINEERED

HERRINGBONE 0.864m<sup>2</sup> per pack

RURAL OAK 14 x 120 x 600mm 14 x 189 x 1860mm 2.812m<sup>2</sup> per pack Up to 30% starter boards

#### **KEY FEATURES**

Tongue & Groove UV Oiled & Smoked finish Solid oak - 3mm wear layer Real wood core / 4-sided bevel



#### Herringbone Light Smoked Oak

TONGUE & GROOVE

#### Herringbone Dark Smoked Oak

TONGUE & GROOVE




## flooring

TONGUE

This 18mm real wood engineered range provides choice and variety for both modern and traditional environments. It can be used in conjunction with embedded underfloor heating and with excellent thermal and acoustic properties, it will enhance any room in your home.



Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.





#### 18MM REAL WOOD ENGINEERED

18 x 150mm x random lengths 4mm wear layer / 4-sided bevel 1.98m<sup>2</sup> per pack

#### **KEY FEATURES**

Solid 4mm wear layer, rustic grade Available in: Oiled or Lacquered finish Random lengths: 400-1800mm Ensures excellent thermal and acoustic properties



#### Enhanced Oak

#### UV brushed matt lacquered finish

TONGUE & GROOVE

#### Walnut

UV lacquered finish

TONGUE & GROOVE




## flooring

TONGUE - & GROOVE

This structural engineered flooring is load bearing and suitable for fixing directly to joists. With excellent thermal and acoustic properties, it can be laid over embedded underfloor heating making this a great choice for any room. The wear layer can be resanded but with normal care and attention, this floor will enhance your home for many years to come.



Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.





#### 20MM REAL WOOD ENGINEERED

20 x 189 x 1860mm 2.11m<sup>2</sup> per pack 4-sided bevel



#### **KEY FEATURES**

Solid 4mm wear layer Structural & load bearing, suitable to fix straight to joists Ensures excellent thermal and acoustic properties Up to 30% of starter boards included

#### Rustic UV Brushed & Oiled Oak



#### Copper Oak

UV brushed & oiled rustic+ finish

TONGUE & GROOVE





RUSTIC UV LACQUERED OAK

Made from high quality premium, solid timber, the natural colours of Elka solid wood flooring will add natural character and warmth, making it a solid investment for any home. Our strict production process means that every board is checked by hand at least three times guaranteeing a high level of quality in every detail of your new floor.

features & advantages of so

Traditional 18mm solid floors Only selected and graded timber Contemporary and stylish finishe Random length boards 20 year structural warranty To fit, adhere it direct to a sub fl it to timber, or float it using Elka PEFC<sup>™</sup> certified

flooring






solid flooring structural composition			
	structural composition		
Carefully selected timber, sourced from responsibly managed forests	1		
nes to suit every home groove construction allowing multiple fixing options			
floor, nail or screw a 3in1 underlay Top surface is finished with lacquer or oil to enhance hardness and durability			



Each 18mm Elka solid wood board is made from 100% solid oak sourced from responsibly managed forests and are all PEFC™ certified. Created from high-grade timber, we only select the most aesthetically pleasing grains for use in this exclusive range and offer a range of stained, oiled and lacquered finished planks.



Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.





#### SOLID WOOD

18 x 130mm x random lengths 2.184m² per pack

#### **KEY FEATURES**

Traditional 18mm solid flooring Rustic Grade Only selected and graded timbers used Random length boards 20 year structural warranty







#### **ELKA EXTRAS**

#### EVERYTHING YOU NEED TO **PREPARE** YOUR ELKA FLOOR

Our comprehensive range of underlay is designed to protect and secure your Elka floor. Elka LVT lay is exclusively for use with our new luxury vinyl flooring range. Elka lay is perfect for any location, but you may prefer to choose the added advantages of VPB, additional cushioning underfoot and sound proofing. Elka 3in1 lay has a practical integrated adhesive system for ease of installation of solid and engineered flooring. All our other underlays are suitable for use with laminate and real wood engineered flooring.









1.5MM UNDERLAY WITH VPB VAPOUR PROOF BARRIER

Lightweight and easy to cut - 9.6m<sup>2</sup> / pack Supporting 1.5mm thick underlay for use with Elka luxury vinyl flooring Great acoustic insulation performance: 19db sound reduction Low thermal resistance / High compressive strength Built in vapour proof barrier with taped overlap.

THE ONLY UNDERLAY SUITABLE FOR ELKA LUXURY VINYL FLOORING

L: 8m W: 1.2m Thick: 1.5mm

# elka Lay

Handy lightweight 15m<sup>2</sup> roll Robust 3mm underlay for use with laminate

L: 15m W: 1m Thick: 3mm



5MM UNDERLAY WITH CUSHIONED SUPPORT / VPB / SOUND PROOFING

Handy lightweight 15m<sup>2</sup> roll Luxury 5mm underlay for use with laminate and real wood engineered flooring 20db sound reduction Low thermal resistance Cushioned support increases underfoot comfort Shock absorbent / vapour barrier Exceptional acoustic insulation performance Suitable for embedded underfloor heating Integrated VPB system

L: 15m W: 1m Thick: 5mm

# EVERYTHING YOU NEED TO PREPARE, FIX, FINISH & MAINTAIN YOUR ELKA F

#### PRFPARF PAGE 45

To achieve the perfect finish and ensure good performance, preparation from the ground up is key.

#### FIX / FINISH PAGES 46-49

The Elka range of high performance fixing products provide the right solution for every type of flooring.

#### MAINTAIN PAGE 50-51

Keep your floor looking as good as the day it was laid with Elka's range of products to maintain the finish of real wood, laminate and luxury vinyl floors.







and real wood engineered flooring



Handy lightweight 15m<sup>2</sup> roll Robust 3mm underlay for use with laminate and real wood engineered flooring Includes laminated Vapour Proof Barrier (VPB) back for concrete ground floor installations Suitable for underfloor heating

L: 15m W: 1m Thick: 3mm



### 5MM UNDERLAY WITH VPB / SOUND PROOFING

Handy lightweight boards - 19 no. size 600 x 856mm / total coverage 9.76m²/pk Luxury 5mm underlay for use with laminate and real wood engineered flooring Floor levelling characteristics Exceptional acoustic insulation performance 23db sound reduction Smooths & levels minor imperfections and braces board joints for better support High thermal resistance: 2 tog Durable: withstands high loads of 10T/m<sup>2</sup> Non-absorbing, mould resistant boards L: 856mm W: 600mm (x19 boards) Thick: 5mm

#### EVERYTHING YOU NEED TO FIX YOUR ELKA FLOOR

Our specialist range of high performance fixing products that are safe, simple and cost effective solutions for installing Elka flooring.



QUALITY ADHESIVE FOR USE WITH ELKA TONGUE & GROOVE REAL WOOD ENGINEERED FLOORING



500ml

A specialist D3 rated high quality resin based wood adhesive for use when fixing engineered flooring panels with a tongue & groove system.

#### Features and Advantages

High strength impact resistant bond that is stronger than wood itself Dries clear

Coverage 6 -10m<sup>2</sup> of T&G (dependent on the depth of the flooring groove)

Easy clean-up using a damp cloth Handy 500ml bottle

Suitable for use with real wood engineered flooring.



SUPERB PRODUCT FOR SCREW FIXING SOLID OR REAL WOOD ENGINEERED (18MM+) FLOORING TO ANY WOOD SUBSTRATE



200 no. per box and 1 no. adaptor bit

Designed to fix tongue & groove flooring, these 3.5x45mm screws feature the smallest heads ever, enabling them to be countersunk tidily into the rebate above the tongue so as to offer no obstruction to the matching groove on the next board.

#### Features and Advantages

No need for glue or to hire a nail gun, drill bit is included in every pack.

Easy to install in difficult locations If necessary, you can remove boards without damage in order to gain access to underfloor plumbing etc.

No need to drill pilot holes, even in hardwoods. One size fits all boards (3.5 x 45mm)

Boxed in 200's (covers up to 10m<sup>2</sup>)

Suitable for use with **solid** and real wood engineered flooring.





1 tapping block, 1 pull bar and 40 spacers

Designed to make fitting your Uniclic<sup>®</sup> floor as easy as possible without risk of damaging it.

#### Features and Advantages

The spacers maintain an expansion gap around perimeter

Pull bar allows you to pull planks together at the end of rows

Tapping block protects edges of the boards when tapping them together



Suitable for use with laminate and real wood engineered flooring.



A LOW MODULOUS, NEUTRAL-CURING, SILICONE SEALANT FOR A WATERTIGHT SEAL WITH LUXURY VINYL FLOORING

#### Features and Advantages

For filling the transition gap around the perimeter of the room and for creating a watertight seal for wet environments.

**RIG** 

HEAVY DUTY SYNTHETIC POLYMER FOR A RIGID BOND.

#### Features and Advantages

For bonding solid and engineered flooring to concrete, cementitious screeds, flooring grade plywood, chipboard, hardboard and smoothing compounds where applicable.

The Elka bond range is a versatile product that can be used for a rigid fix for both solid wood and real wood engineered flooring or a flexible fix for solid wood floors.

Coverage: 16m<sup>2</sup> when used as directed, instructions on packaging Suitable for use with **solid** and real wood engineered flooring.

Coverage:

10.5 linear metres

when used as directed,

instructions on packaging



ELKA BOND FLEX ADHESIVE RANGE IS BASED ON THE LATEST DEVELOPMENTS IN HYBRID TECHNOLOGY AND HAS THE FOLLOWING KEY BENEFITS

## 

#### Features and Advantages

100% active, solvent and water-free Permanently flexible - compensates for wood and sub floor movement

Will bond wood directly to all common sub floors I ow odour

Excellent gap filling properties for uneven surfaces Plyable product gives excellent

sound reduction properties

Range is suitable for use with **solid** and real wood engineered flooring.



# 

Pack includes, reusable gun, wipes and nozzles. Trade pack refill cartridges also available (packs of 12)



2 x 7kg foil packs Pack includes trowel and wipes









20no. 1m x 10mm strips use in combination with Elka Hydro-Flex to fill expansion joints to obtain a waterproof solution for skirtings and profiles

Suitable for use with luxury vinyl and 8mm & 12mm AP laminate flooring.









Coverage: 18m<sup>2</sup> when used as directed, instructions on packaging





Coverage: 14m<sup>2</sup> when used as directed, instructions on packaging



#### EVERYTHING YOU NEED TO FINISH YOUR ELKA FLOOR

#### LAMINATE


LAMINATE PROFILES AND ADAPTORS SUITABLE FOR LAMINATE FLOORING.





Delivered with cutter to adapt to the profile you need.

Can provide flexibility for elka laminate flooring with depths between 8mm - 12mm



Dimensions: 2150 x 48 x 13mm The best flooring profile is no profile at all. But that's technically not possible because laminate floors may move as the result of relative humidity and ambient temperature. That's why we have come up with a new Elka 4in1 Profile that is almost invisible (narrow and flat - only 2mm) and closely matches the laminate floors. It's a combination of an adapting profile, expansion profile, transition profile and edge profile, all in a single profile.



Expansion Profile 2150 x 40 x 13mm

Adaptor Profile 2150 x 48 x 13mm

Transition Profile Edge Profile 2150 x 40 x 13mm 2150 x 40 x 13mm

#### FEATURES AND ADVANTAGES OF THE 4IN1 LAMINATE PROFILE

Laminate wood finish

Simply trim to the required profile type using the trimmer included in each pack Flexible - 4 profiles in 1 Extra height adjustment can be gained when applied using Elka bond

Length: 2150mm, ideal for two door widths Suitable for use on floors between 8-12mm with the supporting adjustable track provided

## SCOTIA PROFILE

The Elka Scotia Profile camouflages the expansion joint between an existing skirting and a newly installed Elka laminate floor. These scotia profiles can be fixed with either Elka bond or by nailing. With finishes that closely match your Elka laminate floor, it's the perfect solution.



#### REAL WOOD ENGINEERED / SOLID

REAL WOOD PROFILES AND ADAPTORS SUITABLE FOR SOLID AND REAL WOOD ENGINEERED FLOORING.



Trim off the

area of the product

not required using

the supplied trimmer.

Can provide flexibility for

MOIST

Elka real wood flooring

with depths between

14mm - 20mm

45mm

REAL WOOD VENEER

Elka 3in1 Real Wood Profile is a flexible finishing profile designed to complete your real wood flooring utilising the latest design technology with a practical multifunctional profile moulding. This easy-to-use profile allows you to simply trim off the area of the product not required to create one of three finishing solutions.



**Expansion** Profile to cover expansion gaps between two adjacent flooring products of the same height.

#### FEATURES AND ADVANTAGES OF THE 3IN1 REAL WOOD PROFILE

Real wood veneer finish Simply trim to the required profile type using the trimmer included in each pack

Available in two lengths:

\*Unfinished white oak allows the flexibility to either oil, stain or lacquer the profile on-site to match your floor.



The Elka Oak Scotia Profile is made from lacguered real wood veneer and provides the perfect finish to a newly installed Elka real wood engineered or solid wood floor. It can be glued or nailed for guick and easy placing. It is the perfect finish for your solid or real wood engineered floor.



Adaptor Profile for use when finishing between two to finish the flooring adjoining floor coverings where the adjacent floor covering is of a lower height a wall or window. e.g. carpets or vinyl.

Edge Profile where a dressed edge is required eq. against

Flexible - 3 profiles in 1 Extra height adjustment can be gained when applied using elka bond

- 930mm in lacguered white oak and unfinished\* white oak
- 2150mm in lacquered white oak or unfinished\* white oak.
- Suitable for use on floors between 14-20mm with the supporting adjustable track provided





#### EVERYTHING YOU NEED TO MAINTAIN YOUR ELKA FLOOR

Our Elka **Clean and Protect** range is designed to be quick and easy to use, no specialist polishing required. Perfect for today's modern lifestyle, leaving you time to enjoy your home! All items are available to purchase in kit form or individually. The range also includes a Scuff Mark Remover which will remove stubborn scuff marks without damaging your floor.





Clean + Protect kit for **oiled** real wood flooring

This kit contains everything you need to clean and protect your **oiled** wood floor. Contents include an All Purpose Cleaner, an All Purpose Cleaner Concentrate and a Protector specially formulated for oiled real wood flooring.



Clean + Protect kit for **lacquered** real wood flooring

This kit contains everything you need to clean and protect your **lacquered** wood floor. Contents include an All Purpose Cleaner, an All Purpose Cleaner Concentrate and a Protector specially formulated for lacquered real wood flooring.



ALL PURPOSE CLEANER

#### ALL Conentrate PURPOSE CLEANER

Ideal for removing everyday dirt and grime or as spot stain removers. Suitable for frequent use on luxury vinyl, laminate, lacquered & oiled finished floors.







#### CARING FOR YOUR ELKA FLOOR

It's so easy to care for your Elka floor. Laminate and luxury vinyl flooring is not only easy to clean, it's hygienic too. In fact, the sealed surface prevents bacteria accumulating on the floor which is great for the prevention of allergies. In general, we recommend dry cleaning the floor with a microfibre duster. Occasionally, damp cleaning can be done using an almost dry mop. Never use a steam cleaner or wet mop on your Elka floor as this will cause damage not covered by the warranty.

Real wood engineered and solid wood floors are natural products that improve as the floor ages, but to keep them looking in top condition you can top up the oil or lacquer finish. Daily cleaning requires little more than a good sweep or dry mopping. By quickly wiping up any spills immediately, you can prevent stains occurring. You can spray on a spot cleaner to deal with the mess quickly and easily. More stubborn scuff marks can be tackled with our specialist remover, minimising the risk of damaging your floor. Follow these simple steps to ensure that your floor remains looking good for many years to come.

#### DAILY MAINTENANCE

Sweep or vacuum your floor regularly to prevent grit and dust accumulating and scratching the surface.

Use protective pads under all furniture to prevent scratches.

Use door mats at your external doors to prevent grit and small stones being carried into the home.

Wipe up any spills immediately. Never allow any liquid to remain on the floor.

Stains should be removed immediately while they are still wet and after removal, wipe floor dry.

Do not use general household cleaners as these may dull or damage the surface. They may even leave a film residue which could make the floor slippy and more difficult to clean.

#### PERIODIC MAINTENANCE

Oiled and lacquered finish real wood floors benefit from reapplication of Elka Protector approximately once every six months. The advantage of this very simple maintenance step is that, with regular treatment, you can keep your floor looking as good as new. It also 'tops up' the protective barrier against abrasions, scuffs and stains.

In areas of high traffic, for example, in a hallway, your floor may start to look a little worn. You can treat this particular area as and when you feel necessary, to keep it looking in tip top condition.

### ELKA FLOORING PRODUCT OVERVIEW

elka

4.0							
4.2mm luxury v SKYLIGHT OAK	inyl flooring	STUDIO OAK	and the second second	NECTAR OAK	NEW	PECAN OAK	CONTRACTOR OF
		-				S ( DOL )	
					1		
UNICLIC C	SAP: 400054448	PRODUCT: ELL40150	SAD. 400054452	PRODUCT: ELL40192	SAD. 400080247	PRODUCT: ELL40065	SAP: 400054451
PACK SIZE: <b>2.105m</b> <sup>2</sup>		PACK SIZE: 2.105m <sup>2</sup>		PACK SIZE: 2.105m <sup>2</sup>		PACK SIZE: 2.105m <sup>2</sup>	PACKS/PALLET: 5
SCHOOLHOUSE OAK	and and	ANCHOR OAK	NEW	CLOUD STONE TILE	NEW	STORM STONE TILE	NEW
State State	R.A. Mill			142. N. 4		2.40	
			Concession of the				
PRODUCT: ELL40155 PACK SIZE: 2.105m²		PRODUCT: ELL40242 PACK SIZE: 2.105m <sup>2</sup>		PRODUCT: ELS40196 PACK SIZE: 2.080m <sup>2</sup>		PRODUCT: ELS40198 PACK SIZE: 2.080m <sup>2</sup>	SAP: 400080250 Packs/Pallet: 5
8mm laminate f	looring / 8mm l	aminate flooring v	vith Aqua Prote	ct			
FROSTED OAK		DRIFTWOOD OAK		PEBBLE OAK	and the state	SIENNA OAK	they want
			haud	13 3 4 C		The second	
PRODUCT: ELV207	SAP: 400054663	PRODUCT: ELV182	PEFC OPTION SAP: 400054660	PRODUCT: ELV183	SAP: 400054661	PRODUCT: ELV203	SAP: 400054659
PRODUCT: ELV207AP PACK SIZE: 2.179m <sup>2</sup>	SAP: 400065461	PRODUCT: ELV182AP PACK SIZE: 2.179m <sup>2</sup>	SAP: 400065458	PRODUCT: ELV183AP PACK SIZE: 2.179m <sup>2</sup>	SAP: 400065459	PRODUCT: ELV203AP PACK SIZE: 2.179m <sup>2</sup>	SAP: 400065457 PACKS/PALLET: 5
RUSTIC OAK		HONEY OAK	The state	COUNTRY OAK	Same of	WALNUT OAK	NEW
	SOULA -	And Designation of the local division of the local division of the local division of the local division of the	- Raug	1000		State of Lot of	Laur
							AND TEC
PRODUCT: ELV281	SAP: 400054662	PRODUCT: ELV223	SAP: 400054664	PRODUCT: ELV224	SAP: 400054665	PRODUCT: ELV358	OPTION SAP: 400080697
PRODUCT: ELV281AP PACK SIZE: 2.179m <sup>2</sup>	SAP: 400065460 PACKS/PALLET: 52	PRODUCT: ELV223AP PACK SIZE: 2.179m <sup>2</sup>	SAP: 400065462 PACKS/PALLET: 52	PRODUCT: ELV224AP PACK SIZE: 2.179m <sup>2</sup>	SAP: 400065463 PACKS/PALLET: 52	PRODUCT: ELV358AP PACK SIZE: 2.179m <sup>2</sup>	SAP: 400080698 PACKS/PALLET: 5
8mm long planl	< laminate floori	ng					
ORCHARD OAK	-	PAVILION OAK	-	NUTMEG OAK	100-	DOVE OAK	7 2
1	1000	S & area	The Party of Lot	1000			
-				and the second		41	
FitXpress® PRODUCT: ELW122	PEFC SAP: <b>400054933</b>	FitXpress® PRODUCT: ELW120	PEFC SAP: 400054935	FitXpress <sup>®</sup> PRODUCT: ELW124	PEFC <sup>®</sup> SAP: <b>400054934</b>	FitXpress <sup>®</sup> PRODUCT: ELW121	SAP: 400054932
PACK SIZE: <b>3.444m</b> <sup>2</sup>		PACK SIZE: 3.444m <sup>2</sup>		PACK SIZE: 3.444m <sup>2</sup>	PACKS/PALLET: 33	PACK SIZE: <b>3.444m</b> <sup>2</sup>	PACKS/PALLET: 3
12mm laminate	flooring AC5						
TOASTED OAK	1	BARN OAK	- 22	SUNRISE OAK	NEW	UMBER OAK	NEW
		and and	1 4 P				
							PEFC
PRODUCT: ELT226AP PACK SIZE: <b>1.453m</b> ²	SAP: <b>400080634</b> PACKS/PALLET: <b>52</b>	PRODUCT: ELT216AP PACK SIZE: 1.453m <sup>2</sup>	SAP: <b>400080633</b> PACKS/PALLET: <b>52</b>	PRODUCT: ELT174AP PACK SIZE: 1.453m <sup>2</sup>		PRODUCT: ELT137AP PACK SIZE: 1.453m <sup>2</sup>	SAP: <b>400080708</b> PACKS/PALLET: <b>5</b>
STONEY OAK		MISTY OAK	NEW		MM LAMINATE FLO		AQUA

THE AQUA PROTECT TECHNOLOGY

FOR 8MM LAMINATE WITH THE OPTION TO

SELECT THE AQUA PROTECT FLOORING, USE


THE PRODUCT CODE HIGHLIGHTED (ENDING AP)

POTE

PRODUCT: ELT258AP SAP: 400080636

PEFC

PRODUCT: ELT187AP SAP: 400080635



www.elkaflooring.co.uk



ELKA LVT LAY 627369

ELKA LAY 609920



ELKA DUO LAY 609919



ELKA COMFORT LAY 613127



ELKA HUSH 627370

ELKA BOND DIY FLEX 609956

HIGH AND			ELKA PE FOAM NEFOAMSTRIP20	
ELKA GRIP 609957	ELKA TONGUE TITE 609969	ELKA FITTING KIT 610436	ELKA HYDRO-FLEX 625518	
	RELEX			

ELKA BOND TRADE FLEX 609970





STROWEL	
SFLEX	

ELKA BOND TRADE FLEX REFILL 609971





SFINCPT05137

SFINCP05205

ELW124

ELW120

SFSCOT05137

SFSC0T05205

PE MAR

ELW124

ELW120

CLEAN & PROTECT FOR OILED WOOD FLOORING  $\mathbf{613359}$ 



ALL PURPOSE CLEANER FOR WOOD FLOORING 611387

ALL PURPOSE CLEANER CONCENTRATE 611386

ALL COM

OILED FINISH PROTECTOR

ELKA BOND RIGID 609965





REAL WOOD PROFILES



ELKA 3IN1 REAL WOOD	PROFILE
2.15 WHITE OAK	609954
2.15 UNFINISHED OAK	609951
0.93 WHITE OAK	609955
0.93 UNFINISHED OAK	609952
0.93 WALNUT	609953

#### ELKA OAK SCOTIA PROFILE

609966





CLEAN & PROTECT FOR LACQUERED WOOD FLOORING 613360



LACQUERED FINISH PROTECTOR 613218



SCUFF MARK REMOVER 613216



#### www.elkaflooring.co.uk



#### HEAD OFFICE

Unit 5, Rampart Business Centre Greenbank Industrial Estate Newry, County Down BT34 2QU T: +44 (0) 28 3025 0477 from ROI: 048 3025 0477 F: +44 (0) 28 3025 0223 DISTRIBUTION CENTRE Unit 3, Academy One Lees Road Knowsley Industrial Estate Knowsley, Liverpool L33 7AG T: 028 3025 0477 F: 028 3025 0223



