



elka

designer  
floors  
for living





LUXURY VINYL



LAMINATE



REAL WOOD ENGINEERED



SOLID WOOD



LUXURY VINYL

## DISCOVER HOW AN ELKA FLOOR CAN TRANSFORM YOUR HOME

**Cover:** Herringbone Whitewashed Oak 14mm real wood engineered flooring.

Real wood product images are of a natural product. Part of its character and charm is its naturally occurring and individual variations in shade and tone. Therefore, the colours shown here may not be an exact representation of the product.

Although every effort has been made to reproduce the colour of the luxury vinyl, laminate and real wood products shown in this brochure, there will be slight variations in actual colours due to printing limitations.

**E&OE.** All information contained in this literature is correct at the time of going to print. Unilin Distribution reserves the right to amend specifications or discontinue products, if necessary, without prior notice. We recommend that you visit our website for the most up to date information.

### FLOORING COLLECTIONS

PAGE 10-43

LUXURY VINYL  
LAMINATE  
REAL WOOD ENGINEERED  
SOLID WOOD

### ELKA EXTRAS

PAGES 44-51

PREPARE  
FIX  
FINISH  
MAINTAIN

### PRODUCT OVERVIEW

PAGES 52-55

THE FULL RANGE  
OF FLOORING  
AND EXTRAS  
AT A GLANCE



# WHICH ELKA FLOOR SHOULD I CHOOSE FOR MY HOME?

elka

## real wood engineered flooring



14MM RUSTIC UV LACQUERED OAK

## REAL WOOD ENGINEERED FLOORING

With all the aesthetics of a real wood floor, but without any of the restrictions, real wood engineered flooring is a practical design choice for any home. When laid, an Elka real wood engineered floor is virtually indistinguishable from a solid wood floor. This is thanks to the product's unique structure, which includes a generous surface layer of between 2.2mm and 4mm of real wood, making it possible for all Elka engineered floors to be sanded and refinished.

The strength of each board comes from three or more layers of wood laid in opposite directions. This helps to avoid any issues with contraction or expansion, making it perfect for use in areas where traditional hardwood flooring cannot be used, such as in conservatories or in conjunction with embedded underfloor heating. The simplicity of its construction makes it perfect for use in DIY projects and thanks to its strength, it can easily be installed as a floating floor.

## solid wood flooring




18MM RUSTIC BRUSHED & OILED OAK

## SOLID WOOD FLOORING

Made from high quality premium, solid timber, the random length boards and natural colours of this range will add natural character and instant warmth, making this flooring a solid investment for any home. The grains and colours of Elka solids create an ambience with real character and a sense of permanence, adding beauty and elegance to your interior.

Each board is made from 18mm of 100% solid oak sourced from responsibly managed forests and are all PEFC™ certified. They can be fitted using numerous techniques, including adhering it direct to a sub floor, nailing or screwing it to timber, or floating it using Elka 3in1 underlay. For more information visit [elkaflooring.co.uk](http://elkaflooring.co.uk). Our strict production process means that every board is checked by hand at least three times before being packaged, guaranteeing a high level of quality in every detail of your new floor.

## laminate flooring



8MM COUNTRY OAK

## LAMINATE FLOORING

Elka's laminate range is one of the most superior quality laminate flooring ranges currently available on the market. Designed to look great and stand the test of time, we apply strict standards to each board, ensuring maximum strength and a flawless finish, the v-groove technology is an advanced bevel edging which helps to create a look that reflects the natural qualities of real wood flooring. The grandeur and elegance of our new long plank boards will transform any room in your home. Our new chevron design is very much on-trend, bringing a modern twist to the French-inspired pattern, creating elegance and beauty. The 12mm v-groove range is ideal for high traffic areas.

**AQUA PROTECT:** For enhanced water resistance, we offer the revolutionary **Aqua Protect** technology across the entire 12mm v-groove range and as an option on 8mm v-groove floors.


Most of the range features the unparalleled and technically superior Uniclic® system. Its glue-free installation process makes it fast and easy to lay or re-lay anywhere. Each board locks together securely, ensuring a seamless joint that won't allow dust or dirt to gather. With a lifetime warranty on the Uniclic® system, it means you can enjoy a quality finish for years to come.

## LUXURY VINYL 100% WATERPROOF FLOORING

Capturing the beautiful look and feel of real wood in stunning detail, Elka luxury vinyl flooring is a stylish, hardwearing and cost-effective solution for modern living. With six gorgeous authentic-looking wood designs, from timeless browns to on-trend greys, available in our brand-new collection, we're confident you'll find a floor that's perfect for your lifestyle.

Manufactured in multiple layers for fantastic durability, Elka luxury vinyl comes with a wealth of practical advantages. Not only is it 100% waterproof – making it ideal for moisture-prone areas such as bathrooms, kitchens and utility rooms – it's tough, compatible with underfloor heating, sound absorbent and feels warm and soft underfoot. Built to withstand the rigours of family life (pets included), it's also a breeze to clean and care for. Thanks to a sealed top layer that offers resistance against scratches and stains, vacuuming and occasional light mopping are all it takes to keep your Elka luxury vinyl floor looking its best. The Uniclic® system ensures fast installation, with no adhesive required. All you have to do is click the boards down into place on top of Elka LVT lay, making Elka luxury vinyl flooring a great choice for homeowners, renovators and property professionals alike.

## luxury vinyl flooring




4.2MM SKYLIGHT OAK





# THE NATURAL BEAUTY AND ELEGANCE OF AN ELKA FLOOR

elka



## SUSTAINABLE FORESTRY

Every year, more and more timber is available from sustainably managed forests, so every year, we improve and increase our environmentally friendly products.



## BRING THE BEAUTY OF NATURE INTO YOUR HOME

Due to the increasing interior trend for flooring to have even more character, we have increased our real wood engineered range. Our products showcase many of these features where the smoking produces more colour variation than staining. The result is much warmer and the natural characteristics are even more enhanced. Our Herringbone real wood engineered floor is a classic design, it equally complements antique furniture or works well in a modern contemporary environment. Due to the distinctive pattern, care must be taken when laying the boards, but the tongue and groove system means that this classic style is now achievable in any home.

The timeless elegance of a wood floor brings warmth and beauty to every home. The variety of styles, colours and species give you a wonderful range to choose from and allows you to put your unique stamp on your living space.

Our luxury vinyl and laminate ranges reflect the beauty of nature, while still maintaining a consistent quality throughout every board. Our real wood engineered and solid ranges use high grade hardwood that has been primarily selected for its hardwearing quality to ensure dimensional stability and long lasting durability.

The choice of a good quality floor from Elka is a smart one both for you and the environment. Our flooring is both designed to last and to be admired, so you are unlikely to want to change it for a very long time. This is especially true for our engineered and solid wood boards which actually become more beautiful with age. We might specialise in creating great home environments, but we also take great care to do everything we can to look after the environment around us. That's why as manufacturers and importers, we understand the importance of sourcing the most responsibly managed raw materials possible to make our flooring. This includes developments like the creation of laminate and engineered floors that can be installed without the use of an adhesive due to the revolutionary Uniclic® system.

Where possible, we insist upon maintaining a certified chain of custody for the majority of the timber we buy. That's why we're so proud that more than half of our product range is PEFC™ (Programme for the Endorsement of Forest Certification) certified. These awards are given to responsibly managed forests that respect the legal system, land usage

rights and the rights of indigenous peoples and their workers, in addition to guaranteeing that felled trees are replaced with saplings.


These unique international non-profit, non-governmental certification systems represent some of the largest environmental movements in the world and we are excited and proud to be a part of them. This means that when you purchase an Elka floor, you can be proud that you are choosing to furnish your home with one of the world's environmentally friendly products: natural wood from a responsibly managed forest. For any timber that isn't certified, we always ensure that it is from well-managed sources.

For PEFC™ (Programme for the Endorsement of Forest Certification) certified products, look for the following logo.



## THE NATURAL CHARACTERISTICS OF WOOD FLOORING

The real wood products capture all the rustic qualities of wood and bring the very essence of nature into your home. Each floor board is unique, enriched with naturally occurring characteristics such as knots of various sizes, flared grain patterns, burls, sapwood and mineral streaks. These are characteristics of each species' individual growth process, and are all influenced by region, sunlight, climate and the soil. There are two types of knots; live knots which showcase the beautiful density of the spiral grain and dead knots which are repaired with a rich coloured filler. Any splits or cracks are filled and add a lively character to the unmistakable quality of a natural product. The colour variation within each plank reflects naturally occurring mineral and sapwood streaks and are even further enhanced when stained or treated.





ROOM FOR IMPROVEMENT

With Elka, it's now easier than ever to capture the luxury interior trends you desire. We offer a wide choice of finishes that look natural yet are extremely practical. Advancements in technology have further improved our range to ensure complete peace of mind, as our floors can cope with the extra demands on your home environment. Choose from 100% waterproof luxury vinyl, water resistant laminate flooring, scratch resistant surfaces and ranges suitable for underfloor heating - now is the perfect time to create that chill-out space, home office or gym that you've always longed for.

WITH OUR NEW  
ELKA FLOORS, NOW  
YOUR HOME CAN BE  
A PLACE TO WORK,  
PLAY AND RELAX.

14MM HERRINGBONE HONEY SMOKED OAK



4.2MM NECTAR OAK



12MM UMBER OAK



8MM WHISKEY OAK







# luxury vinyl flooring



4.2MM SCHOOLHOUSE OAK

Elka luxury vinyl flooring is a cost-effective, hardwearing product that is warm and quiet underfoot. It's 100% waterproof, making it ideal for use anywhere in your home including kitchens, bathrooms and utility rooms. You can enjoy the look of a stylish real wood floor in your home with the added advantages of the scratch resistant, durable surface.

features & advantages	structural composition of luxury vinyl flooring
Fully integrated Uniclic® installation system for ease of fitting	Top performance coating
100% waterproof	Clear vinyl wear layer
Fast & easy Installation	Fine printed vinyl décor layer
Easy maintenance	High impact resistant vinyl core
Warm & quiet underfoot	Extra stabilising layer containing glass fibre
Suitable for underfloor heating	Highly impact resistant vinyl backing





4.2mm luxury vinyl  
flooring  
UNICLIC

Choose from six authentic wood designs in our new luxury vinyl range, from timeless and classic browns to on-trend greys, it's the perfect solution throughout your home. Ideal for moisture-prone areas such as bathrooms, kitchens and utility rooms\*, it has the added advantage of being warm and silent underfoot. Suitable for underfloor heating and easy to maintain, it really is a winner.

4.2MM LUXURY VINYL	KEY FEATURES
2.105m <sup>2</sup> per pack 4.2 x 187 x 1251mm 9 planks	Uniclic® locking system - suitable for DIY installation 100% waterproof Suitable for underfloor heating
<div><div>NA HCHO</div><div>Bfl-s1</div><div>DS</div><div>DL PCP</div><div>EN14041:2004/ AC:2006</div><div><div>Suitable for underfloor heating R=0.02m<sup>2</sup> K/W</div><div>CE</div></div></div>	



Skylight Oak



Studio Oak



Nectar Oak

NEW



Schoolhouse Oak



Pecan Oak



Anchor Oak

NEW



\*commercial warranty on application



4.2mm luxury vinyl

flooring

UNICLIC

In addition to the wood designs, we have introduced two new tile décors into our luxury vinyl range. As robust and as easy to maintain as a real tiled floor, it has the added advantage of being soft and warm underfoot. Suitable for underfloor heating, it is ideal for use in entrance halls, conservatories and for moisture-prone areas such as bathrooms, kitchens and utility rooms\*.

4.2MM LUXURY VINYL	KEY FEATURES
2.080m <sup>2</sup> per pack 4.2 x 320 x 1300mm 5 planks	Uniclic® locking system - suitable for DIY installation 100% waterproof Suitable for underfloor heating

NA

HCHO

Bfl-s1

DS

DL


PCP

EN14041:2004/AC:2006

Suitable for underfloor heating

R=0.02m<sup>2</sup> K/W

CE



\*commercial warranty on application





8MM HONEY OAK

laminate  
flooring


Elka laminate flooring is a hardwearing floor that can be used either with or without underfloor heating. It's simple and quick to install with the unique Uniclic® system making it ideal for DIY projects. With the advantages of the NEW revolutionary Aqua Protect Technology on 8mm and 12mm décors, it will remain as pristine as the day it was installed.

features & advantages of laminate flooring

- Fully integrated Uniclic® installation system for ease of fitting
- High definition surface structures that enhance the authentic appearance of the floor
- Choice of modern finishes and individualistic designs
- Flexible fitting options - you can start anywhere within the room
- Hygienic allergy reducing floor
- Can be used in conjunction with noise reducing underlay
- Suitable for use with embedded underfloor heating systems

structural composition

- Transparent overlay prevents against wear and tear
- Design layer
- HDF board
- Moisture resistant
- High Density Fibre board
- Barrier layer
- Balancing board





V-GROOVE

laminate  
flooring  
UNICLIC®

We have increased our range of laminate flooring which features the revolutionary **Aqua Protect** technology. Available across the entire 12mm range and as an option on the 8mm v-groove range, you can have the luxury interior you desire, but with all the practicalities for everyday living.

- 8MM V-GROOVE
- 8MM V-GROOVE LONG PLANK
- 12MM V-GROOVE



8MM FROSTED OAK



8MM SIENNA OAK



8MM LONG PLANK NUTMEG OAK



12MM TOASTED OAK



12MM STONEY OAK



Choose your décor with or without Aqua Protect technology.

Select from eight timber effect designs in our 8mm range, designed to look great and last many years, we apply strict standards to each board, ensuring maximum strength and a flawless finish that makes it look every bit as beautiful as a natural wood floor. The v-groove technology is an advanced bevel edging which helps to create a look that reflects the natural qualities of wood flooring.









WATER RESISTANT


This range offers you the option to have the revolutionary Aqua Protect technology for enhanced water resistance.

3 YEAR

WET AREA WARRANTY



<b>8MM LAMINATE</b> 2.179m <sup>2</sup> per pack 8 x 192 x 1261mm 9 planks	<b>KEY FEATURES</b> Uniclic® locking system - suitable for DIY installation Hygienic allergy reducing floor PEFC™ - Caring for the environment
<div> <div>E1</div> <div>HCHO</div> <div>  </div> </div> <div> <div>  </div> <div> <div>Cfl-s1</div> <div>Suitable for underfloor heating</div> <div>R=0.057m<sup>2</sup> K/W</div> </div> </div> <div> <div>  </div> <div> <div>EN13 13329</div> <div>32</div> </div> </div>	<div>  </div> <div>  </div>







ORCHARD OAK


OUR NEW 8MM V-GROOVE LONG PLANK LAMINATE FLOORING RANGE CREATES INSPIRING INTERIORS.

V-GROOVE LONG PLANK

8mm laminate flooring  
FitXpress®



8MM LAMINATE	KEY FEATURES
3.444m <sup>2</sup> per pack 8 x 240 x 2050mm 7 planks	FitXpress® locking system - suitable for DIY installation Hygienic allergy reducing floor PEFCTM - Caring for the environment
<div> <div>E1 HCHO</div> <div>Gfl-s1</div> <div>DS</div> <div>EN13 13329</div> <div> <div> <div>3</div> <div>2</div> <div>1</div> </div> <div>Suitable for underfloor heating R=0.057m<sup>2</sup> K/W</div> </div> </div>	<div> <div>CE</div> <div> <div>PEFC</div> <div>PEFC/07-32-37</div> </div> </div>











real wood engineered  
flooring

14MM HERRINGBONE  
DARK SMOKED OAK

Elka engineered flooring is a truly practical product, chosen for its strength, flexibility of installation and overall stability. It perfectly mimics a solid wood floor, but is actually made of three or more layers of real wood with an upper layer of genuine hardwood. It can be used in conservatories and in conjunction with underfloor heating.

features & advantages	structural composition of engineered flooring
Can be laid over embedded underfloor heating	Carefully selected real wood wear layer
Can be sanded and refinished	Latest technology machining for ultimate stability
Made from 100% natural wood	Engineered ply construction for a stable inner core
Dimensional stability	Superior glue throughout ensures a long carefree life
Can be laid in all residential areas (except those of high humidity)	Selected veneer backing for added stability






real wood engineered  
flooring



With all the aesthetics of a real wood floor, our real wood engineered flooring is a practical design choice for any home. Elka offers the most extensive choice of thickness, with options available using our patented Uniclic® system or the more traditional Tongue and Groove system. With exceptional strength and timeless beauty, all of our floors in this range are designed to last the test of time.



The Uniclic® installation system is a glue-free process which is fast and easy to lay. Each board locks together securely, ensuring a seamless joint that won't allow dust or dirt to gather. With the lifetime warranty on the Uniclic® system, you can enjoy a quality finish for years to come.



- 13.5MM
- 14MM



Each plank features a tongue and groove format. Depending on the format of the board each installation can be either secret nailed or glued to a suitable sub floor. Refer to installation instructions for advice.




- 14MM
- 18MM
- 20MM

NOTE: Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



14MM HERRINGBONE WHITEWASHED OAK TONGUE & GROOVE



13.5MM SUMMER OAK UNICLIC



14MM RURAL OAK TONGUE & GROOVE



14MM CARAMEL OAK UNICLIC



18MM WASHED & SMOKED OAK TONGUE & GROOVE



20MM RUSTIC UV BRUSHED & OILED OAK



13.5mm real wood engineered flooring



Our 13.5mm range provides both modern and traditional options with a 2.5mm real wood wear layer and the revolutionary Uniclic® locking system, renowned for strength and ease of installation. All floors are compatible for underfloor heating and are PEFC™ certified.



**13.5MM REAL WOOD ENGINEERED**  
13.5 x 190 x 1820mm  
2.074m² per pack  
2-sided bevel (long side)

**KEY FEATURES**  
Solid Oak – 2.5mm wear layer  
Real wood spruce core  
Uniclic® locking system – suitable for DIY installation  
PEFC™ – Caring for the environment



SUMMER OAK

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



Spring Oak  
Brushed matt  
lacquered finish



Summer Oak  
Brushed & oiled finish



Winter Oak  
Brushed matt  
lacquered finish



WINTER OAK





14mm real wood engineered flooring



With an extensive range of finishes, our 14mm real wood engineered floor has a surface layer of 3mm and can be used in conjunction with underfloor heating. This range includes the revolutionary Uniclic® system which is renowned not only for its strength, but also for the ease and flexibility of installation.

<b>14MM REAL WOOD ENGINEERED</b>
14 x 190 x 1820mm 2.075m² per pack 4 or 2-sided bevel (long side)
<b>KEY FEATURES</b>
Solid oak – 3mm wear layer Real wood core Up to 30% starter boards Uniclic® locking system



Suitable for underfloor heating



Champagne Oak  
UV brushed & oiled finish



Rustic UV Brushed & Oiled Oak



Super Rustic Oak  
UV brushed & oiled finish



Caramel Oak  
UV brushed & oiled, smoked finish



Rustic UV Lacquered Oak



Truffle Oak  
UV brushed & oiled, smoked finish



Russet Oak  
UV brushed & oiled finish



Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.





# 14mm real wood engineered flooring

TONGUE & GROOVE


Our 14mm real wood engineered floors exude warmth and character just like a solid wood floor. These floors use the traditional tongue and groove fixing mechanism and the Herringbone design means that you achieve the timeless quality of traditional parquet flooring, but with the added advantages of being able to combine this with modern luxuries such as underfloor heating.



HERRINGBONE LIGHT SMOKED OAK



DOUBLE HERRINGBONE PATTERN






Rural Oak

TONGUE & GROOVE




RURAL OAK


OPTIONS FOR INSTALLATION OF A HERRINGBONE FLOOR		
All planks come with grooves on three sides which allow you to achieve multiple design patterns		
		
HERRINGBONE	DOUBLE HERRINGBONE	DIAGONAL HERRINGBONE

14MM REAL WOOD ENGINEERED	
HERRINGBONE 14 x 120 x 600mm 0.864m <sup>2</sup> per pack	RURAL OAK 14 x 189 x 1860mm 2.812m <sup>2</sup> per pack Up to 30% starter boards


KEY FEATURES
Tongue & Groove UV Oiled & Smoked finish Solid oak - 3mm wear layer Real wood core / 4-sided bevel



Suitable for underfloor heating




Fully adhere Herringbone using Elka Trowel Flex or Elka Rigid




Herringbone Whitewashed Oak

TONGUE & GROOVE




Herringbone Light Smoked Oak

TONGUE & GROOVE



Herringbone Honey Smoked Oak

TONGUE & GROOVE



Herringbone Dark Smoked Oak

TONGUE & GROOVE

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



18mm real wood engineered  
flooring

TONGUE & GROOVE

This 18mm real wood engineered range provides choice and variety for both modern and traditional environments. It can be used in conjunction with embedded underfloor heating and with excellent thermal and acoustic properties, it will enhance any room in your home.



WALNUT

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.

18MM REAL WOOD ENGINEERED

18 x 150mm x random lengths  
4mm wear layer / 4-sided bevel  
1.98m² per pack

KEY FEATURES

Solid 4mm wear layer, rustic grade  
Available in: Oiled or Lacquered finish  
Random lengths: 400-1800mm  
Ensures excellent thermal and acoustic properties



Suitable for  
underfloor heating



Washed & Smoked Oak  
UV brushed & oiled finish

TONGUE & GROOVE

Enhanced Oak  
UV brushed matt lacquered finish

TONGUE & GROOVE

Native Oak  
UV smoked matt lacquered finish

TONGUE & GROOVE

Walnut  
UV lacquered finish

TONGUE & GROOVE






20mm real wood engineered flooring

TONGUE & GROOVE


This structural engineered flooring is load bearing and suitable for fixing directly to joists. With excellent thermal and acoustic properties, it can be laid over embedded underfloor heating making this a great choice for any room. The wear layer can be resanded but with normal care and attention, this floor will enhance your home for many years to come.

20MM REAL WOOD ENGINEERED	
20 x 189 x 1860mm	
2.11m² per pack	
4-sided bevel	
KEY FEATURES	
Solid 4mm wear layer	
Structural & load bearing, suitable to fix straight to joists	
Ensures excellent thermal and acoustic properties	
Up to 30% of starter boards included	




AUTUMN OAK


Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.




TONGUE & GROOVE



TONGUE & GROOVE




TONGUE & GROOVE



TONGUE & GROOVE







# solid wood flooring

RUSTIC UV LACQUERED OAK

Made from high quality premium, solid timber, the natural colours of Elka solid wood flooring will add natural character and warmth, making it a solid investment for any home. Our strict production process means that every board is checked by hand at least three times guaranteeing a high level of quality in every detail of your new floor.

features & advantages of solid flooring	structural composition
<p>Traditional 18mm solid floors</p> <p>Only selected and graded timbers used</p> <p>Contemporary and stylish finishes to suit every home</p> <p>Random length boards</p> <p>20 year structural warranty</p> <p>To fit, adhere it direct to a sub floor, nail or screw it to timber, or float it using Elka 3in1 underlay</p> <p>PEFC™ certified</p>	<p>Carefully selected timber, sourced from responsibly managed forests</p> <p>Tongue and groove construction allowing multiple fixing options</p> <p>Top surface is finished with lacquer or oil to enhance hardness and durability</p>





solid wood

flooring

TONGUE & GROOVE

Each 18mm Elka solid wood board is made from 100% solid oak sourced from responsibly managed forests and are all PEFC™ certified. Created from high-grade timber, we only select the most aesthetically pleasing grains for use in this exclusive range and offer a range of stained, oiled and lacquered finished planks.




SOLID WOOD
18 x 130mm x random lengths 2.184m <sup>2</sup> per pack
KEY FEATURES
Traditional 18mm solid flooring Rustic Grade Only selected and graded timbers used Random length boards 20 year structural warranty




RUSTIC UV BRUSHED & OILED OAK

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.




Rustic UV Lacquered Oak

TONGUE & GROOVE



Rustic UV Brushed & Oiled Oak

TONGUE & GROOVE



Golden Oak  
UV lacquered,  
aged and hand finished

TONGUE & GROOVE



GOLDEN OAK







elka

EVERYTHING YOU  
NEED TO PREPARE,  
FIX, FINISH & MAINTAIN  
YOUR ELKA FLOOR

PREPARE  
PAGE 45

To achieve the perfect finish and ensure good performance, preparation from the ground up is key.

FIX / FINISH  
PAGES 46-49

The Elka range of high performance fixing products provide the right solution for every type of flooring.

MAINTAIN  
PAGE 50-51

Keep your floor looking as good as the day it was laid with Elka's range of products to maintain the finish of real wood, laminate and luxury vinyl floors.


ELKA EXTRAS

EVERYTHING YOU NEED TO  
PREPARE YOUR ELKA FLOOR

elka

Our comprehensive range of underlay is designed to protect and secure your Elka floor. Elka LVT lay is exclusively for use with our new luxury vinyl flooring range. Elka lay is perfect for any location, but you may prefer to choose the added advantages of VPB, additional cushioning underfoot and sound proofing. Elka 3in1 lay has a practical integrated adhesive system for ease of installation of solid and engineered flooring. All our other underlays are suitable for use with laminate and real wood engineered flooring.

elka  
LVT lay




1.5MM UNDERLAY WITH  
VPB VAPOUR PROOF BARRIER

Lightweight and easy to cut - 9.6m² / pack  
Supporting 1.5mm thick underlay for use with Elka **luxury vinyl** flooring  
Great acoustic insulation performance: 19db sound reduction  
Low thermal resistance / High compressive strength  
Built in vapour proof barrier with taped overlap.

THE ONLY UNDERLAY SUITABLE  
FOR ELKA LUXURY VINYL FLOORING

L: 8m W: 1.2m Thick: 1.5mm

elka  
lay



3MM UNDERLAY

Handy lightweight 15m² roll  
Robust 3mm underlay for use with **laminate** and **real wood engineered** flooring

L: 15m W: 1m Thick: 3mm

elka  
DUO lay



3MM UNDERLAY WITH  
VPB VAPOUR PROOF BARRIER

Handy lightweight 15m² roll  
Robust 3mm underlay for use with **laminate** and **real wood engineered** flooring  
Includes laminated Vapour Proof Barrier (VPB) back for concrete ground floor installations  
Suitable for underfloor heating

L: 15m W: 1m Thick: 3mm

elka  
COMFORT



5MM UNDERLAY WITH  
CUSHIONED SUPPORT / VPB / SOUND PROOFING

Handy lightweight 15m² roll  
Luxury 5mm underlay for use with **laminate** and **real wood engineered** flooring  
20db sound reduction  
Low thermal resistance  
Cushioned support increases underfoot comfort  
Shock absorbent / vapour barrier  
Exceptional acoustic insulation performance  
Suitable for embedded underfloor heating  
Integrated VPB system

L: 15m W: 1m Thick: 5mm

elka  
HUSH



5MM UNDERLAY WITH  
VPB / SOUND PROOFING

Handy lightweight boards - 19 no.  
size 600 x 856mm / total coverage 9.76m²/pk  
Luxury 5mm underlay for use with **laminate** and **real wood engineered** flooring  
Floor levelling characteristics  
Exceptional acoustic insulation performance  
23db sound reduction  
Smooths & levels minor imperfections and braces board joints for better support  
High thermal resistance: 2 tog  
Durable: withstands high loads of 10T/m²  
Non-absorbing, mould resistant boards

L: 856mm W: 600mm (x19 boards) Thick: 5mm



EVERYTHING YOU NEED TO  
FIX YOUR ELKA FLOOR

Our specialist range of high performance fixing products that are safe, simple and cost effective solutions for installing Elka flooring.

ELKA  
GRIP

QUALITY ADHESIVE FOR USE WITH  
ELKA TONGUE & GROOVE REAL  
WOOD ENGINEERED FLOORING



500ml

A specialist D3 rated high quality resin based wood adhesive for use when fixing engineered flooring panels with a tongue & groove system.

Features and Advantages

- High strength impact resistant bond that is stronger than wood itself
- Dries clear
- Coverage 6 -10m² of T&G (dependent on the depth of the flooring groove)
- Easy clean-up using a damp cloth
- Handy 500ml bottle



Suitable for use with **real wood engineered** flooring.

ELKA  
TONGUE TITE®

SUPERB PRODUCT FOR SCREW FIXING  
SOLID OR REAL WOOD ENGINEERED (18MM+)  
FLOORING TO ANY WOOD SUBSTRATE



200 no. per box and 1 no. adaptor bit

Designed to fix tongue & groove flooring, these 3.5x45mm screws feature the smallest heads ever, enabling them to be countersunk tidily into the rebate above the tongue so as to offer no obstruction to the matching groove on the next board.

Features and Advantages

- No need for glue or to hire a nail gun, drill bit is included in every pack.
- Easy to install in difficult locations
- If necessary, you can remove boards without damage in order to gain access to underfloor plumbing etc.
- No need to drill pilot holes, even in hardwoods.
- One size fits all boards (3.5 x 45mm)
- Boxed in 200's (covers up to 10m²)



Suitable for use with **solid** and **real wood engineered** flooring.

ELKA  
FITTING KIT

FOR FITTING **LAMINATE**  
AND MOST UNICLIC® FLOORING  
QUICKLY AND EASILY



1 tapping block, 1 pull bar and 40 spacers

Designed to make fitting your Uniclic® floor as easy as possible without risk of damaging it.

Features and Advantages

- The spacers maintain an expansion gap around perimeter
- Pull bar allows you to pull planks together at the end of rows
- Tapping block protects edges of the boards when tapping them together



Suitable for use with **laminate** and **real wood engineered** flooring.

ELKA  
HYDRO-FLEX

A LOW MODULOUS, NEUTRAL-CURING,  
SILICONE SEALANT FOR A WATERTIGHT  
SEAL WITH **LUXURY VINYL FLOORING**

Features and Advantages

For filling the transition gap around the perimeter of the room and for creating a watertight seal for wet environments.



Coverage:  
10.5 linear metres  
when used as directed,  
instructions on packaging

Suitable for use with **luxury vinyl** and **8mm & 12mm AP laminate** flooring.

ELKA  
PE Foam

FOAM STRIPS TO CREATE A  
WATERTIGHT SEAL AT THE  
PERIMETER OF A FLOOR.



20no. 1m x 10mm strips  
use in combination with Elka Hydro-Flex to fill expansion joints to obtain a waterproof solution for skirtings and profiles

ELKA  
BOND  
RIGID

HEAVY DUTY SYNTHETIC  
POLYMER FOR A RIGID BOND.

Features and Advantages

For bonding solid and engineered flooring to concrete, cementitious screeds, flooring grade plywood, chipboard, hardboard and smoothing compounds where applicable.

The Elka bond range is a versatile product that can be used for a rigid fix for both solid wood and real wood engineered flooring or a flexible fix for solid wood floors.

Coverage: 16m²  
when used as directed,  
instructions on packaging

Suitable for use with **solid** and **real wood engineered** flooring.



10 Litre

ELKA  
BOND  
FLEX

ELKA BOND FLEX ADHESIVE  
RANGE IS BASED ON THE LATEST  
DEVELOPMENTS IN HYBRID  
TECHNOLOGY AND HAS THE  
FOLLOWING KEY BENEFITS:

Features and Advantages

- 100% active, solvent and water-free
- Permanently flexible – compensates for wood and sub floor movement
- Will bond wood directly to all common sub floors
- Low odour
- Excellent gap filling properties for uneven surfaces
- Plyable product gives excellent sound reduction properties

Range is suitable for use with **solid** and **real wood engineered** flooring.

ELKA  
BOND  
DIY  
FLEX

Coverage: 1m²  
when used as directed,  
instructions on packaging



300ml

ELKA  
BOND  
TRADE  
FLEX

Pack includes, reusable gun, wipes and nozzles. Trade pack refill cartridges also available (packs of 12)

Coverage: 18m²  
when used as directed,  
instructions on packaging



9 x 600ml foils

ELKA  
BOND  
TROWEL  
FLEX

2 x 7kg foil packs  
Pack includes trowel and wipes

Coverage: 14m²  
when used as directed,  
instructions on packaging



14kg





EVERYTHING YOU NEED TO  
FINISH YOUR ELKA FLOOR

LAMINATE

LAMINATE PROFILES AND  
ADAPTORS SUITABLE FOR  
LAMINATE FLOORING.

The best flooring profile is no profile at all. But that's technically not possible because laminate floors may move as the result of relative humidity and ambient temperature. That's why we have come up with a new Elka 4in1 Profile that is almost invisible (narrow and flat - only 2mm) and closely matches the laminate floors. It's a combination of an adapting profile, expansion profile, transition profile and edge profile, all in a single profile.



Dimensions:  
2150 x 48 x 13mm

- 1** Expansion Profile 2150 x 40 x 13mm
- 2** Adaptor Profile 2150 x 48 x 13mm
- 3** Transition Profile 2150 x 40 x 13mm
- 4** Edge Profile 2150 x 40 x 13mm

FEATURES AND ADVANTAGES OF THE 4in1 LAMINATE PROFILE

- Laminate wood finish
- Simply trim to the required profile type using the trimmer included in each pack
- Flexible - 4 profiles in 1
- Extra height adjustment can be gained when applied using Elka bond

Length: 2150mm, ideal for two door widths  
Suitable for use on floors between 8-12mm with the supporting adjustable track provided


elka SCOTIA PROFILE

The Elka Scotia Profile camouflages the expansion joint between an existing skirting and a newly installed Elka laminate floor. These scotia profiles can be fixed with either Elka bond or by nailing. With finishes that closely match your Elka laminate floor, it's the perfect solution.



REAL WOOD ENGINEERED / SOLID

REAL WOOD PROFILES AND  
ADAPTORS SUITABLE FOR **SOLID** AND  
**REAL WOOD ENGINEERED** FLOORING.



Elka 3in1 Real Wood Profile is a flexible finishing profile designed to complete your real wood flooring utilising the latest design technology with a practical multifunctional profile moulding. This easy-to-use profile allows you to simply trim off the area of the product not required to create one of three finishing solutions.



- Expansion Profile** to cover expansion gaps between two adjacent flooring products of the same height.
- Adaptor Profile** for use when finishing between two adjoining floor coverings where the adjacent floor covering is of a lower height e.g. carpets or vinyl.
- Edge Profile** to finish the flooring where a dressed edge is required eg. against a wall or window.

FEATURES AND ADVANTAGES OF THE 3in1 REAL WOOD PROFILE


- Real wood veneer finish
- Simply trim to the required profile type using the trimmer included in each pack
- Flexible - 3 profiles in 1
- Extra height adjustment can be gained when applied using elka bond

Available in two lengths:  
930mm in lacquered white oak and unfinished\* white oak  
2150mm in lacquered white oak or unfinished\* white oak.  
Suitable for use on floors between 14-20mm with the supporting adjustable track provided

\*Unfinished white oak allows the flexibility to either oil, stain or lacquer the profile on-site to match your floor.

elka OAK SCOTIA PROFILE

The Elka Oak Scotia Profile is made from lacquered real wood veneer and provides the perfect finish to a newly installed Elka real wood engineered or solid wood floor. It can be glued or nailed for quick and easy placing. It is the perfect finish for your solid or real wood engineered floor.





EVERYTHING YOU NEED TO  
MAINTAIN YOUR ELKA FLOOR

Our Elka **Clean and Protect** range is designed to be quick and easy to use, no specialist polishing required. Perfect for today's modern lifestyle, leaving you time to enjoy your home! All items are available to purchase in kit form or individually. The range also includes a Scuff Mark Remover which will remove stubborn scuff marks without damaging your floor.



Clean + Protect kit for **oiled** real wood flooring

This kit contains everything you need to clean and protect your **oiled** wood floor. Contents include an All Purpose Cleaner, an All Purpose Cleaner Concentrate and a Protector specially formulated for oiled real wood flooring.



Clean + Protect kit for **lacquered** real wood flooring

This kit contains everything you need to clean and protect your **lacquered** wood floor. Contents include an All Purpose Cleaner, an All Purpose Cleaner Concentrate and a Protector specially formulated for lacquered real wood flooring.



0.5 Litre

**ALL PURPOSE CLEANER**

ALL <sup>Concentrate</sup> PURPOSE CLEANER

Ideal for removing everyday dirt and grime or as spot stain removers. Suitable for frequent use on **luxury vinyl**, **laminated**, **lacquered** & **oiled** finished floors.



0.5 Litre

**OILED FINISH PROTECTOR**

**LACQUERED FINISH PROTECTOR**

**SCUFF MARK REMOVER**

Protect your **real wood** floor against abrasion, scuffs and stains. Use regularly to keep your floor in good condition. Elka Scuff Mark Remover is a gentle, non-abrasive, residue-free cleaner formulated to remove stubborn scuff marks without damaging your floor.

CARING FOR  
YOUR ELKA FLOOR

It's so easy to care for your Elka floor. Laminate and luxury vinyl flooring is not only easy to clean, it's hygienic too. In fact, the sealed surface prevents bacteria accumulating on the floor which is great for the prevention of allergies. In general, we recommend dry cleaning the floor with a microfibre duster. Occasionally, damp cleaning can be done using an almost dry mop. Never use a steam cleaner or wet mop on your Elka floor as this will cause damage not covered by the warranty.

Real wood engineered and solid wood floors are natural products that improve as the floor ages, but to keep them looking in top condition you can top up the oil or lacquer finish. Daily cleaning requires little more than a good sweep or dry mopping. By quickly wiping up any spills immediately, you can prevent stains occurring. You can spray on a spot cleaner to deal with the mess quickly and easily. More stubborn scuff marks can be tackled with our specialist remover, minimising the risk of damaging your floor. Follow these simple steps to ensure that your floor remains looking good for many years to come.

DAILY MAINTENANCE

Sweep or vacuum your floor regularly to prevent grit and dust accumulating and scratching the surface.

Use protective pads under all furniture to prevent scratches.

Use door mats at your external doors to prevent grit and small stones being carried into the home.

Wipe up any spills immediately. Never allow any liquid to remain on the floor.

Stains should be removed immediately while they are still wet and after removal, wipe floor dry.

Do not use general household cleaners as these may dull or damage the surface. They may even leave a film residue which could make the floor slippery and more difficult to clean.









PERIODIC MAINTENANCE

Oiled and lacquered finish real wood floors benefit from reapplication of Elka Protector approximately once every six months. The advantage of this very simple maintenance step is that, with regular treatment, you can keep your floor looking as good as new. It also 'tops up' the protective barrier against abrasions, scuffs and stains.









In areas of high traffic, for example, in a hallway, your floor may start to look a little worn. You can treat this particular area as and when you feel necessary, to keep it looking in tip top condition.







4.2mm luxury vinyl flooring

 PRODUCT: <b>ELL40154</b> PACK SIZE: 2.105m <sup>2</sup>	 PRODUCT: <b>ELL40150</b> PACK SIZE: 2.105m <sup>2</sup>	 PRODUCT: <b>ELL40192</b> PACK SIZE: 2.105m <sup>2</sup>	 PRODUCT: <b>ELL40065</b> PACK SIZE: 2.105m <sup>2</sup>
 PRODUCT: <b>ELL40155</b> PACK SIZE: 2.105m <sup>2</sup>	 PRODUCT: <b>ELL40242</b> PACK SIZE: 2.105m <sup>2</sup>	 PRODUCT: <b>ELL40196</b> PACK SIZE: 2.080m <sup>2</sup>	 PRODUCT: <b>ELL40198</b> PACK SIZE: 2.080m <sup>2</sup>




















8mm laminate flooring / 8mm laminate flooring with Aqua Protect

 PRODUCT: <b>ELV207</b> PACK SIZE: 2.179m <sup>2</sup>	 PRODUCT: <b>ELV182</b> PACK SIZE: 2.179m <sup>2</sup>	 PRODUCT: <b>ELV183</b> PACK SIZE: 2.179m <sup>2</sup>	 PRODUCT: <b>ELV203</b> PACK SIZE: 2.179m <sup>2</sup>
 PRODUCT: <b>ELV281</b> PACK SIZE: 2.179m <sup>2</sup>	 PRODUCT: <b>ELV223</b> PACK SIZE: 2.179m <sup>2</sup>	 PRODUCT: <b>ELV224</b> PACK SIZE: 2.179m <sup>2</sup>	 PRODUCT: <b>ELV358</b> PACK SIZE: 2.179m <sup>2</sup>

8mm long plank laminate flooring

 PRODUCT: <b>ELW122</b> PACK SIZE: 3.444m <sup>2</sup>	 PRODUCT: <b>ELW120</b> PACK SIZE: 3.444m <sup>2</sup>	 PRODUCT: <b>ELW124</b> PACK SIZE: 3.444m <sup>2</sup>	 PRODUCT: <b>ELW121</b> PACK SIZE: 3.444m <sup>2</sup>
--	---	--	---













12mm laminate flooring AC5

<div>TOASTED OAK</div> <div></div> <div>PRODUCT: <b>ELT226AP</b>    SAP: <b>400080634</b> PACK SIZE: <b>1.453m<sup>2</sup></b>    PACKS/PALLET: <b>52</b></div>	<div>BARN OAK</div> <div></div> <div>PRODUCT: <b>ELT216AP</b>    SAP: <b>400080633</b> PACK SIZE: <b>1.453m<sup>2</sup></b>    PACKS/PALLET: <b>52</b></div>	<div>SUNRISE OAK</div> <div></div> <div>PRODUCT: <b>ELT174AP</b>    SAP: <b>400080707</b> PACK SIZE: <b>1.453m<sup>2</sup></b>    PACKS/PALLET: <b>52</b></div>	<div>UMBER OAK</div> <div></div> <div>PRODUCT: <b>ELT137AP</b>    SAP: <b>400080708</b> PACK SIZE: <b>1.453m<sup>2</sup></b>    PACKS/PALLET: <b>52</b></div>
<div>STONEY OAK</div> <div></div> <div>PRODUCT: <b>ELT187AP</b>    SAP: <b>400080635</b> PACK SIZE: <b>1.453m<sup>2</sup></b>    PACKS/PALLET: <b>52</b></div>	<div>MISTY OAK</div> <div></div> <div>PRODUCT: <b>ELT258AP</b>    SAP: <b>400080636</b> PACK SIZE: <b>1.453m<sup>2</sup></b>    PACKS/PALLET: <b>52</b></div>	<div>ALL OF OUR 12MM LAMINATE FLOORING RANGE HAS THE ADDED ADVANTAGE OF THE <b>AQUA PROTECT</b> TECHNOLOGY</div> <div>FOR 8MM LAMINATE WITH THE OPTION TO SELECT THE <b>AQUA PROTECT</b> FLOORING, USE THE PRODUCT CODE HIGHLIGHTED (ENDING AP)</div> <div></div>	





13.5mm real wood engineered flooring

 PRODUCT: <b>ELKA13SPRING</b> SAP: 400056444 PK: 2.074m <sup>2</sup> PKS/PLT: 55	 PRODUCT: <b>ELKA13SUMMER</b> SAP: 400056698 PK: 2.074m <sup>2</sup> PKS/PLT: 55	 PRODUCT: <b>ELKA13WINTER</b> SAP: 400056697 PK: 2.074m <sup>2</sup> PKS/PLT: 55	
---	---	---	---





14mm real wood engineered flooring

 PRODUCT: <b>ELKA14CHAMP</b> SAP: 423558 PK: 2.075m <sup>2</sup> PKS/PLT: 55	 PRODUCT: <b>ELKA14BOROAKUC</b> SAP: 400061477 PK: 2.075m <sup>2</sup> PKS/PLT: 55	 PRODUCT: <b>ELKA14LROAKUC</b> SAP: 400061476 PK: 2.075m <sup>2</sup> PKS/PLT: 55	 PRODUCT: <b>ELKA14TRUFFLE</b> SAP: 400017028 PK: 2.075m <sup>2</sup> PKS/PLT: 55
 PRODUCT: <b>ELKA14SR0AK</b> SAP: 440712 PK: 2.075m <sup>2</sup> PKS/PLT: 55	 PRODUCT: <b>ELKA14CARAMEL</b> SAP: 440711 PK: 2.075m <sup>2</sup> PKS/PLT: 40	 PRODUCT: <b>ELKA14RUSSET</b> SAP: 423557 PK: 2.075m <sup>2</sup> PKS/PLT: 55	 PRODUCT: <b>ELKA14RURAL</b> SAP: 432127 PK: 2.812m <sup>2</sup> PKS/PLT: 40
 PRODUCT: <b>ELKA14HBWWOAK</b> SAP: 400082104 PK: 0.864m <sup>2</sup> PKS/PLT: 80	 PRODUCT: <b>ELKA14HBL5OAK</b> SAP: 400036671 PK: 0.864m <sup>2</sup> PKS/PLT: 80	 PRODUCT: <b>ELKA14HBHSOAK</b> SAP: 400082105 PK: 0.864m <sup>2</sup> PKS/PLT: 80	 PRODUCT: <b>ELKA14HBDSOAK</b> SAP: 400036670 PK: 0.864m <sup>2</sup> PKS/PLT: 80




18mm real wood engineered flooring

 PRODUCT: <b>ELKA18W&amp;SOAK</b> SAP: 400009827 PK: 1.98m <sup>2</sup> PKS/PLT: 56	 PRODUCT: <b>ELKA18ENHANCEDOAK</b> SAP: 400009828 PK: 1.98m <sup>2</sup> PKS/PLT: 56	 PRODUCT: <b>ELKA18NATIVEOAK</b> SAP: 400016941 PK: 1.98m <sup>2</sup> PKS/PLT: 56	 PRODUCT: <b>ELKA18LBWALNUT</b> SAP: 431483 PK: 1.98m <sup>2</sup> PKS/PLT: 56
--	---	---	---

20mm real wood engineered flooring


 PRODUCT: <b>ELKA20RUVLOAK</b> SAP: 400037761 PK: 2.11m <sup>2</sup> PKS/PLT: 35	 PRODUCT: <b>ELKA20RBOOAK</b> SAP: 400037729 PK: 2.11m <sup>2</sup> PKS/PLT: 35	 PRODUCT: <b>ELKA20AUTUMNOAK</b> SAP: 37763 PK: 2.11m <sup>2</sup> PKS/PLT: 35	 PRODUCT: <b>ELKA20COPPEROAK</b> SAP: 400037762 PK: 2.11m <sup>2</sup> PKS/PLT: 35
---	--	---	---

18mm solid wood flooring

 PRODUCT: <b>ELKA130LROAK</b> SAP: 400058692 PK: 2.184m <sup>2</sup> PKS/PLT: 48	 PRODUCT: <b>ELKA130BOROAK</b> SAP: 400058721 PK: 2.184m <sup>2</sup> PKS/PLT: 48	 PRODUCT: <b>ELKA130GOLDOAK</b> SAP: 400058694 PK: 2.184m <sup>2</sup> PKS/PLT: 48
---	--	---



PREPARE



ELKA LVT LAY  
627369



ELKA LAY  
609920



ELKA DUO LAY  
609919



ELKA COMFORT LAY  
613127



ELKA HUSH  
627370

FIX



ELKA GRIP  
609957



ELKA TONGUE TITE  
609969



ELKA FITTING KIT  
610436



ELKA PE FOAM  
NEFOAMSTRIP20

ELKA HYDRO-FLEX  
625518



ELKA BOND RIGID  
609965



ELKA BOND DIY FLEX  
609956



ELKA BOND TRADE FLEX  
609970

ELKA BOND TRADE FLEX REFILL  
609971



ELKA BOND TROWEL FLEX  
609972

FINISH

LAMINATE PROFILES



ELKA 4in1 PROFILE

ELV207	SFSCOT05230
ELV223	SFSCOT05214
ELV203	SFSCOT05207
ELV183	SFSCOT05126
ELV182	SFSCOT05135
ELV224	SFSCOT05228
ELV281	SFSCOT05134
ELV203AP	SFSCOT05207
ELV182AP	SFSCOT05135
ELV183AP	SFSCOT05126
ELV281AP	SFSCOT05134
ELV207AP	SFSCOT05230
ELV223AP	SFSCOT05214
ELV224AP	SFSCOT05228
ELT216AP	SFSCOT05134
ELT226AP	SFSCOT05214
ELT187AP	SFSCOT05235
ELW121	SFSCOT05235
ELW122	SFSCOT05232
ELW124	SFSCOT05137
ELW120	SFSCOT05205



ELKA LAMINATE SCOTIA

ELV207	SFINCP05230
ELV223	SFINCP05214
ELV203	SFINCP05207
ELV183	SFINCPT05126
ELV182	SFINCPT05135
ELV224	SFINCP05228
ELV281	SFINCPT05134
ELV203AP	SFINCP05207
ELV182AP	SFINCPT05135
ELV183AP	SFINCPT05126
ELV281AP	SFINCPT05134
ELV207AP	SFINCP05230
ELV223AP	SFINCP05214
ELV224AP	SFINCP05228
ELT216AP	SFINCPT05134
ELT226AP	SFINCP05214
ELT187AP	SFINCP05235
ELW121	SFINCP05235
ELW122	SFINCP05232
ELW124	SFINCPT05137
ELW120	SFINCP05205

REAL WOOD PROFILES



ELKA 3in1 REAL WOOD PROFILE

2.15 WHITE OAK	609954
2.15 UNFINISHED OAK	609951
0.93 WHITE OAK	609955
0.93 UNFINISHED OAK	609952
0.93 WALNUT	609953



ELKA OAK SCOTIA PROFILE

609966

MAINTAIN



CLEAN & PROTECT FOR OILED WOOD FLOORING  
613359



CLEAN & PROTECT FOR LACQUERED WOOD FLOORING  
613360



ALL PURPOSE CLEANER  
FOR WOOD FLOORING  
611387



ALL PURPOSE CLEANER  
CONCENTRATE  
611386



OILED FINISH PROTECTOR  
613217



LACQUERED FINISH  
PROTECTOR  
613218



SCUFF MARK  
REMOVER  
613216



# elka®

[www.elkaflooring.co.uk](http://www.elkaflooring.co.uk)

 **UNILIN**  
UNILIN DISTRIBUTION LTD

#### HEAD OFFICE

Unit 5, Rampart Business Centre  
Greenbank Industrial Estate  
Newry, County Down  
BT34 2QU  
T: +44 (0) 28 3025 0477  
from ROI: 048 3025 0477  
F: +44 (0) 28 3025 0223

#### DISTRIBUTION CENTRE

Unit 3, Academy One  
Lees Road  
Knowsley Industrial Estate  
Knowsley, Liverpool  
L33 7AG  
T: 0844 8118 288  
F: 0844 8118 289

