



**ELKA®**

DESIGNER FLOORS FOR LIVING



# DISCOVER HOW AN ELKA FLOOR CAN TRANSFORM YOUR HOME

8MM ORCHID OAK

**E&OE.** All information contained in this literature is correct at the time of going to print. Unilin Flooring reserves the right to amend specifications or discontinue products, if necessary, without prior notice. We recommend that you visit our website for the most up to date information.

**COVER:**  
Driftwood Oak  
8mm laminate flooring **2025**

**FLOORING COLLECTION**

LUXURY RIGID VINYL	08
PREMIUM LAMINATE	16
REAL WOOD ENGINEERED	22

**ELKA EXTRAS**

PREPARE	30
FIX	31
FINISH	33
MAINTAIN	34

**APPENDICES**

1. NATURAL PRODUCT	35
2. SUSTAINABILITY	36
3. FLOOR CARE	37
4. FLOORING OVERVIEW	40
5. EXTRAS OVERVIEW	42

Real wood product images are of a natural product. Part of its character and charm is its naturally occurring and individual variations in shade and tone. Therefore, the colours shown here may not be an exact representation of the product. Although every effort has been made to reproduce the colour of the luxury rigid vinyl, laminate and real wood products shown in this brochure, there will be slight variations in actual colours due to printing limitations.

**VINYL**



**08**  
LUXURY RIGID VINYL

**LAMINATE**



**16**  
PREMIUM LAMINATE

**WOOD**



**22**  
REAL WOOD

# WHICH ELKA FLOOR SHOULD I CHOOSE FOR MY HOME?

Capturing the stunning detail of natural wood planks, herringbone and ceramic tiles, Elka luxury rigid vinyl flooring is a stylish, hardwearing and cost-effective solution for modern living. With twelve gorgeous authentic-looking wood and ceramic designs, from timeless colour palettes to on-trend herringbone designs in our collection, we're confident you'll find a floor that's perfect for your lifestyle.

## LUXURY RIGID VINYL



Elka luxury rigid vinyl comes with a wealth of practical advantages, including underlay attached. Not only is the surface 100% waterproof – making it ideal for moisture-prone areas such as bathrooms, kitchens and utility rooms – it's tough, compatible with underfloor heating, sound absorbent and feels warm and soft underfoot.

Built to withstand the rigours of family life, it's a breeze to clean and care for. Thanks to a sealed top layer that offers resistance against scratches and stains, vacuuming and occasional light mopping are all it takes to keep your Elka luxury rigid vinyl floor looking its best. The Uniclic® and Unizip® systems ensure fast installation, with no adhesive required. All you have to do is click the boards down into place, making Elka luxury rigid vinyl flooring a great choice for homeowners, renovators and property professionals.



5MM LUNA



8MM HONEY OAK

## PREMIUM LAMINATE



Elka's laminate range is one of the more superior laminate flooring ranges available on the market. Designed to look great and stand the test of time, we apply strict standards to each board, ensuring maximum strength and a flawless finish. The v-groove technology is an advanced bevel edging which helps to create a look that reflects the natural qualities of real wood flooring.

Thanks to our revolutionary Aqua Protect technology we now offer 100% waterproof surface across our entire laminate collection. The range features the unparalleled and technically superior Uniclic® system. Its glue-free installation process makes it fast and easy to lay or re-lay anywhere. Each board locks together securely, ensuring a seamless joint that won't allow dust or dirt to gather. The 12mm v-groove range is ideal for high traffic areas. With a lifetime warranty on the Uniclic® system, it means you can enjoy a quality finish for years to come.



8MM OXFORD OAK



12MM TOASTED OAK



14MM HERRINGBONE WHITEWASHED OAK

## REAL WOOD ENGINEERED



With the aesthetics of a real wood floor, but without any of the restrictions, real wood engineered flooring is a practical design choice for any home. When laid, an Elka real wood engineered floor is almost identical to a solid wood floor. This is thanks to the product's unique structure, which includes a generous surface layer of between 2mm and 4mm of real wood, making it possible for all Elka engineered floors to be sanded and refinished.

The strength of each board comes from three or more layers of wood laid in opposite directions. This helps to avoid any issues with contraction or expansion, making it perfect for use in areas where traditional hardwood flooring cannot be used, such as in conservatories or in conjunction with embedded underfloor heating. The simplicity of its construction makes it perfect for use in DIY projects and thanks to its strength, it can easily be installed as a floating floor.

Elka offers the most extensive choice of thickness, with options available using our patented Uniclic® Multifit system or the more traditional Tongue and Groove system. With exceptional strength and timeless beauty, all of our floors in this range are designed to last the test of time.



14MM RURAL OAK

TONGUE & GROOVE

**UNICLIC**  
MULTIFIT  
PATENTED TECHNOLOGY



## THE SUSTAINABLE CHOICE

Every year, more and more timber is available from sustainably managed forests, so every year, we improve and increase our environmentally friendly products.

## BRING THE BEAUTY OF NATURE INTO YOUR HOME

Our real wood products capture all the rustic qualities of wood and bring the very essence of nature into your home.

Each floor board is unique, enriched with naturally occurring characteristics such as knots of various sizes, flared grain patterns, burls, sapwood and mineral streaks. These are characteristics of each species' individual growth process, and are all influenced by region, sunlight, climate and the soil.



Our products showcase many of these features where the smoking produces more colour variation than staining. The result is much warmer and the natural characteristics are even more enhanced.

Our Herringbone real wood engineered floor is a classic design, it equally complements antique furniture or works well in a modern contemporary environment. Due to the distinctive pattern, care must be taken when laying the boards, but the tongue and groove system means that this classic style is now achievable in any home.

SEE: APPENDIX 1

THE NATURAL BEAUTY  
OF A REAL WOOD FLOOR

# LUXURY RIGID VINYL




UNDERLAY ATTACHED



Elka luxury rigid vinyl is a hardwearing floor that is warm and quiet underfoot. 100% waterproof surface, it's ideal for use anywhere in your home including kitchens, bathrooms and utility rooms. You can enjoy the look of a stylish wood or tiled floor with the added advantages of the scratch resistant, durable surface with underlay attached.

## FEATURES & ADVANTAGES


- Fully integrated Uniclic® or Unizip® installation systems
- 100% waterproof surface
- Underlay attached
- Easy to install and maintain
- Warm & quiet underfoot
- Suitable for underfloor heating





5MM AURORA

**STRUCTURAL COMPOSITION OF LUXURY VINYL FLOORING**



# LUXURY RIGID VINYL

## 5MM PLANK

Choose from six authentic wood designs in our luxury rigid vinyl range, from timeless and classic browns to on-trend greys, it's the perfect solution throughout your home. Ideal for moisture-prone areas such as bathrooms, kitchens and utility rooms\*, it has the added advantage of attached underlay which helps reduce noise and feels warm and silent underfoot. Suitable for underfloor heating and easy to maintain, it really is a winner.



**UNICLIC**®  
UNDERLAY ATTACHED

\*commercial warranty on application



**5MM LUXURY RIGID VINYL**

2.128m<sup>2</sup> per pack  
 5 x 189 x 1251mm  
 9 planks / 4 sided bevel  
 5mm with underlay attached

**KEY FEATURES**

Uniclic<sup>®</sup> locking system - suitable for DIY installation  
 100% waterproof surface  
 Suitable for underfloor heating



# LUXURY RIGID VINYL

## 5MM TILE

In addition to the wood designs, we have two tile décors in our luxury rigid vinyl range. As robust and as easy to maintain as a real tiled floor, it has the added advantage of attached underlay which help reduce noise and feels warm and silent underfoot. Suitable for underfloor heating, it is ideal for use in entrance halls, conservatories and for moisture-prone areas such as bathrooms, kitchens and utility rooms\*.



**UNICLIC**®  
UNDERLAY ATTACHED

\*commercial warranty on application





5MM INSIGNIA

**5MM LUXURY RIGID VINYL**

1.848m<sup>2</sup> per pack  
 5 x 303 x 610mm  
 10 tiles / 4 sided bevel  
 5mm with underlay attached

**KEY FEATURES**

Uniclic® locking system - suitable for DIY installation  
 100% waterproof surface  
 Suitable for underfloor heating



# LUXURY RIGID VINYL

## 6MM HERRINGBONE

Herringbone flooring provides a luxurious feel for both contemporary and classic, timeless interiors. Durable enough to be used in any room in your home, the waterproof surface makes it ideal for moisture-prone areas such as bathrooms, kitchens and utility rooms\*. Faster and easier to install with the Unizip® locking system, with no left and right planks you will have less wastage and a new herringbone floor in no time. The added benefit of underlay attached reduces noise and feels warm underfoot. The perfect combination of style and performance!



**unizip**®  
PATENTED TECHNOLOGY  
**UNDERLAY ATTACHED**

\*commercial warranty on application



6MM KENTUCKY OAK BEIGE



No A/B planks

for faster installation

**6MM LUXURY RIGID VINYL**

0.794m<sup>2</sup> per pack  
 6 x 126 x 630mm  
 10 planks / 4 sided bevel  
 6mm with underlay attached

**KEY FEATURES**

Unizip® locking system - suitable for DIY installation  
 100% waterproof surface  
 Suitable for underfloor heating



EN16511:2014/AC:2006 R=0.02m<sup>2</sup> K/W



# PREMIUM LAMINATE



Elka laminate flooring is a hardwearing floor that can be used with or without underfloor heating. It's simple and quick to install with the unique Uniclic® system making it ideal for DIY projects. Thanks to the advantages of the revolutionary Aqua Protect Technology, we can now offer 100% waterproof surface on our entire laminate collection, allowing it to remain as pristine as the day it was installed.

## FEATURES & ADVANTAGES

- Fully integrated Uniclic® installation system for ease of fitting
- High definition surface structures that enhance the authentic appearance of the floor
- Choice of modern finishes and individualistic designs
- Flexible fitting options - start anywhere within the room
- Hygienic allergy friendly floor
- Can be used in conjunction with noise reducing underlay
- Suitable for use with embedded underfloor heating systems





8MM PEBBLE OAK


**STRUCTURAL COMPOSITION OF LAMINATE FLOORING**

Transparent overlay  
prevents against  
wear and tear

Design layer

HDF board  
Moisture resistant  
High Density Fibre board


Barrier layer  
Balancing board



# PREMIUM LAMINATE

## 8MM PLANK

We have updated our 8mm collection with three new on-trend décors to enhance our offering and to help you choose the perfect floor for your interior. Each plank is designed to look great and last for many years, we apply strict standards to each board, ensuring maximum strength and a flawless finish that makes it look every bit as beautiful as a natural wood floor. The v-groove technology is an advanced bevel edging which helps to create a look that reflects the natural qualities of wood flooring.





**8MM LAMINATE**

2.179m<sup>2</sup> per pack  
 8 x 192 x 1261mm  
 9 planks  
 4 sided bevel


**KEY FEATURES**

Uniclic<sup>®</sup> locking system (DIY)  
 100% waterproof surface  
 Hygienic allergy friendly floor  
 PEFC<sup>™</sup> - Caring for the environment



EN13 13329

R=0.057m<sup>2</sup> K/W



# PREMIUM LAMINATE

## 12MM PLANK

Discover six stunning timber-effect designs in our 12mm laminate range, now featuring two brand new décors. With the fully integrated Uniclic® installation system and a 100% waterproof surface, this range is as practical as it is stylish. The 12mm range is quieter to walk on, will hide small imperfections in the subfloor and is easier to install due to the thickness of the board. With its AC5 rating, the Elka 12mm laminate range is ideal for high traffic areas and designed to look great and last for many years to come.



\*commercial warranty on application




GUILD OAK



Guild Oak

NEW



Thistle Oak

NEW



**12MM LAMINATE**  
 1.453m<sup>2</sup> per pack  
 12 x 192 x 1261mm  
 6 planks  
 4 sided bevel

**KEY FEATURES**

- Uniclic® locking system (DIY)
- 100% waterproof surface
- Hygienic allergy friendly floor
- PEFC™ - Caring for the environment



EN13 13329

R=0.094m<sup>2</sup> K/W



# REAL WOOD ENGINEERED



\*13mm range only

Elka engineered flooring is a truly practical product, chosen for its strength, flexibility of installation and durability. It perfectly mimics a solid wood floor, but is actually made of three or more layers of real wood with an upper layer of genuine hardwood. It can be used in conservatories and in conjunction with underfloor heating.


## FEATURES & ADVANTAGES

- Can be laid over embedded underfloor heating
- Made from 100% natural wood, can be sanded and refinished
- Can be laid in all residential areas (except those of high humidity)
- Dimensional stability

NOTE: Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.

SEE: APPENDIX 1

THE NATURAL BEAUTY  
OF A REAL WOOD FLOOR






A glue-free process, the Uniclic® Multifit installation system is fast and easy to lay. Working both vertically and horizontally, the drop-down technology (slide and click) allows for an even simpler installation. Each board locks together securely, ensuring a seamless joint that won't allow dust or dirt to gather. With the lifetime warranty on this system, you can enjoy a quality finish for years to come.

**TONGUE & GROOVE**

Each plank features a tongue and groove format. Depending on the format of the board, each installation can be either secret nailed or glued to a suitable sub floor. Refer to installation instructions for advice.



14MM HERRINGBONE DARK SMOKED OAK

**STRUCTURAL COMPOSITION OF ENGINEERED FLOORING**


- Carefully selected real wood wear layer
- Latest technology machining for ultimate stability
- Engineered ply construction for a stable inner core
- Superior glue throughout ensures a long carefree life
- Selected veneer backing for added stability



# REAL WOOD ENGINEERED

## 13MM PLANK

Introducing our new 13mm Waterproof Flooring Collection – built to withstand everyday life, from bustling kitchens to high-traffic hallways, even bathrooms. Engineered for durability and 100% waterproof, this flooring delivers long-lasting performance with ease. Featuring the advanced Hydroseal technology and a precision click-lock system, it locks out moisture – no seepage, no worries. Designed for modern living, it is low maintenance, exceptionally durable and highly water-resistant. Sleek, strong, and effortlessly stylish, this is wood flooring redefined for today's home.



Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



**13MM REAL WOOD**

13 x 190 x 1820mm  
 2.075m<sup>2</sup> per pack  
 6 planks  
 2-sided bevel (long side)

**KEY FEATURES**

Solid Oak - 2.5mm wear layer  
 100% waterproof surface  
 Uniclic® Multifit locking system - suitable for DIY installation  
 PEFC™ - Caring for the environment



# REAL WOOD ENGINEERED


## 14MM PLANK & HERRINGBONE

Our 14mm real wood engineered floors exude warmth and character just like a solid wood floor. With the traditional tongue and groove fixing mechanism and the Herringbone design, you can achieve the timeless quality of traditional parquet flooring with modern luxuries such as underfloor heating.

**14MM RURAL OAK**  
14 x 189 x 1860mm  
2.812m<sup>2</sup> per pack  
up to 30% starter boards



**TONGUE & GROOVE**



HERRINGBONE LIGHT SMOKED OAK

DOUBLE  
HERRINGBONE  
PATTERN



Rural  
Oak

TONGUE & GROOVE



RURAL OAK

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.

**OPTIONS FOR INSTALLATION OF A HERRINGBONE FLOOR**

All planks come with grooves on three sides which allow you to achieve multiple design patterns



**14MM HERRINGBONE**

14 x 120 x 600mm  
0.864m<sup>2</sup> per pack

**KEY FEATURES**

- Tongue & Groove
- UV Oiled & Smoked finish
- Solid oak - 3mm wear layer
- Real wood core / 4-sided bevel

Fully adhere  
Herringbone  
Flooring using  
Elka Trowel Flex  
or Elka Rigid



Herringbone  
Whitewashed Oak



Herringbone  
Light Smoked Oak



Herringbone  
Honey Smoked Oak



Herringbone  
Dark Smoked Oak



# EVERYTHING YOU NEED TO PREPARE, FIX, FINISH AND MAINTAIN YOUR ELKA FLOOR



## PREPARE

PAGE 30

To achieve the perfect finish and ensure good performance, preparation from the ground up is key.



## FIX / FINISH

PAGES 31-33

The Elka range of high performance fixing products provide the right solution for every type of flooring.



## MAINTAIN

PAGE 34

Keep your floor looking great with Elka's range of products to maintain the finish of real wood, laminate and luxury vinyl floors.



# EVERYTHING YOU NEED TO PREPARE YOUR ELKA FLOOR

## UNDERLAY

Our comprehensive range of underlay is designed to protect and secure your Elka floor.

Elka lay is perfect for any location, but you may prefer to choose the added advantages of VPB, additional cushioning underfoot and sound proofing. All our underlays are suitable for use with laminate and real wood engineered flooring.

### ELKA LAY

3MM



Handy lightweight 15m<sup>2</sup> roll  
Robust 3mm underlay for use with **laminate** and **real wood engineered** flooring

L: 15m W: 1m Thick: 3mm

### ELKA DUO LAY

3MM



WITH VPB  
(VAPOUR PROOF BARRIER)


Handy lightweight 15m<sup>2</sup> roll  
Robust 3mm underlay for use with **laminate** and **real wood engineered** flooring  
Includes laminated Vapour Proof Barrier (VPB) back for concrete ground floor installations  
Suitable for underfloor heating

L: 15m W: 1m Thick: 3mm

### ELKA PRO LAY

3.5MM

WITH VPB / SOUND PROOFING



Handy lightweight 10m<sup>2</sup> roll  
High density 3.5mm underlay  
Luxury 3.5mm underlay for use with **laminate** and **real wood engineered** flooring  
Impressive 23db transmission sound reduction  
Exceptional reflective acoustic performance  
Shock absorbent for added underfoot comfort  
Integrated foil VPB system  
Suitable for embedded underfloor heating with a low thermal resistance of 0.08m<sup>2</sup> k/w / 0.8 Tog  
Produced using a high content of recycled materials

L: 10m W: 1m Thick: 3.5mm

### ELKA COMFORT

5MM

WITH CUSHIONED SUPPORT / VPB / SOUND PROOFING



Handy lightweight 15m<sup>2</sup> roll  
Luxury 5mm underlay for use with **laminate** and **real wood engineered** flooring  
20db sound reduction  
Low thermal resistance  
Cushioned support increases underfoot comfort  
Shock absorbent / vapour barrier  
Exceptional acoustic insulation performance  
Suitable for embedded underfloor heating  
Integrated VPB system

L: 15m W: 1m Thick: 5mm

SUITABLE FOR:

LAMINATE

WOOD

## FIXING PRODUCTS

Our specialist range of high performance fixing products that are safe, simple and cost effective solutions for installing Elka flooring.

### ELKA FITTING KIT



1 tapping block, 1 pull bar and 40 spacers

Designed to make fitting your Uniclic® floor as easy as possible without risk of damaging it.

The spacers maintain an expansion gap around the perimeter

Pull bar allows you to pull planks together at the end of rows

Tapping block protects edges of the boards when tapping them together



SUITABLE FOR:

LAMINATE

WOOD

### ELKA GRIP



500ml - handy, easy to use bottle

Specialist D3 rated high quality resin based wood adhesive for use with T&G real wood flooring

High strength impact resistant bond that is stronger than wood itself

Coverage 6-10m<sup>2</sup> of T&G (dependent on the depth of the flooring groove)

Dries clear



SUITABLE FOR:

WOOD

### ELKA TONGUE TITE



200 /box, includes one adaptor bit

Screw fix T&G real wood engineered (18mm+) flooring to any wood substrate

Fits all boards - screw size: 3.5x45mm

Small head screw, can be countersunk into the rebate above the tongue, no obstruction to the matching groove on the next board

No glue/nail gun - drill bit included in every pack

Easy to install in difficult locations - no need to drill pilot holes, even in hardwoods

Can remove boards without damage in order to gain access to underfloor plumbing etc.

200 screws /box (covers up to 10m<sup>2</sup>)



SUITABLE FOR:

WOOD

### ELKA HYDROFLEX

A low modulus, neutral-curing, silicone sealant for a watertight seal with **laminated, luxury vinyl and 13mm waterproof real wood** flooring

For filling the transition gap around the perimeter of the room and for creating a watertight seal for wet environments.

Coverage: 10.5 linear metres when used as directed



### ELKA PE FOAM

Foam strips to create a watertight seal at the perimeter of a floor.

20no. 1m x 10mm strips

Use in combination with Elka Hydro-Flex to fill expansion joints to obtain a waterproof solution for skirtings and profiles



SUITABLE FOR:

LAMINATE

VINYL

WOOD

# EVERYTHING YOU NEED TO FIX YOUR ELKA FLOOR

## BOND - RIGID & FLEX

The Elka Bond range is a versatile product that can be used for a rigid fix or a flexible fix for real wood engineered flooring.

### ELKA BOND RIGID

10 litres

Heavy duty synthetic polymer for a rigid bond

For bonding real wood engineered flooring to concrete, cementitious screeds, flooring grade plywood, chipboard, hardboard and smoothing compounds (where applicable)

Coverage: 16m<sup>2</sup>  
when used as directed



SUITABLE FOR:

WOOD

### ELKA BOND FLEX

Elka Bond Flex adhesive range is based on the latest developments in hybrid technology and has the following key benefits:

- 100% active, solvent and water-free
- Permanently flexible - compensates for wood and sub floor movement
- Will bond wood directly to all common sub floors
- Low odour
- Excellent gap filling properties for uneven surfaces
- Pliable product gives excellent sound reduction properties

#### ELKA BOND TRADE FLEX



9 x 600ml foils  
Coverage: 18m<sup>2</sup>

Pack includes, reusable gun and nozzles

Trade pack refill cartridges available (packs of 12)

#### ELKA BOND TROWEL FLEX



14kg  
Coverage: 14m<sup>2</sup>

2 x 7kg foil packs  
Pack includes trowel

#### ELKA BOND DIY FLEX



300ml  
Coverage: 1m<sup>2</sup>

\* Coverage: when used as directed, instructions on packaging

SUITABLE FOR:

WOOD

## PROFILES & ADAPTORS

Laminate and real wood floors may move as the result of relative humidity and ambient temperature. These easy-to-use profiles allow you to simply trim off the area of the product not required, to create the perfect solution.

### LAMINATE PROFILES & ADAPTORS - FOR ALL LAMINATE FLOORING

#### 4 in 1 PROFILE

With cutter - to adapt to the profile you need



**Expansion Profile**  
2150 x 40 x 13mm



**Adaptor Profile**  
2150 x 48 x 13mm




**Transition Profile**  
2150 x 40 x 13mm



**Edge Profile**  
2150 x 40 x 13mm

Dimensions:  
2150 x 48 x 13mm



Provides flexibility for elka laminate flooring with depths between 8-12mm  
The 4in1 Profile is almost invisible and closely matches the laminate floors

A combination of an adapting profile, expansion profile, transition profile and edge profile, all in a single profile

Laminate wood finish / Flexible - 4 profiles in 1  
Extra height gain when applied using Elka bond  
Trim to the required profile type using the cutter  
Length: 2150mm, ideal for two door widths  
Suitable for use on floors between 8-12mm with the supporting adjustable track provided

#### SCOTIA PROFILE



2400 x 19 x 19mm

Camouflages expansion joints between an existing skirting and a newly installed Elka laminate floor.

Fix with either Elka bond or by nailing.

Finishes that closely match your Elka laminate floor, it's the perfect solution.


SUITABLE FOR:

LAMINATE

### REAL WOOD PROFILES & ADAPTORS - FOR ALL REAL WOOD ENGINEERING FLOORING

#### 3 in 1 PROFILE

With cutter - to adapt to the profile you need




**Expansion Profile**  
Cover expansion gaps for two adjacent flooring products of the same height



**Adaptor Profile**  
Finish for two adjacent floors where the covering is of a lower height (carpet/vinyl)



**Edge Profile**  
Finish the flooring where a dressed edge is required eg. against a wall or window



Available in two lengths: 930 / 2150mm x 68.4 x 18mm in lacquered white oak or unfinished\* white oak  
\*allowing flexibility to oil, stain or lacquer the profile to match your floor.

Real wood veneer finish  
Flexible - 3 profiles in 1  
Extra height adjustment gain when applied using elka bond  
Trim to the required profile type using the cutter  
Provides flexibility for elka real wood engineered flooring with depths between 14-20mm with the supporting adjustable track provided

#### OAK SCOTIA PROFILE



L: 2400mm

Made from lacquered real wood veneer and provides the perfect finish to a newly installed Elka real wood engineered floor. It can be glued or nailed for quick and easy placing. It is the perfect finish for your real wood engineered floor.

SUITABLE FOR:

WOOD

# EVERYTHING YOU NEED TO MAINTAIN YOUR ELKA FLOOR

## CLEAN AND PROTECT

Perfect for today's modern lifestyle, this range is designed to be quick and easy to use, no specialist polishing required. Available to purchase in kit form or individually.

SEE: APPENDIX 3

CARING FOR YOUR ELKA FLOOR

### KIT



#### CLEAN+PROTECT KIT FOR OILED REAL WOOD FLOORING

Everything you need to clean and protect your **oiled** wood floor. Contents include an All Purpose Cleaner, an All Purpose Cleaner Concentrate and a Protector specially formulated for oiled real wood flooring.

#### CLEAN+PROTECT KIT FOR LACQUERED REAL WOOD FLOORING

Everything you need to clean and protect your **lacquered** wood floor. Contents include an All Purpose Cleaner, an All Purpose Cleaner Concentrate and a Protector specially formulated for lacquered real wood flooring.

### INDIVIDUAL



0.5 Litre



0.5 Litre

#### OILED FINISH PROTECTOR

Protect your **oiled real wood** floor against abrasion, scuffs and stains. Use regularly to keep your floor in good condition.

#### LACQUERED FINISH PROTECTOR

Protect your **lacquered real wood** floor against abrasion, scuffs and stains. Use regularly to keep your floor in good condition.

#### SCUFF MARK REMOVER

A gentle, non-abrasive, residue-free cleaner to remove stubborn scuff marks without damaging your **real wood** floor.

#### ALL PURPOSE CLEANER

Ideal for removing everyday dirt and grime or as spot stain removers. Suitable for frequent use on all flooring: **luxury vinyl, laminate, lacquered & oiled real wood** finished floors.

#### ALL PURPOSE CLEANER (CONCENTRATE)

# APPENDICES

## APPENDIX 1

# THE NATURAL BEAUTY OF A REAL WOOD FLOOR

The real wood products capture all the rustic qualities of wood and bring the very essence of nature into your home. Each floor board is unique, enriched with naturally occurring characteristics such as knots of various sizes, flared grain patterns, burls, sapwood and mineral streaks.

These are characteristics of each species' individual growth process, and are all influenced by region, sunlight, climate and the soil. There are two types of knots; live knots which showcase the beautiful density of the spiral grain and dead knots which are repaired with a rich coloured filler. Any splits or cracks are filled and add a lively character to the unmistakable quality of a natural product. The colour variation within each plank reflects naturally occurring mineral and sapwood streaks and are even further enhanced when stained or treated.



Flared grain



Live knot




Dead knot




Burls



Sapwood



Heartwood



Crack



Split



Pith

## APPENDIX 2

# MAKING THE SUSTAINABLE CHOICE

The choice of a good quality floor from Elka is a smart one both for you and the environment. Our flooring is designed to last and be admired, so you wouldn't need or want to change it for years to come. This is especially true for our engineered wood boards which actually become more beautiful with age. We might specialise in creating great home environments, but we also take great care to do everything we can to look after the environment around us.

That's why as manufacturers and importers, we understand the importance of sourcing the most responsibly managed raw materials possible to make our flooring. This includes developments like the creation of laminate and engineered floors that can be installed without the use of an adhesive due to the revolutionary Uniclic® system.

Where possible, we insist upon maintaining a certified chain of custody for the majority of the timber we buy. That's why we're so proud that more than half of our product range is PEFC™ (Programme for the Endorsement of Forest Certification) certified. These awards are given to responsibly managed forests that respect the legal system, land usage rights and the rights of indigenous peoples and their workers, in addition to guaranteeing that felled trees are replaced with saplings.

These unique international non-profit, non-governmental certification systems represent some of the largest environmental movements in the world and we are excited and proud to be a part of them. This means that when you purchase an Elka floor, you can be proud that you are choosing to furnish your home with one of the world's environmentally friendly products: natural wood from a responsibly managed forest. For any timber that isn't certified, we always ensure that it is from well-managed sources.



For PEFC™ (Programme for the Endorsement of Forest Certification) certified products.

Look for the logo!



## APPENDIX 3

# CARING FOR YOUR ELKA FLOOR

It's so easy to care for your Elka floor. Laminate and luxury vinyl flooring is not only easy to clean, it's hygienic too. In fact, the sealed surface prevents bacteria accumulating on the floor which is great for the prevention of allergies. In general, we recommend dry cleaning the floor with a microfibre duster. Occasionally, damp cleaning can be done using an almost dry mop. Never use a steam cleaner or wet mop on your Elka floor as this will cause damage not covered by the warranty.

Real wood engineered floors are natural products that improve as the floor ages, but to keep them looking in top condition you can top up the oil or lacquer finish. Daily cleaning requires little more than a good sweep or dry mopping. By quickly wiping up any spills immediately, you can prevent stains occurring. You can spray on a spot cleaner to deal with the mess quickly and easily. More stubborn scuff marks can be tackled with our specialist remover, minimising the risk of damaging your floor. Follow these simple steps to ensure that your floor remains looking good for many years to come.



### DAILY MAINTENANCE

Sweep or vacuum your floor regularly to prevent grit and dust accumulating and scratching the surface.

Use protective pads under all furniture to prevent scratches.

Use door mats at your external doors to prevent grit and small stones being carried into the home.

Wipe up any spills immediately. Never allow any liquid to remain on the floor.

Stains should be removed immediately while they are still wet and after removal, wipe floor dry.

Do not use general household cleaners as these may dull or damage the surface. They may even leave a film residue which could make the floor slippery and more difficult to clean.

### PERIODIC MAINTENANCE

Oiled and lacquered finish real wood floors benefit from reapplication of Elka Protector approximately once every six months. The advantage of this very simple maintenance step is that, with regular treatment, you can keep your floor looking as good as new. It also 'tops up' the protective barrier against abrasions, scuffs and stains.

In areas of high traffic, for example, in a hallway, your floor may start to look a little worn. You can treat this particular area as and when you feel necessary, to keep it looking in tip top condition.



elka®

EVERYTHING YOU  
NEED FOR THE  
PERFECT FLOOR -  
AT A GLANCE





# APPENDIX 4 FLOORING PRODUCT OVERVIEW

## LUXURY RIGID VINYL

5MM  
PLANK / TILE

PLANK  
PK: 2.128m<sup>2</sup>  
PKS/PLT: 44

TILE  
PK: 1.848m<sup>2</sup>  
PKS/PLT: 48



 PALM PRODUCT: ERPU40365 SAP: 400096627	 AURORA PRODUCT: ERPU40366 SAP: 400096628	 NATURE PRODUCT: ERPU40369 SAP: 400096631	 EDEN PRODUCT: ERPU40368 SAP: 400096630
 LUNA PRODUCT: ERPU40367 SAP: 400096629	 CASA PRODUCT: ERPU40370 SAP: 400096632	 SIGNET TILE PRODUCT: ERTU40371 SAP: 400096633	 INSIGNIA TILE PRODUCT: ERTU40372 SAP: 400096634

## LUXURY RIGID VINYL

6MM  
HERRINGBONE

PK: 0.794m<sup>2</sup>  
PKS/PLT: 108



PATENTED TECHNOLOGY

 KENTUCKY OAK BEIGE PRODUCT: VFHBU40380 SAP: 400096642	 TUCKER OAK BEIGE PRODUCT: VFHBU40377 SAP: 400096639	 KENTUCKY OAK HONEY BROWN PRODUCT: VFHBU40378 SAP: 400096640	 TEXAS OAK DARK BROWN PRODUCT: VFHBU40374 SAP: 400096636
---	---	--	--

## PREMIUM LAMINATE

8MM

PK: 2.179m<sup>2</sup>  
PKS/PLT: 52



 DRIFTWOOD OAK PRODUCT: ELV182AP SAP: 400065458	 PEBBLE OAK PRODUCT: ELV183AP SAP: 400065459	 COUNTRY OAK PRODUCT: ELV224AP SAP: 400065463	 ORCHID OAK PRODUCT: ELV514AP SAP: 400106099 <b>NEW</b>
 RUSTIC OAK PRODUCT: ELV281AP SAP: 400065460	 HONEY OAK PRODUCT: ELV223AP SAP: 400065462	 WOODLAND OAK PRODUCT: ELV516AP SAP: 400106100 <b>NEW</b>	 OXFORD OAK PRODUCT: ELV619AP SAP: 400106101 <b>NEW</b>

## PREMIUM LAMINATE

12MM

PK: 1.453m<sup>2</sup>  
PKS/PLT: 52



 GUILD OAK PRODUCT: ELT610AP SAP: 400106147 <b>NEW</b>	 TOASTED OAK PRODUCT: ELT226AP SAP: 400080634	 BARN OAK PRODUCT: ELT216AP SAP: 400080633
 THISTLE OAK PRODUCT: ELT496AP SAP: 400106148 <b>NEW</b>	 SUNRISE OAK PRODUCT: ELT174AP SAP: 400080707	 MISTY OAK PRODUCT: ELT258AP SAP: 400080636

## REAL WOOD ENGINEERED

13MM

PK: 2.075m<sup>2</sup>  
PKS/PLT: 55

UNICLIC  
MULTIFIT



PRODUCT: ELKAH20SANDWOOD  
SAP: 400104495

PRODUCT: ELKAH20BANNA  
SAP: 400104497

PRODUCT: ELKAH20TWEED  
SAP: 400104498



PRODUCT: ELKAH20AVON  
SAP: 400104494

PRODUCT: ELKAH20PENTLE  
SAP: 400104496

PRODUCT: ELKAH20CLYDE  
SAP: 400104499

## REAL WOOD ENGINEERED

14MM

PK: 2.812m<sup>2</sup>  
PKS/PLT: 40

TONGUE & GROOVE




PRODUCT: ELKA14RURAL  
SAP: 432127

## REAL WOOD ENGINEERED

14MM

PK: 0.864m<sup>2</sup>  
PKS/PLT: 80

TONGUE & GROOVE



PRODUCT: ELKA14HBWWOAK  
SAP: 400082104

PRODUCT: ELKA14HBLSOAK  
SAP: 400036671

PRODUCT: ELKA14HBHSOAK  
SAP: 400082105

PRODUCT: ELKA14HBDSOAK  
SAP: 400036670

# APPENDIX 5 ELKA EXTRAS OVERVIEW

## PREPARE



ELKA LAY  
609920



ELKA DUO LAY  
609919



ELKA COMFORT LAY  
613127



ELKA PROLAY  
650236

SUITABLE FOR:

LAMINATE

WOOD

## FIX



ELKA GRIP  
609957



ELKA TONGUE TITE  
609969



ELKA FITTING KIT  
610436



ELKA PE FOAM  
NEFOAMSTRIP20



OSKITTRANSF  
618101



ELKA BOND RIGID  
609965



ELKA BOND DIY FLEX  
609956



ELKA BOND TRADE FLEX  
609970

ELKA BOND TRADE FLEX REFILL  
609971



ELKA BOND TROWEL FLEX  
609972

SUITABLE FOR:

WOOD

# FINISH

## LAMINATE PROFILES & ADAPTORS - FOR ALL LAMINATE FLOORING

### 4 in 1 PROFILE



ELV223AP	SFINCP05214	ELT258AP	SFINCP05226
ELV183AP	SFINCPT05126	ELT174AP	SFINCP05223
ELV182AP	SFINCPT05135	ELT216AP	SFINCPT05134
ELV224AP	SFINCP05228	ELT226AP	SFINCP05214
ELV281AP	SFINCPT05134	ELT610AP	SFINCP08008
ELV514AP	SFINCP06688	ELT496AP	SFINCP06174
ELV516AP	SFINCP06157		
ELV619AP	SFINCP08335		

### SCOTIA PROFILE



ELV223AP	SFSCOT05214	ELT258AP	SFSCOT05226
ELV183AP	SFSCOT05126	ELT174AP	SFSCOT05223
ELV182AP	SFSCOT05135	ELT216AP	SFSCOT05134
ELV224AP	SFSCOT05228	ELT226AP	SFSCOT05214
ELV281AP	SFSCOT05134	ELT610AP	SFSCOT08008
ELV514AP	SFSCOT06688	ELT496AP	SFSCOT06174
ELV516AP	SFSCOT06157		
ELV619AP	SFSCOT08335		

SUITABLE FOR:

LAMINATE

## REAL WOOD PROFILES & ADAPTORS - FOR ALL REAL WOOD ENGINEERING FLOORING

### 3 in 1 PROFILE



2.15 WHITE OAK	609954
2.15 UNFINISHED OAK	609951
0.93 WHITE OAK	609955
0.93 UNFINISHED OAK	609952
0.93 WALNUT	609953

### SCOTIA PROFILE



609966

SUITABLE FOR:

WOOD

# MAINTAIN



CLEAN & PROTECT FOR OILED WOOD FLOORING  
613359



CLEAN & PROTECT FOR LACQUERED WOOD FLOORING  
613360



ALL PURPOSE CLEANER FOR WOOD FLOORING  
611387



ALL PURPOSE CLEANER CONCENTRATE  
611386



OILED FINISH PROTECTOR  
613217



LACQUERED FINISH PROTECTOR  
613218



SCUFF MARK REMOVER  
613216

**elka®**

## **UNILIN FLOORING**

### **HEAD OFFICE**

Unit 6 Ballinacraig Business Park  
Greenbank Industrial Estate  
Newry, County Down BT34 2QX

### **UK DISTRIBUTION CENTRE**

Unit 3, Academy One, Lees Road  
Knowsley Industrial Estate  
Knowsley, Liverpool L33 7SA

### **IRISH DISTRIBUTION CENTRE**

Hardys Lane, Finnbair Industrial Estate  
Dundalk, Ireland A91 T95E

**T: 0330 1222 133**  
**elkaflooring.co.uk**

 **UNILIN**