



elka

designer
floors
for living



LUXURY VINYL




LAMINATE



REAL WOOD ENGINEERED



SOLID WOOD



LUXURY VINYL

DISCOVER HOW AN ELKA FLOOR CAN TRANSFORM YOUR HOME

Cover: Copper Oak 20mm real wood engineered flooring.

Real wood product images are of a natural product. Part of its character and charm is its naturally occurring and individual variations in shade and tone. Therefore, the colours shown here may not be an exact representation of the product.

Although every effort has been made to reproduce the colour of the luxury vinyl, laminate and real wood products shown in this brochure, there will be slight variations in actual colours due to printing limitations.

E&OE. All information contained in this literature is correct at the time of going to print. Unilin Distribution reserves the right to amend specifications or discontinue products, if necessary, without prior notice. We recommend that you visit our website for the most up to date information.

FLOORING COLLECTIONS

PAGES 08-43

LUXURY VINYL
LAMINATE
REAL WOOD ENGINEERED
SOLID WOOD

ELKA EXTRAS

PAGES 44-51

PREPARE
FIX
FINISH
MAINTAIN

PRODUCT OVERVIEW

PAGES 52-55

THE FULL RANGE
OF FLOORING
AND EXTRAS
AT A GLANCE

WHICH ELKA FLOOR SHOULD I CHOOSE FOR MY HOME?

elka

real wood engineered flooring



14MM RUSTIC UV LACQUERED OAK

REAL WOOD ENGINEERED FLOORING

With all the aesthetics of a real wood floor, but without any of the restrictions, real wood engineered flooring is a practical design choice for any home. When laid, an Elka real wood engineered floor is virtually indistinguishable from a solid wood floor. This is thanks to the product's unique structure, which includes a generous surface layer of between 2.2mm and 4mm of real wood, making it possible for all Elka engineered floors to be sanded and refinished.

The strength of each board comes from three or more layers of wood laid in opposite directions. This helps to avoid any issues with contraction or expansion, making it perfect for use in areas where traditional hardwood flooring cannot be used, such as in conservatories or in conjunction with embedded underfloor heating. The simplicity of its construction makes it perfect for use in DIY projects and thanks to its strength, it can easily be installed as a floating floor.

solid wood flooring



18MM RUSTIC BRUSHED & OILED OAK

SOLID WOOD FLOORING

Made from high quality premium, solid timber, the random length boards and natural colours of this range will add natural character and instant warmth, making this flooring a solid investment for any home. The grains and colours of Elka solids create an ambience with real character and a sense of permanence, adding beauty and elegance to your interior.

Each board is made from 18mm of 100% solid oak sourced from responsibly managed forests and are all PEFC™ certified. They can be fitted using numerous techniques, including adhering it direct to a sub floor, nailing or screwing it to timber, or floating it using Elka 3in1 underlay. For more information visit elkaflooring.co.uk. Our strict production process means that every board is checked by hand at least three times before being packaged, guaranteeing a high level of quality in every detail of your new floor.

laminate flooring



8MM COUNTRY OAK

LUXURY VINYL 100% WATERPROOF FLOORING

Capturing the beautiful look and feel of real wood in stunning detail, Elka luxury vinyl flooring is a stylish, hardwearing and cost-effective solution for modern living. With six gorgeous authentic-looking wood designs, from timeless browns to on-trend greys, available in our brand-new collection, we're confident you'll find a floor that's perfect for your lifestyle.

Manufactured in multiple layers for fantastic durability, Elka luxury vinyl comes with a wealth of practical advantages. Not only is it 100% waterproof – making it ideal for moisture-prone areas such as bathrooms, kitchens and utility rooms – it's tough, compatible with underfloor heating, sound absorbent and feels warm and soft underfoot. Built to withstand the rigours of family life (pets included), it's also a breeze to clean and care for. Thanks to a sealed top layer that offers resistance against scratches and stains, vacuuming and occasional light mopping are all it takes to keep your Elka luxury vinyl floor looking its best. The Uniclic® system ensures fast installation, with no adhesive required. All you have to do is click the boards down into place on top of Elka LVT lay, making Elka luxury vinyl flooring a great choice for homeowners, renovators and property professionals alike.

LAMINATE FLOORING

Elka's laminate range is one of the most superior quality laminate flooring ranges currently available on the market. Designed to look great and stand the test of time, we apply strict standards to each board, ensuring maximum strength and a flawless finish, the v-groove technology is an advanced bevel edging which helps to create a look that reflects the natural qualities of real wood flooring. The grandeur and elegance of our new long plank boards will transform any room in your home. Our new chevron design is very much on-trend, bringing a modern twist to the French-inspired pattern, creating elegance and beauty. The 12mm v-groove range is ideal for high traffic areas.

AQUA PROTECT: For enhanced water resistance, we now offer the option to have the NEW revolutionary **Aqua Protect** technology within the 8mm v-groove range (pages 16-17).

Most of the range features the unparalleled and technically superior Uniclic® system. Its glue-free installation process makes it fast and easy to lay or re-lay anywhere. Each board locks together securely, ensuring a seamless joint that won't allow dust or dirt to gather. With a lifetime warranty on the Uniclic® system, it means you can enjoy a quality finish for years to come.

luxury vinyl flooring




4.2MM SKYLIGHT OAK



THE NATURAL BEAUTY AND ELEGANCE OF AN ELKA FLOOR

elka



SUSTAINABLE FORESTRY

Every year, more and more timber is available from sustainably managed forests, so every year, we improve and increase our environmentally friendly products.



BRING THE BEAUTY OF NATURE INTO YOUR HOME

Due to the increasing interior trend for flooring to have even more character, we have increased our real wood engineered range. Our products showcase many of these features where the smoking produces more colour variation than staining. The result is much warmer and the natural characteristics are even more enhanced. Our Herringbone real wood engineered floor is a classic design, it equally complements antique furniture or works well in a modern contemporary environment. Due to the distinctive pattern, care must be taken when laying the boards, but the tongue and groove system means that this classic style is now achievable in any home.

The timeless elegance of a wood floor brings warmth and beauty to every home. The variety of styles, colours and species give you a wonderful range to choose from and allows you to put your unique stamp on your living space.

Our luxury vinyl and laminate ranges reflect the beauty of nature, while still maintaining a consistent quality throughout every board. Our real wood engineered and solid ranges use high grade hardwood that has been primarily selected for its hardwearing quality to ensure dimensional stability and long lasting durability.

The choice of a good quality floor from Elka is a smart one both for you and the environment. Our flooring is both designed to last and to be admired, so you are unlikely to want to change it for a very long time. This is especially true for our engineered and solid wood boards which actually become more beautiful with age. We might specialise in creating great home environments, but we also take great care to do everything we can to look after the environment around us. That's why as manufacturers and importers, we understand the importance of sourcing the most responsibly managed raw materials possible to make our flooring. This includes developments like the creation of laminate and engineered floors that can be installed without the use of an adhesive due to the revolutionary Uniclic® system.

Where possible, we insist upon maintaining a certified chain of custody for the majority of the timber we buy. That's why we're so proud that more than half of our product range is PEFC™ (Programme for the Endorsement of Forest Certification) certified. These awards are given to responsibly managed forests that respect the legal system, land usage

rights and the rights of indigenous peoples and their workers, in addition to guaranteeing that felled trees are replaced with saplings.


These unique international non-profit, non-governmental certification systems represent some of the largest environmental movements in the world and we are excited and proud to be a part of them. This means that when you purchase an Elka floor, you can be proud that you are choosing to furnish your home with one of the world's environmentally friendly products: natural wood from a responsibly managed forest. For any timber that isn't certified, we always ensure that it is from well-managed sources.

For PEFC™ (Programme for the Endorsement of Forest Certification) certified products, look for the following logo.



THE NATURAL CHARACTERISTICS OF WOOD FLOORING

The real wood products capture all the rustic qualities of wood and bring the very essence of nature into your home. Each floor board is unique, enriched with naturally occurring characteristics such as knots of various sizes, flared grain patterns, burls, sapwood and mineral streaks. These are characteristics of each species' individual growth process, and are all influenced by region, sunlight, climate and the soil. There are two types of knots; live knots which showcase the beautiful density of the spiral grain and dead knots which are repaired with a rich coloured filler. Any splits or cracks are filled and add a lively character to the unmistakable quality of a natural product. The colour variation within each plank reflects naturally occurring mineral and sapwood streaks and are even further enhanced when stained or treated.



BRAND
NEW
RANGE



luxury vinyl
flooring



4.2MM SCHOOLHOUSE OAK

Elka luxury vinyl flooring is a cost-effective, hardwearing product that is warm and quiet underfoot. It's 100% waterproof, making it ideal for use anywhere in your home including kitchens, bathrooms and utility rooms. You can enjoy the look of a stylish real wood floor in your home with the added advantages of the scratch resistant, durable surface.

features & advantages	structural composition of luxury vinyl flooring
Fully integrated Uniclic® installation system for ease of fitting	Top performant coating
100% waterproof	Clear vinyl wear layer
Fast & easy Installation	Fine printed vinyl décor layer
Easy maintenance	High impact resistant vinyl core
Warm & quiet underfoot	Extra stabilising layer containing glass fibre
Suitable for underfloor heating	Highly impact resistant vinyl backing



4.2mm luxury vinyl

flooring


UNICLIC®

Choose from six authentic wood designs in our new luxury vinyl range, from timeless and classic browns to on-trend greys, it's the perfect solution throughout your home. Ideal for moisture-prone areas such as bathrooms, kitchens and utility rooms*, it has the added advantage of being warm and silent underfoot. Suitable for underfloor heating and easy to maintain, it really is a winner.

4.2MM LUXURY VINYL	KEY FEATURES
2.105m ² per pack 4.2 x 187 x 1251mm 9 planks	Uniclic® locking system - suitable for DIY installation 100% waterproof Suitable for underfloor heating
NA HCHO Bfl-s1 Suitable for underfloor heating R=0.02m² K/W DL PCP EN14041:2004/AC:2006 CE	



4.2MM DORSEY OAK





8MM HONEY OAK

laminate
flooring


Elka laminate flooring is a hardwearing floor that can be used either with or without underfloor heating. It's simple and quick to install with the unique Uniclic® system making it ideal for DIY projects. With the option to choose the NEW revolutionary Aqua Protect Technology on 8mm décors, it will remain as pristine as the day it was installed.

features & advantages of laminate flooring

- Fully integrated Uniclic® installation system for ease of fitting
- High definition surface structures that enhance the authentic appearance of the floor
- Choice of modern finishes and individualistic designs
- Flexible fitting options - you can start anywhere within the room
- Hygienic allergy reducing floor
- Can be used in conjunction with noise reducing underlay
- Suitable for use with embedded underfloor heating systems

structural composition

- Transparent overlay prevents against wear and tear
- Design layer
- HDF board
- Moisture resistant
- High Density Fibre board
- Barrier layer
- Balancing board



We have increased our range of laminate flooring extensively by including new long plank boards that exude quality and elegance. We've also introduced three new chevron designs in the 8mm laminate range. A classic, timeless design that can instantly transform a room.

- 8MM V-GROOVE
- 8MM V-GROOVE LONG PLANK
- 12MM V-GROOVE



8MM FROSTED OAK



8MM SIENNA OAK

AVAILABLE WITH
OR WITHOUT
AQUA PROTECT
TECHNOLOGY



8MM LONG PLANK NUTMEG OAK



12MM TOASTED OAK



12MM STONEY OAK

Choose your **décor** with or without Aqua Protect technology.

Select from eight timber effect designs in our 8mm range, designed to look great and last many years, we apply strict standards to each board, ensuring maximum strength and a flawless finish that makes it look every bit as beautiful as a natural wood floor. The v-groove technology is an advanced bevel edging which helps to create a look that reflects the natural qualities of wood flooring.




WATER RESISTANT

This range offers you the option to have the NEW revolutionary Aqua Protect technology for enhanced water resistance.

3 YEAR WET AREA WARRANTY



8MM LAMINATE	KEY FEATURES
2.179m ² per pack 8 x 192 x 1261mm 9 planks	Uniclic® locking system - suitable for DIY installation Hygienic allergy reducing floor PEFC™ - Caring for the environment
E1 HCHO  Cfl-s1  DS  Suitable for underfloor heating R=0.057m² K/W	 EN13 13329   PEFC™ PEFC/07-32-37



BRAND
NEW
RANGE

A lifestyle photograph showing a woman with dark hair, wearing a beige cardigan and blue jeans, sitting barefoot in a white armchair. She is smiling and holding a white mug with a floral design. A large, open magazine is resting on her lap. The armchair is draped with a beige and red plaid blanket. A decorative grey pillow with a colorful pattern is placed behind her. To the left of the chair is a black wire fire basket filled with logs. A small black side table with a silver lamp is positioned next to the chair. The floor is covered in light grey wood-look planks. In the top left corner, there is a yellow box with the text 'BRAND NEW RANGE' in white. In the bottom left corner, the text 'SKYE OAK' is visible.

OUR NEW 8MM LAMINATE
CHEVRON DESIGN COMBINES A
HERITAGE APPEAL WITH ALL THE
PRACTICALITIES OF LAMINATE.

8mm laminate

flooring

UNICLIC

elka

8MM LAMINATE 2.179m² per pack 8 x 192 x 1261mm 9 planks – left & right planks supplied	KEY FEATURES Uniclic® locking system – suitable for DIY installation Hygienic allergy reducing floor PEFC™ – Caring for the environment
E1 HCHO	C_{fl}-s1 DS
Suitable for underfloor heating R=0.057m² K/W	EN13 13329 CE

A young boy with short brown hair, wearing a green and white plaid shirt over a green t-shirt and dark blue pants, is sitting on a wooden floor with a herringbone pattern. He is smiling and holding a small, fluffy brown dog. The floor is made of wide wooden planks arranged in a herringbone pattern. The text "STORM OAK" is visible in the bottom left corner of the image.

Chevron design
Skye Oak

NEW

UNICLIC 

Chevron design
Atlas Oak

NEW

Chevron design
Storm Oak

NEW

UNICLIC 

20
year
domestic
warranty

BRAND
NEW
RANGE



ORCHARD OAK



OUR NEW 8MM V-GROOVE LONG
PLANK LAMINATE FLOORING RANGE
CREATES INSPIRING INTERIORS.

V-GROOVE LONG PLANK

8mm laminate
flooring
FitXpress®

elka

8MM LAMINATE	KEY FEATURES
3.444m ² per pack 8 x 240 x 2050mm 7 planks	FitXpress® locking system - suitable for DIY installation Hygienic allergy reducing floor PEFCTM - Caring for the environment
E1 HCHO Cfl-s1 DS EN13 13329 PEFC PEFC/07-32-37	 Suitable for underfloor heating R=0.057m² K/W



20
year
domestic
warranty

V-GROOVE

12mm laminate

flooring

UNICLIC

Choose from four timber effect designs in our 12mm range with its fully integrated Uniclic® installation system. The 12mm range is quieter to walk on, will hide small imperfections in the subfloor and is easier to install due to the thickness of the board. With its AC5 rating, the Elka 12mm laminate range is ideal for high traffic areas and designed to look great and last for many years to come.



TOASTED OAK

elka

AC5

MORE SCRATCH RESISTANT

12MM LAMINATE	KEY FEATURES
1.453m ² per pack 12 x 192 x 1261mm 6 planks	Uniclic® locking system - suitable for DIY installation Hygienic allergy reducing floor PEFC™ - Caring for the environment
E1 HCHO  Cfl-s1  DS  EN13 13329  Suitable for underfloor heating R=0.094m² K/W	 PEFC CE PEFC/07-32-37

Toasted Oak



Barn Oak



Cinnamon Oak



Stoney Oak

NEW



5

year commercial warranty

25

year domestic warranty

*on application



real wood engineered flooring

14MM HERRINGBONE
DARK SMOKED OAK

Elka engineered flooring is a truly practical product, chosen for its strength, flexibility of installation and overall stability. It perfectly mimics a solid wood floor, but is actually made of three or more layers of real wood with an upper layer of genuine hardwood. It can be used in conservatories and in conjunction with underfloor heating.

features & advantages	structural composition of engineered flooring
Can be laid over embedded underfloor heating	Carefully selected real wood wear layer
Can be sanded and refinished	Latest technology machining for ultimate stability
Made from 100% natural wood	Engineered ply construction for a stable inner core
Dimensional stability	Superior glue throughout ensures a long carefree life
Can be laid in all residential areas (except those of high humidity)	Selected veneer backing for added stability



real wood engineered
flooring



With all the aesthetics of a real wood floor, our real wood engineered flooring is a practical design choice for any home. Elka offers the most extensive choice of thickness, with options available using our patented Uniclic® system or the more traditional Tongue and Groove system. With exceptional strength and timeless beauty, all of our floors in this range are designed to last the test of time.



The Uniclic® installation system is a glue-free process which is fast and easy to lay. Each board locks together securely, ensuring a seamless joint that won't allow dust or dirt to gather. With the lifetime warranty on the Uniclic® system, you can enjoy a quality finish for years to come.



- 12.5MM
- 13.5MM
- 14MM



Each plank features a tongue and groove format. Depending on the format of the board each installation can be either secret nailed or glued to a suitable sub floor. Refer to installation instructions for advice.




- 14MM
- 18MM
- 20MM

NOTE: Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



12.5MM DOUBLE WHITE OAK UNICLIC



13.5MM SUMMER OAK UNICLIC



14MM RURAL OAK TONGUE & GROOVE



14MM CARAMEL OAK UNICLIC



18MM WASHED & SMOKED OAK TONGUE & GROOVE



20MM BRUSHED & OILED OAK TONGUE & GROOVE

12.5mm real wood engineered flooring



Choose any floor from our 12.5mm range with its 2.2mm real wood wear layer and you have the added confidence that your floor is fully PEFC™ certified. It can be used in conjunction with underfloor heating.

12.5MM REAL WOOD ENGINEERED
12.5 x 145 x 1820mm 1.583m² per pack 2-sided bevel (long side)
KEY FEATURES
Solid Oak - 2.2mm wear layer HDF moisture resistant core Uniclic® locking system - suitable for DIY installation PEFC™ - Caring for the environment

Suitable for underfloor heating

PEFC™
07-32-37



ANTIQUE OAK

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.

Double White Oak

UV brushed matt lacquered finish

UNICLIC logo

Classic White Oak

UV brushed matt lacquered finish

UNICLIC logo

Golden Oak

UV brushed matt lacquered finish

UNICLIC logo

Antique Oak

UV brushed matt lacquered finish

UNICLIC logo



13.5mm real wood engineered flooring



Our 13.5mm range provides both modern and traditional options with a 2.5mm real wood wear layer and the revolutionary Uniclic locking system, renowned for strength and ease of installation. All floors are compatible for underfloor heating and are PEFC™ certified.

13.5MM REAL WOOD ENGINEERED

13.5 x 190 x 1820mm
2.074m² per pack
2-sided bevel (long side)

KEY FEATURES

Solid Oak – 2.5mm wear layer
Real wood spruce core
Uniclic® locking system – suitable for DIY installation
PEFC™ – Caring for the environment



Suitable for underfloor heating



PEFC
07-32-37



SUMMER OAK

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



Spring Oak

Brushed matt
lacquered finish

NEW



Summer Oak

Brushed & oiled finish

NEW



Winter Oak

Brushed matt
lacquered finish

NEW



WINTER OAK



14mm real wood engineered flooring



With an extensive range of finishes, our 14mm real wood engineered floor has a surface layer of 3mm and can be used in conjunction with underfloor heating. This range includes the revolutionary Uniclic® system which is renowned not only for its strength, but also for the ease and flexibility of installation.

14MM REAL WOOD ENGINEERED
14 x 190 x 1820mm 2.075m² per pack 4 or 2-sided bevel (long side)
KEY FEATURES
Solid oak – 3mm wear layer Real wood core Up to 30% starter boards Uniclic® locking system

Suitable for underfloor heating



Rustic Brushed & Oiled Oak / Rustic Lacquered Oak / Caramel Oak Truffle Oak / Super Rustic Oak 14x190x1820mm 2.075m² per pack 4-sided bevel
Champagne Oak / Russet Oak 14x190x1820mm 2.075m² per pack 2-sided bevel (long edge)

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



14mm real wood engineered flooring

TONGUE & GROOVE

Our 14mm real wood engineered floors exude warmth and character just like a solid wood floor. These floors use the traditional tongue and groove fixing mechanism and the Herringbone design means that you achieve the timeless quality of traditional parquet flooring, but with the added advantages of being able to combine this with modern luxuries such as underfloor heating.



Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.




14MM REAL WOOD ENGINEERED	
HERRINGBONE 14 x 120 x 600mm 0.864m² per pack	RURAL OAK 14 x 189 x 1860mm 2.812m² per pack Up to 30% starter boards

KEY FEATURES
Tongue & Groove locking system UV Oiled & Smoked finish Solid oak – 3mm wear layer Real wood core / 4-sided bevel

Suitable for underfloor heating

CE

Fully adhere using Elka Trowel Flex or Elka Rigid



18mm real wood engineered flooring

TONGUE & GROOVE

This 18mm real wood engineered range provides choice and variety for both modern and traditional environments. It can be used in conjunction with embedded underfloor heating and with excellent thermal and acoustic properties, it will enhance any room in your home.







WALNUT

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.

18MM REAL WOOD ENGINEERED
18 x 150mm x random lengths 4mm wear layer / 4-sided bevel 1.98m² per pack
KEY FEATURES
Solid 4mm wear layer, rustic grade Available in: Oiled or Lacquered finish Random lengths: 400-1800mm Ensures excellent thermal and acoustic properties

Suitable for underfloor heating



20mm real wood engineered flooring

TONGUE & GROOVE


This structural engineered flooring is load bearing and suitable for fixing directly to joists. With excellent thermal and acoustic properties, it can be laid over embedded underfloor heating making this a great choice for any room. The wear layer can be resanded but with normal care and attention, this floor will enhance your home for many years to come.

20MM REAL WOOD ENGINEERED 20 x 189 x 1860mm 2.11m² per pack 4-sided bevel	
KEY FEATURES Solid 4mm wear layer Structural & load bearing, suitable to fix straight to joists Ensures excellent thermal and acoustic properties Up to 30% of starter boards included	




AUTUMN OAK

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.




Rustic UV Lacquered Oak

TONGUE & GROOVE



Rustic UV Brushed & Oiled Oak


TONGUE & GROOVE



Autumn Oak

UV brushed & oiled
rustic+ finish

TONGUE & GROOVE




Copper Oak

UV brushed & oiled
rustic+ finish

TONGUE & GROOVE





solid wood flooring

RUSTIC UV LACQUERED OAK

Made from high quality premium, solid timber, the natural colours of Elka solid wood flooring will add natural character and warmth, making it a solid investment for any home. Our strict production process means that every board is checked by hand at least three times guaranteeing a high level of quality in every detail of your new floor.

features & advantages of solid flooring	structural composition
Traditional 18mm solid floors Only selected and graded timbers used Contemporary and stylish finishes to suit every home Random length boards 20 year structural warranty To fit, adhere it direct to a sub floor, nail or screw it to timber, or float it using elka 3in1 underlay PEFCT™ certified	Carefully selected timber, sourced from responsibly managed forests Tongue and groove construction allowing multiple fixing options Top surface is finished with lacquer or oil to enhance hardness and durability



solid wood

flooring

TONGUE & GROOVE

Each 18mm Elka solid wood board is made from 100% solid oak sourced from responsibly managed forests and are all PEFC™ certified. Created from high-grade timber, we only select the most aesthetically pleasing grains for use in this exclusive range and offer a range of stained, oiled and lacquered finished planks.




SOLID WOOD
18 x 130mm x random lengths 2.184m² per pack
KEY FEATURES
Traditional 18mm solid flooring Rustic Grade Only selected and graded timbers used Random length boards 20 year structural warranty




RUSTIC UV BRUSHED & OILED OAK

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.




Rustic UV Lacquered Oak

TONGUE & GROOVE




Rustic UV Brushed & Oiled Oak

TONGUE & GROOVE



Golden Oak
UV lacquered,
aged and hand finished

TONGUE & GROOVE



Grey Oak
UV lacquered
finish

TONGUE & GROOVE

NEW





elka

EVERYTHING YOU
NEED TO PREPARE,
FIX, FINISH & MAINTAIN
YOUR ELKA FLOOR

PREPARE
PAGE 45

To achieve the perfect finish and ensure good performance, preparation from the ground up is key.

FIX / FINISH
PAGES 46-49

The Elka range of high performance fixing products provide the right solution for every type of flooring.

MAINTAIN
PAGE 50-51

Keep your floor looking as good as the day it was laid with Elka's range of products to maintain the finish of real wood, laminate and luxury vinyl floors.


ELKA EXTRAS

EVERYTHING YOU NEED TO
PREPARE YOUR ELKA FLOOR

elka

Our comprehensive range of underlay is designed to protect and secure your Elka floor. Elka LVT lay is exclusively for use with our new luxury vinyl flooring range. Elka lay is perfect for any location, but you may prefer to choose the added advantages of VPB, additional cushioning underfoot and sound proofing. Elka 3in1 lay has a practical integrated adhesive system for ease of installation of solid and engineered flooring. All our other underlays are suitable for use with laminate and real wood engineered flooring.

elka
LVT Lay



1.5MM UNDERLAY WITH
VPB VAPOUR PROOF BARRIER

Lightweight and easy to cut - 9.6m² / pack
Supporting 1.5mm thick underlay for use with Elka luxury vinyl flooring
Great acoustic insulation performance: 19db sound reduction
Low thermal resistance / High compressive strength
Built in vapour proof barrier with taped overlap.

THE ONLY UNDERLAY SUITABLE
FOR ELKA LUXURY VINYL FLOORING

L: 8m W: 1.2m Thick: 1.5mm

elka
Lay



3MM UNDERLAY

Handy lightweight 15m² roll
Robust 3mm underlay for use with laminate and real wood engineered flooring

L: 15m W: 1m Thick: 3mm

elka
DUO Lay



3MM UNDERLAY WITH
VPB VAPOUR PROOF BARRIER

Handy lightweight 15m² roll
Robust 3mm underlay for use with laminate and real wood engineered flooring
Includes laminated Vapour Proof Barrier (VPB) back for concrete ground floor installations
Suitable for underfloor heating

L: 15m W: 1m Thick: 3mm

elka
COMFORT



5MM UNDERLAY WITH
CUSHIONED SUPPORT / VPB / SOUND PROOFING

Handy lightweight 15m² roll
Luxury 5mm underlay for use with laminate and real wood engineered flooring
20db sound reduction
Low thermal resistance
Cushioned support increases underfoot comfort
Shock absorbent / vapour barrier
Exceptional acoustic insulation performance
Suitable for embedded underfloor heating
Integrated VPB system

L: 15m W: 1m Thick: 5mm

elka
HUSH



5MM UNDERLAY WITH
VPB / SOUND PROOFING

Handy lightweight boards - 19 no. size 600 x 856mm / total coverage 9.76m²/pk
Luxury 5mm underlay for use with laminate and real wood engineered flooring
Floor levelling characteristics
Exceptional acoustic insulation performance 23db sound reduction
Smooths & levels minor imperfections and braces board joints for better support
High thermal resistance: 2 tog
Durable: withstands high loads of 10T/m²
Non-absorbing, mould resistant boards

L: 856mm W: 600mm (x19 boards) Thick: 5mm

EVERYTHING YOU NEED TO
FIX YOUR ELKA FLOOR

Our specialist range of high performance fixing products that are safe, simple and cost effective solutions for installing elka flooring.

ELKA
GRIP

QUALITY ADHESIVE FOR USE WITH
ELKA TONGUE & GROOVE REAL
WOOD ENGINEERED FLOORING



500ml

A specialist D3 rated high quality resin based wood adhesive for use when fixing engineered flooring panels with a tongue & grooved system.

Features and Advantages

- High strength impact resistant bond that is stronger than wood itself
- Dries clear
- Coverage 6 -10m² of T&G (dependent on the depth of the flooring groove)
- Easy clean-up using a damp cloth
- Handy 500ml bottle



Suitable for use with **real wood engineered** flooring.

ELKA
TONGUE TITE®

SUPERB PRODUCT FOR SCREW FIXING
SOLID OR REAL WOOD ENGINEERED (18MM+)
FLOORING TO ANY WOOD SUBSTRATE



200 no. per box and 1 no. adaptor bit

Designed to fix tongue & groove flooring, these 3.5x45mm screws feature the smallest heads ever, enabling them to be countersunk tidily into the rebate above the tongue so as to offer no obstruction to the matching groove on the next board.

Features and Advantages

- No need for glue or to hire a nail gun, drill bit is included in every pack.
- Easy to install in difficult locations
- If necessary, you can remove boards without damage in order to gain access to underfloor plumbing etc.
- No need to drill pilot holes, even in hardwoods.
- One size fits all boards (3.5 x 45mm)
- Boxed in 200's (covers up to 10m²)



Suitable for use with **solid** and **real wood engineered** flooring.

ELKA
FITTING KIT

FOR FITTING **LAMINATE**
AND MOST UNICLIC® FLOORING
QUICKLY AND EASILY



1 tapping block, 1 pull bar and 40 spacers

Designed to make fitting your Uniclic® floor as easy as possible without risk of damaging it.

Features and Advantages

- The spacers maintain an expansion gap around perimeter
- Pull bar allows you to pull planks together at the end of rows
- Tapping block protects edges of the boards when tapping them together



Suitable for use with **laminate** and **real wood engineered** flooring.

ELKA
HYDRO-FLEX

A LOW MODULOUS, NEUTRAL-CURING,
SILICONE SEALANT FOR A WATERTIGHT
SEAL WITH **LUXURY VINYL** FLOORING

Features and Advantages

For filling the transition gap around the perimeter of the room and for creating a watertight seal for wet environments.

NEW

Coverage: 10.5 linear metres
when used as directed,
instructions on packaging

Suitable for use with **luxury vinyl** flooring.



ELKA
BOND
RIGID

HEAVY DUTY SYNTHETIC
POLYMER FOR A RIGID BOND.

Features and Advantages

For bonding solid and engineered flooring to concrete, cementitious screeds, flooring grade plywood, chipboard, hardboard and smoothing compounds where applicable.

The Elka bond range is a versatile product that can be used for a rigid fix for both solid wood and real wood engineered flooring or a flexible fix for solid wood floors.

Coverage: 16m²
when used as directed,
instructions on packaging

Suitable for use with **solid** and **real wood engineered** flooring.



10 Litre

ELKA
BOND
FLEX

ELKA BOND FLEX ADHESIVE RANGE IS BASED ON THE LATEST DEVELOPMENTS IN HYBRID TECHNOLOGY AND HAS THE FOLLOWING KEY BENEFITS:

Features and Advantages

- 100% active, solvent and water-free
- Permanently flexible – compensates for wood and sub floor movement
- Will bond wood directly to all common sub floors
- Low odour
- Excellent gap filling properties for uneven surfaces
- Plyable product gives excellent sound reduction properties

Range is suitable for use with **solid** and **real wood engineered** flooring.

ELKA
BOND
DIY
FLEX

Coverage: 1m²
when used as directed,
instructions on packaging



300ml

ELKA
BOND
TRADE
FLEX

Pack includes, reusable gun, wipes and nozzles. Trade pack refill cartridges also available (packs of 12)

Coverage: 18m²
when used as directed,
instructions on packaging



9 x 600ml foils

ELKA
BOND
TROWEL
FLEX

2 x 7kg foil packs
Pack includes trowel and wipes

Coverage: 14m²
when used as directed,
instructions on packaging



14kg

EVERYTHING YOU NEED TO
FINISH YOUR ELKA FLOOR


LAMINATE

LAMINATE PROFILES AND
ADAPTORS SUITABLE FOR
LAMINATE FLOORING.

The best flooring profile is no profile at all. But that's technically not possible because laminate floors may move as the result of relative humidity and ambient temperature. That's why we have come up with a new 3in1 SmartProfile that is almost invisible (narrow and flat - only 2mm) and closely matches the laminate floors. It's a combination of an adapting profile, expansion profile and edge profile, all in a single profile.



Delivered with
cutter to adapt
to the profile
you need.



Expansion Profile
1850 x 33.4 x 10.5 mm

Adaptor Profile
1850 x 43.7 x 12.5 mm

Edge Profile
1850 x 33.4 x 12.5 mm

FEATURES AND ADVANTAGES OF THE 3IN1 LAMINATE PROFILE

- | | |
|--|--|
| Laminate wood finish | Flexible - 3 profiles in 1 |
| Simply trim to the required profile type using the trimmer included in each pack | Extra height adjustment can be gained when applied using Elka bond |

Length: 1850mm, ideal for two door widths
Suitable for use on floors between 8-12mm with the supporting adjustable track provided

elka SCOTIA
PROFILE

The Elka Scotia Profile camouflages the expansion joint between an existing skirting and a newly installed Elka laminate floor. These scotia profiles can be fixed with either Elka bond or by nailing. With finishes that closely match your elka laminate floor, it's the perfect solution.




REAL WOOD ENGINEERED / SOLID

REAL WOOD PROFILES AND
ADAPTORS SUITABLE FOR **SOLID** AND
REAL WOOD ENGINEERED FLOORING.



Trim off the
area of the product
not required using
the supplied trimmer.



Elka 3in1 Real Wood Profile is a flexible finishing profile designed to complete your real wood flooring utilising the latest design technology with a practical multifunctional profile moulding. This easy-to-use profile allows you to simply trim off the area of the product not required to create one of three finishing solutions.



Expansion Profile
to cover expansion gaps between two adjacent flooring products of the same height.

Adaptor Profile for use when finishing between two adjoining floor coverings where the adjacent floor covering is of a lower height e.g. carpets or vinyl.

Edge Profile
to finish the flooring where a dressed edge is required eg. against a wall or window.

FEATURES AND ADVANTAGES OF THE 3IN1 REAL WOOD PROFILE

- | | |
|--|--|
| Real wood veneer finish | Flexible - 3 profiles in 1 |
| Simply trim to the required profile type using the trimmer included in each pack | Extra height adjustment can be gained when applied using elka bond |

Available in two lengths:
930mm in lacquered white oak and unfinished* white oak
2150mm in lacquered white oak or unfinished* white oak.
Suitable for use on floors between 14-20mm with the supporting adjustable track provided

*Unfinished white oak allows the flexibility to either oil, stain or lacquer the profile on-site to match your floor.

elka OAK SCOTIA
PROFILE

The Elka Oak Scotia Profile is made from lacquered real wood veneer and provides the perfect finish to a newly installed Elka real wood engineered or solid wood floor. It can be glued or nailed for quick and easy placing. It is the perfect finish for your solid or real wood engineered floor.



EVERYTHING YOU NEED TO
MAINTAIN YOUR ELKA FLOOR

Our Elka **Clean and Protect** range is designed to be quick and easy to use, no specialist polishing required. Perfect for today's modern lifestyle, leaving you time to enjoy your home! All items are available to purchase in kit form or individually. The range also includes a Scuff Mark Remover which will remove stubborn scuff marks without damaging your floor.



Clean + Protect kit for **oiled** real wood flooring

This kit contains everything you need to clean and protect your **oiled** wood floor. Contents include an All Purpose Cleaner, an All Purpose Cleaner Concentrate and a Protector specially formulated for oiled real wood flooring.



Clean + Protect kit for **lacquered** real wood flooring

This kit contains everything you need to clean and protect your **lacquered** wood floor. Contents include an All Purpose Cleaner, an All Purpose Cleaner Concentrate and a Protector specially formulated for lacquered real wood flooring.



ALL PURPOSE CLEANER

ALL PURPOSE CLEANER Concentrate

Ideal for removing everyday dirt and grime or as spot stain removers. Suitable for frequent use on **luxury vinyl**, **laminated**, **lacquered** & **oiled** finished floors.



OILED FINISH PROTECTOR

LACQUERED FINISH PROTECTOR

SCUFF MARK REMOVER

Protect your **real wood** floor against abrasion, scuffs and stains. Use regularly to keep your floor in good condition. Elka Scuff Mark Remover is a gentle, non-abrasive, residue-free cleaner formulated to remove stubborn scuff marks without damaging your floor.

CARING FOR
YOUR ELKA FLOOR

It's so easy to care for your Elka floor. Laminate and luxury vinyl flooring is not only easy to clean, it's hygienic too. In fact, the sealed surface prevents bacteria accumulating on the floor which is great for the prevention of allergies. In general, we recommend dry cleaning the floor with a microfibre duster. Occasionally, damp cleaning can be done using an almost dry mop. Never use a steam cleaner or wet mop your Elka floor as this will cause damage not covered by the warranty.

Real wood engineered and solid wood floors are natural products that improve as the floor ages, but to keep them looking in top condition you can top up the oil or lacquer finish. Daily cleaning requires little more than a good sweep or dry mopping. By quickly wiping up any spills immediately, you can prevent stains occurring. You can spray on a spot cleaner to deal with the mess quickly and easily. More stubborn scuff marks can be tackled with our specialist remover, minimising the risk of damaging your floor. Follow these simple steps to ensure that your floor remains looking good for many years to come.

DAILY MAINTENANCE

Sweep or vacuum your floor regularly to prevent grit and dust accumulating and scratching the surface.

Use protective pads under all furniture to prevent scratches. Use door mats at your external doors to prevent grit and small stones being carried into the home.

Wipe up any spills immediately. Never allow any liquid to remain on the floor.

Stains should be removed immediately while they are still wet and after removal, wipe floor dry.

Do not use general household cleaners as these may dull or damage the surface. They may even leave a film residue which could make the floor slippery and more difficult to clean.






PERIODIC MAINTENANCE

Oiled and lacquered finish real wood floors benefit from reapplication of Elka Protector approximately once every six months. The advantage of this very simple maintenance step is that, with regular treatment, you can keep your floor looking as good as new. It also 'tops up' the protective barrier against abrasions, scuffs and stains.

In areas of high traffic, for example, in a hallway, your floor may start to look a little worn. You can treat this particular area as and when you feel necessary, to keep it looking in tip top condition.

ELKA FLOORING PRODUCT OVERVIEW

4.2mm luxury vinyl flooring							
 NEW	 NEW	 NEW	 NEW				
PRODUCT: ELL40154 PACK SIZE: 2.105m ²	SAP: 400054448 PACKS/PALLET: 52	PRODUCT: ELL40150 PACK SIZE: 2.105m ²	SAP: 400054452 PACKS/PALLET: 52	PRODUCT: ELL40147 PACK SIZE: 2.105m ²	SAP: 400054449 PACKS/PALLET: 52	PRODUCT: ELL40151 PACK SIZE: 2.105m ²	SAP: 400054450 PACKS/PALLET: 52
 NEW	 NEW						
PRODUCT: ELL40065 PACK SIZE: 2.105m ²	SAP: 400054451 PACKS/PALLET: 52	PRODUCT: ELL40155 PACK SIZE: 2.105m ²	SAP: 400054453 PACKS/PALLET: 52				
8mm laminate flooring / 8mm laminate flooring with Aqua Protect							
 PEFC	 PEFC	 PEFC	 NEW PEFC				
PRODUCT: ELV207 PRODUCT: ELV207AP PACK SIZE: 2.179m ²	SAP: 400054663 SAP: 400065461 PACKS/PALLET: 52	PRODUCT: ELV182 PRODUCT: ELV182AP PACK SIZE: 2.179m ²	SAP: 400054660 SAP: 400065458 PACKS/PALLET: 52	PRODUCT: ELV183 PRODUCT: ELV183AP PACK SIZE: 2.179m ²	SAP: 400054661 SAP: 400065459 PACKS/PALLET: 52	PRODUCT: ELV203 PRODUCT: ELV203AP PACK SIZE: 2.179m ²	SAP: 400054659 SAP: 400065457 PACKS/PALLET: 52
 PEFC	 PEFC	 PEFC	 PEFC				
PRODUCT: ELV281 PRODUCT: ELV281AP PACK SIZE: 2.179m ²	SAP: 400054662 SAP: 400065460 PACKS/PALLET: 52	PRODUCT: ELV223 PRODUCT: ELV223AP PACK SIZE: 2.179m ²	SAP: 400054664 SAP: 400065462 PACKS/PALLET: 52	PRODUCT: ELV224 PRODUCT: ELV224AP PACK SIZE: 2.179m ²	SAP: 400054665 SAP: 400065463 PACKS/PALLET: 52	PRODUCT: ELV225 PRODUCT: ELV225AP PACK SIZE: 2.179m ²	SAP: 400054676 SAP: 400065464 PACKS/PALLET: 52
 NEW PEFC	 NEW PEFC	 NEW PEFC	TO SELECT THE AQUA PROTECT FLOORING, USE THE PRODUCT CODE HIGHLIGHTED (ENDING AP) 				
PRODUCT: ELV284 PACK SIZE: 2.179m ²	SAP: 400055751 PACKS/PALLET: 52	PRODUCT: ELV282 PACK SIZE: 2.179m ²	SAP: 400055749 PACKS/PALLET: 52	PRODUCT: ELV283 PACK SIZE: 2.179m ²	SAP: 400055750 PACKS/PALLET: 52		
8mm long plank laminate flooring							
 NEW FitXpress® PEFC	 NEW FitXpress® PEFC	 NEW FitXpress® PEFC	 NEW FitXpress® PEFC				
PRODUCT: ELW122 PACK SIZE: 3.444m ²	SAP: 400054933 PACKS/PALLET: 33	PRODUCT: ELW120 PACK SIZE: 3.444m ²	SAP: 400054935 PACKS/PALLET: 33	PRODUCT: ELW124 PACK SIZE: 3.444m ²	SAP: 400054934 PACKS/PALLET: 33	PRODUCT: ELW121 PACK SIZE: 3.444m ²	SAP: 400054932 PACKS/PALLET: 33
12mm laminate flooring ACS							
 PEFC	 PEFC	 PEFC	 NEW PEFC				
PRODUCT: ELT226 PACK SIZE: 1.453m ²	SAP: 400054690 PACKS/PALLET: 52	PRODUCT: ELT216 PACK SIZE: 1.453m ²	SAP: 400054691 PACKS/PALLET: 52	PRODUCT: ELT279 PACK SIZE: 1.453m ²	SAP: 400054689 PACKS/PALLET: 52	PRODUCT: ELT187 PACK SIZE: 1.453m ²	SAP: 400052965 PACKS/PALLET: 52

12.5mm real wood engineered flooring			
 UNICLIC® PEFC	 UNICLIC® PEFC	 UNICLIC® PEFC	 UNICLIC® PEFC
PRODUCT: ELKABMLDWOAK PACK SIZE: 1.583m²	SAP: 422756 PACKS/PALLET: 66	PRODUCT: ELKABMLGOAK PACK SIZE: 1.583m²	SAP: 422584 PACKS/PALLET: 66
PRODUCT: ELKABMLAOAK PACK SIZE: 1.583m²	SAP: 422583 PACKS/PALLET: 66		
13.5mm real wood engineered flooring			
 NEW UNICLIC® PEFC	 NEW UNICLIC® PEFC	 NEW UNICLIC® PEFC	
PRODUCT: ELKA13SPRING SAP: 400056444	PK: 2.074m² PKS/PLT: 55	PRODUCT: ELKA13SUMMER SAP: 400056698	PK: 2.074m² PKS/PLT: 55
PRODUCT: ELKA13WINTER SAP: 400056697	PK: 2.074m² PKS/PLT: 55		
14mm real wood engineered flooring			
 UNICLIC®	 UNICLIC®	 UNICLIC®	 UNICLIC®
PRODUCT: ELKA14CHAMP SAP: 423558	PK: 2.075m² PKS/PLT: 55	PRODUCT: ELKA14BOROAKUC SAP: 400020783	PK: 2.075m² PKS/PLT: 55
PRODUCT: ELKA14LROAKUC SAP: 400020782	PK: 2.075m² PKS/PLT: 55	PRODUCT: ELKA14TRUFFLE SAP: 400017028	PK: 2.075m² PKS/PLT: 55
 UNICLIC®	 UNICLIC®	 UNICLIC®	
PRODUCT: ELKA14SROAK SAP: 440712	PK: 2.075m² PKS/PLT: 55	PRODUCT: ELKA14CARAMEL SAP: 440711	PK: 2.075m² PKS/PLT: 55
PRODUCT: ELKA14RUSSET SAP: 423557	PK: 2.075m² PKS/PLT: 55		
 TONGUE & GROOVE	 TONGUE & GROOVE	 TONGUE & GROOVE	
PRODUCT: ELKA14RURAL SAP: 432127	PK: 2.812m² PKS/PLT: 40	PRODUCT: ELKA14HBLSOAK SAP: 400036671	PK: 0.864m² PKS/PLT: 80
PRODUCT: ELKA14HBDISOAK SAP: 400036670	PK: 0.864m² PKS/PLT: 80		
18mm real wood engineered flooring			real wood engineered
 TONGUE & GROOVE	 TONGUE & GROOVE	 TONGUE & GROOVE	 TONGUE & GROOVE
PRODUCT: ELKA18W&SOAK SAP: 400009827	PK: 1.98m² PKS/PLT: 56	PRODUCT: ELKA18ENHANCEDOAK SAP: 400009828	PK: 1.98m² PKS/PLT: 56
PRODUCT: ELKA18NATIVEOAK SAP: 400016941	PK: 1.98m² PKS/PLT: 56	PRODUCT: ELKA18LBWALNUT SAP: 431483	PK: 1.98m² PKS/PLT: 56
20mm real wood engineered flooring			
 TONGUE & GROOVE	 TONGUE & GROOVE	 TONGUE & GROOVE	 TONGUE & GROOVE
PRODUCT: ELKA20RUVLOAK SAP: 400037761	PK: 2.11m² PKS/PLT: 35	PRODUCT: ELKA20RBOOAK SAP: 400037729	PK: 2.11m² PKS/PLT: 35
PRODUCT: ELKA20AUTUMNOAK SAP: 37763	PK: 2.11m² PKS/PLT: 35	PRODUCT: ELKA20COPPEROAK SAP: 400037762	PK: 2.11m² PKS/PLT: 35
18mm solid wood flooring			
 TONGUE & GROOVE PEFC	 TONGUE & GROOVE PEFC	 TONGUE & GROOVE PEFC	 NEW TONGUE & GROOVE PEFC
PRODUCT: ELKA130LROAK SAP: 400058692	PK: 2.184m² PKS/PLT: 48	PRODUCT: ELKA130BOROAK SAP: 400058721	PK: 2.184m² PKS/PLT: 48
PRODUCT: ELKA130GOLDOAK SAP: 400058694	PK: 2.184m² PKS/PLT: 48	PRODUCT: ELKA130GREYOAK SAP: 400058693	PK: 2.184m² PKS/PLT: 48

PREPARE



ELKA LVT LAY
627369



ELKA LAY
609920



ELKA DUO LAY
609919



ELKA COMFORT LAY
613127



ELKA HUSH
627370

FIX



ELKA GRIP
609957



ELKA TONGUE TITE
609969



ELKA FITTING KIT
610436



NEW
ELKA HYDRO-FLEX
625518



ELKA BOND RIGID
609965



ELKA BOND DIY FLEX
609956



ELKA BOND TRADE FLEX
609970
ELKA BOND TRADE FLEX REFILL
609971



ELKA BOND TROWEL FLEX
609972

MAINTAIN



CLEAN & PROTECT FOR OILED WOOD FLOORING
613359



CLEAN & PROTECT FOR LACQUERED WOOD FLOORING
613360



ALL PURPOSE CLEANER
FOR WOOD FLOORING
611387



ALL PURPOSE CLEANER
CONCENTRATE
611386



OILED FINISH PROTECTOR
613217



LACQUERED FINISH
PROTECTOR
613218



SCUFF MARK
REMOVER
613216

elka®

www.elkaflooring.co.uk

 **UNILIN**
UNILIN DISTRIBUTION LTD

HEAD OFFICE

Unit 5, Rampart Business Centre
Greenbank Industrial Estate
Newry, County Down
BT34 2QU
T: +44 (0) 28 3025 0477
from ROI: 048 3025 0477
F: +44 (0) 28 3025 0223

DISTRIBUTION CENTRE

Unit 4, The Furrows
Barton Dock Road
Trafford Park
Manchester
M32 0SZ
T: 0844 8118 288
F: 0844 8118 289

